

Chih-Chung Shiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8244318/publications.pdf>

Version: 2024-02-01

82
papers

2,167
citations

318942

23
h-index

263392

45
g-index

84
all docs

84
docs citations

84
times ranked

2411
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Nomenclature and diagnostic criteria for acute kidney injury – 2020 consensus of the Taiwan AKI-task force. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 749-765. | 0.8 | 9 |
| 2 | Warm-water footbath improves dysmenorrhoea and heart rate variability in college students: a randomised controlled trial. <i>Journal of Obstetrics and Gynaecology</i> , 2022, 42, 1204-1210. | 0.4 | 1 |
| 3 | Vancomycin-Associated Acute Kidney Injury: A Narrative Review from Pathophysiology to Clinical Application. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2052. | 1.8 | 25 |
| 4 | Acute Kidney Injury and Gut Dysbiosis: A Narrative Review Focus on Pathophysiology and Treatment. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3658. | 1.8 | 11 |
| 5 | A novel procalcitonin-based score for detecting sepsis among critically ill patients. <i>PLoS ONE</i> , 2021, 16, e0245748. | 1.1 | 7 |
| 6 | Accelerated versus standard initiation of renal replacement therapy for critically ill patients with acute kidney injury: a systematic review and meta-analysis of RCT studies. <i>Critical Care</i> , 2021, 25, 5. | 2.5 | 24 |
| 7 | Optimal timing for hospice-shared care initiation in terminal cancer patients. <i>Supportive Care in Cancer</i> , 2021, 29, 6871-6880. | 1.0 | 5 |
| 8 | Predictive Ability of Procalcitonin for Acute Kidney Injury: A Narrative Review Focusing on the Interference of Infection. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6903. | 1.8 | 17 |
| 9 | Proton Pump Inhibitors Augment the Risk of Major Adverse Cardiovascular Events and End-Stage Renal Disease in Patients With Acute Kidney Injury After Temporary Dialysis. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 107, 1434-1445. | 2.3 | 6 |
| 10 | Association between regional economic status and renal recovery of dialysis-requiring acute kidney injury among critically ill patients. <i>Scientific Reports</i> , 2020, 10, 14573. | 1.6 | 7 |
| 11 | Independent Predictive Ability of Procalcitonin of Acute Kidney Injury among Critically Ill Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 1939. | 1.0 | 9 |
| 12 | Differences in medical costs for end-of-life patients receiving traditional care and those receiving hospice care: A retrospective study. <i>PLoS ONE</i> , 2020, 15, e0229176. | 1.1 | 13 |
| 13 | Heart rate variability as an independent predictor for 8-year mortality among chronic hemodialysis patients. <i>Scientific Reports</i> , 2020, 10, 881. | 1.6 | 24 |
| 14 | Rare anaplastic sarcoma of the kidney: A case report. <i>World Journal of Clinical Cases</i> , 2020, 8, 1495-1501. | 0.3 | 1 |
| 15 | Title is missing!. , 2020, 15, e0229176. | | 0 |
| 16 | Title is missing!. , 2020, 15, e0229176. | | 0 |
| 17 | Title is missing!. , 2020, 15, e0229176. | | 0 |
| 18 | Title is missing!. , 2020, 15, e0229176. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The Association between Nutritional Markers and Heart Rate Variability Indices in Patients Undergoing Chronic Hemodialysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1700. | 1.0 | 4 |
| 20 | The Predictivity of N-Terminal Pro b-Type Natriuretic Peptide for All-Cause Mortality in Various Follow-Up Periods among Heart Failure Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 357. | 1.0 | 6 |
| 21 | Using procalcitonin to predict acute kidney injury in septic patients: Caveat emptor?. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 542-544. | 0.8 | 3 |
| 22 | Primary hyperparathyroidism presenting as major depression with psychotic features. <i>Revista De Psiquiatria Clinica</i> , 2019, 46, 169-170. | 0.6 | 0 |
| 23 | Predicting cardiogenic pulmonary edema in heart failure patients by using an N-terminal pro-b-type natriuretic peptide (NT-pro BNP) -based score. <i>Clinica Chimica Acta</i> , 2018, 480, 26-33. | 0.5 | 3 |
| 24 | Using “temporal parameters” to define the timing of renal replacement therapy in acute kidney injury? There are other better choices. <i>Nephrology</i> , 2018, 23, 385-388. | 0.7 | 1 |
| 25 | Effects of Statin Use in Advanced Chronic Kidney Disease Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 285. | 1.0 | 10 |
| 26 | Risk of Incident Non-Valvular Atrial Fibrillation after Dialysis-Requiring Acute Kidney Injury. <i>Journal of Clinical Medicine</i> , 2018, 7, 248. | 1.0 | 6 |
| 27 | Outcome Prediction of Acute Kidney Injury Biomarkers at Initiation of Dialysis in Critical Units. <i>Journal of Clinical Medicine</i> , 2018, 7, 202. | 1.0 | 15 |
| 28 | Earlier versus later initiation of renal replacement therapy among critically ill patients with acute kidney injury: a systematic review and meta-analysis of randomized controlled trials. <i>Annals of Intensive Care</i> , 2017, 7, 38. | 2.2 | 37 |
| 29 | Effects of lanthanum carbonate and calcium carbonate on fibroblast growth factor 23 and hepcidin levels in chronic hemodialysis patients. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 908-916. | 0.7 | 18 |
| 30 | Optimal timing of renal replacement therapy initiation in acute kidney injury: the elephant felt by the blindmen?. <i>Critical Care</i> , 2017, 21, 146. | 2.5 | 20 |
| 31 | Heart rate variability during hemodialysis is an indicator for long-term vascular access survival in uremic patients. <i>PLoS ONE</i> , 2017, 12, e0172212. | 1.1 | 6 |
| 32 | Perioperative body weight change is associated with in-hospital mortality in cardiac surgical patients with postoperative acute kidney injury. <i>PLoS ONE</i> , 2017, 12, e0187280. | 1.1 | 7 |
| 33 | Nationwide epidemiology and prognosis of dialysis-requiring acute kidney injury (NEP-CAKI) study: Design and methods. <i>Nephrology</i> , 2016, 21, 758-764. | 0.7 | 11 |
| 34 | N-terminal pro b-type natriuretic peptide (NT-pro-BNP) “based score can predict in-hospital mortality in patients with heart failure. <i>Scientific Reports</i> , 2016, 6, 29590. | 1.6 | 25 |
| 35 | A nationwide survey of clinical characteristics, management, and outcomes of acute kidney injury (AKI) “ patients with and without preexisting chronic kidney disease have different prognoses. <i>Medicine (United States)</i> , 2016, 95, e4987. | 0.4 | 24 |
| 36 | Impact of metabolic syndrome and its components on heart rate variability during hemodialysis: a cross-sectional study. <i>Cardiovascular Diabetology</i> , 2016, 15, 16. | 2.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Discovery of a novel anti-cancer agent targeting both topoisomerase I and II in hepatocellular carcinoma Hep 3B cells <i>in vitro</i> and <i>in vivo</i>: <i>Cinnamomum verum</i> component 2-methoxycinnamaldehyde. <i>Journal of Drug Targeting</i> , 2016, 24, 624-634. | 2.1 | 12 |
| 38 | Heart rate variability is an indicator for intradialytic hypotension among chronic hemodialysis patients. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 650-659. | 0.7 | 22 |
| 39 | Lower Barthel Index Is Associated with Higher Risk of Hospitalization-Requiring Pneumonia in Long-Term Care Facilities. <i>Tohoku Journal of Experimental Medicine</i> , 2015, 236, 281-288. | 0.5 | 10 |
| 40 | Long-term remote organ consequences following acute kidney injury. <i>Critical Care</i> , 2015, 19, 438. | 2.5 | 63 |
| 41 | Tongue abscess induced by embedded remnant fishbone. <i>Acta Clinica Belgica</i> , 2015, 70, 466-467. | 0.5 | 0 |
| 42 | When hepatoma rupture happens in situs inversus totalis: side matters. <i>Acta Clinica Belgica</i> , 2015, 70, 149-150. | 0.5 | 1 |
| 43 | Long-Term Outcomes after Dialysis-Requiring Acute Kidney Injury. <i>BioMed Research International</i> , 2014, 2014, 1-11. | 0.9 | 34 |
| 44 | Spontaneous regression of a hepatoma with ring calcification. <i>Acta Clinica Belgica</i> , 2014, 69, 130-131. | 0.5 | 2 |
| 45 | Long-Term Risk of Coronary Events after AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 595-605. | 3.0 | 262 |
| 46 | Intracranial tuberculoma. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014, 107, 391-392. | 0.2 | 1 |
| 47 | The Impact of Acute Kidney Injury With Temporary Dialysis on the Risk of Fracture. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 676-684. | 3.1 | 79 |
| 48 | Ampullary Pseudotumor: An Endoscopic Clue to Autoimmune Pancreatitis. <i>West Indian Medical Journal</i> , 2014, 63, 390-1. | 0.4 | 0 |
| 49 | Complete Heart Block during Potassium Therapy in Thyrotoxic Periodic Paralysis. <i>Journal of Emergency Medicine</i> , 2013, 44, 61-64. | 0.3 | 12 |
| 50 | Huge urinoma presenting as a bulging mass. <i>Nephrology</i> , 2013, 18, 477-477. | 0.7 | 3 |
| 51 | Tache noire. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2013, 106, 79-80. | 0.2 | 0 |
| 52 | The hemodynamic effects during sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for uremic patients with brain hemorrhage: a crossover study. <i>Journal of Neurosurgery</i> , 2013, 119, 1288-1295. | 0.9 | 23 |
| 53 | Increased Risk of Active Tuberculosis following Acute Kidney Injury: A Nationwide, Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e69556. | 1.1 | 27 |
| 54 | Advanced age affects the outcome-predictive power of RIFLE classification in geriatric patients with acute kidney injury. <i>Kidney International</i> , 2012, 82, 920-927. | 2.6 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Giant Tophi in the Calf. <i>Internal Medicine</i> , 2012, 51, 335-336. | 0.3 | 3 |
| 56 | Kidney function decline after a non-dialysis-requiring acute kidney injury is associated with higher long-term mortality in critically ill survivors. <i>Critical Care</i> , 2012, 16, R123. | 2.5 | 62 |
| 57 | U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. <i>PLoS ONE</i> , 2012, 7, e42952. | 1.1 | 40 |
| 58 | Preoperative Proteinuria Is Associated with Long-Term Progression to Chronic Dialysis and Mortality after Coronary Artery Bypass Grafting Surgery. <i>PLoS ONE</i> , 2012, 7, e27687. | 1.1 | 27 |
| 59 | Effect of Diuretic Use on 30-Day Postdialysis Mortality in Critically Ill Patients Receiving Acute Dialysis. <i>PLoS ONE</i> , 2012, 7, e30836. | 1.1 | 25 |
| 60 | An Unusual Left-Sided Tunneled Catheter in a Hemodialysis Patient. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 106-107. | 0.4 | 1 |
| 61 | “Fatal” gas in the kidney. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 185-185. | 0.7 | 0 |
| 62 | Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <i>Critical Care</i> , 2011, 15, R134. | 2.5 | 87 |
| 63 | Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <i>Kidney International</i> , 2011, 80, 1222-1230. | 2.6 | 163 |
| 64 | A large serous borderline ovarian tumour mimicking neurogenic bladder. <i>Medical Journal of Australia</i> , 2011, 194, 424-424. | 0.8 | 0 |
| 65 | DUPLEX KIDNEY WITH GIANT HYDRONEPHROSIS PRESENTING AS HUGE CYSTS. <i>Nephrology</i> , 2011, 16, 453-453. | 0.7 | 5 |
| 66 | GIANT SPORADIC RENAL ANGIOMYOLIPOMA WITH SPONTANEOUS HAEMORRHAGE. <i>Nephrology</i> , 2011, 16, 536-537. | 0.7 | 0 |
| 67 | Hemoperitoneum Due to Tenckhoff Catheter-Caused Luteal Cyst Rupture. <i>American Journal of Kidney Diseases</i> , 2011, 58, 861. | 2.1 | 5 |
| 68 | Eschar: a clue to scrub typhus: Figure 1:. <i>Cmaj</i> , 2011, 183, E1152-E1152. | 0.9 | 4 |
| 69 | Preoperative Proteinuria Predicts Adverse Renal Outcomes after Coronary Artery Bypass Grafting. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 156-163. | 3.0 | 142 |
| 70 | 'Soybean sauce' peritoneal dialysate. <i>CKJ: Clinical Kidney Journal</i> , 2011, 4, 75-76. | 1.4 | 0 |
| 71 | Asymptomatic hilar nodules. <i>Australian Family Physician</i> , 2011, 40, 601-3. | 0.5 | 0 |
| 72 | Seven-Year Follow-Up of Peritoneal Dialysis Patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2009, 29, 450-457. | 1.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Residual Urine Output and Postoperative Mortality in Maintenance Hemodialysis Patients. <i>American Journal of Critical Care</i> , 2009, 18, 446-455. | 0.8 | 6 |
| 74 | Rate of decline of residual renal function is associated with all-cause mortality and technique failure in patients on long-term peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2909-2914. | 0.4 | 122 |
| 75 | Late initiation of renal replacement therapy is associated with worse outcomes in acute kidney injury after major abdominal surgery. <i>Critical Care</i> , 2009, 13, R171. | 2.5 | 151 |
| 76 | The 90-day mortality and the subsequent renal recovery in critically ill surgical patients requiring acute renal replacement therapy. <i>American Journal of Surgery</i> , 2009, 198, 325-332. | 0.9 | 78 |
| 77 | Risk factors of early redialysis after weaning from postoperative acute renal replacement therapy. <i>Intensive Care Medicine</i> , 2008, 34, 101-108. | 3.9 | 124 |
| 78 | Purple urine bag syndrome: A community-based study and literature review. <i>Nephrology</i> , 2008, 13, 554-559. | 0.7 | 42 |
| 79 | Low Protein Diet Supplemented With Ketoanalogues Makes Hemodialysis Withdrawal Possible. <i>American Journal of Kidney Diseases</i> , 2008, 51, 160-161. | 2.1 | 1 |
| 80 | A Modified Sequential Organ Failure Assessment Score to Predict Hospital Mortality of Postoperative Acute Renal Failure Patients Requiring Renal Replacement Therapy. <i>Blood Purification</i> , 2008, 26, 547-554. | 0.9 | 23 |
| 81 | Early Initiation of Dialysis and Late Implantation of Catheters Adversely Affect Outcomes of Patients on Chronic Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2008, 28, 73-81. | 1.1 | 33 |
| 82 | Predictors of faster decline of residual renal function in Taiwanese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2008, 28 Suppl 3, S191-5. | 1.1 | 24 |