Asko Noormets

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8244533/publications.pdf

Version: 2024-02-01

53794 43889 9,101 118 45 91 citations h-index g-index papers 134 134 134 8892 docs citations times ranked citing authors all docs

| # | Article | IF | Citations |
|----|--|------------|---------------|
| 1 | Comprehensive comparison of gap-filling techniques for eddy covariance net carbon fluxes. Agricultural and Forest Meteorology, 2007, 147, 209-232. | 4.8 | 744 |
| 2 | The increasing importance of atmospheric demand for ecosystem water and carbon fluxes. Nature Climate Change, 2016, 6, 1023-1027. | 18.8 | 734 |
| 3 | The FLUXNET2015 dataset and the ONEFlux processing pipeline for eddy covariance data. Scientific Data, 2020, 7, 225. | 5.3 | 646 |
| 4 | Ecosystem carbon dioxide fluxes after disturbance in forests of North America. Journal of Geophysical Research, 2010, 115, . | 3.3 | 395 |
| 5 | Tropospheric O3 moderates responses of temperate hardwood forests to elevated CO2 : a synthesis of molecular to ecosystem results from the Aspen FACE project. Functional Ecology, 2003, 17, 289-304. | 3.6 | 269 |
| 6 | Cross-site evaluation of eddy covariance GPP and RE decomposition techniques. Agricultural and Forest Meteorology, 2008, 148, 821-838. | 4.8 | 248 |
| 7 | A remotely sensed pigment index reveals photosynthetic phenology in evergreen conifers. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13087-13092. | 7.1 | 242 |
| 8 | Estimation of net ecosystem carbon exchange for the conterminous United States by combining MODIS and AmeriFlux data. Agricultural and Forest Meteorology, 2008, 148, 1827-1847. | 4.8 | 221 |
| 9 | A continuous measure of gross primary production for the conterminous United States derived from MODIS and AmeriFlux data. Remote Sensing of Environment, 2010, 114, 576-591. | 11.0 | 210 |
| 10 | A general predictive model for estimating monthly ecosystem evapotranspiration. Ecohydrology, 2011, 4, 245-255. | 2.4 | 195 |
| 11 | Upscaling key ecosystem functions across the conterminous United States by a water-centric ecosystem model. Journal of Geophysical Research, $2011,116,\ldots$ | 3.3 | 159 |
| 12 | Energy and water balance of two contrasting loblolly pine plantations on the lower coastal plain of North Carolina, USA. Forest Ecology and Management, 2010, 259, 1299-1310. | 3.2 | 157 |
| 13 | Assessing net ecosystem carbon exchange of U.S. terrestrial ecosystems by integrating eddy covariance flux measurements and satellite observations. Agricultural and Forest Meteorology, 2011, 151, 60-69. | 4.8 | 157 |
| 14 | Stomatal and non-stomatal limitation to photosynthesis in two trembling aspen (Populus tremuloides) Tj ETQq0 | 0 0 rgBT / | Overlock 10 1 |
| 15 | Effects of forest management on productivity and carbon sequestration: A review and hypothesis. Forest Ecology and Management, 2015, 355, 124-140. | 3.2 | 145 |
| 16 | Hydraulic redistribution of soil water by roots affects wholeâ€stand evapotranspiration and net ecosystem carbon exchange. New Phytologist, 2010, 187, 171-183. | 7.3 | 137 |
| 17 | Climate control of terrestrial carbon exchange across biomes and continents. Environmental Research Letters, 2010, 5, 034007. | 5.2 | 137 |
| 18 | Decoupling the influence of leaf and root hydraulic conductances on stomatal conductance and its sensitivity to vapour pressure deficit as soil dries in a drained loblolly pine plantation. Plant, Cell and Environment, 2009, 32, 980-991. | 5.7 | 133 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 19 | Response of carbon fluxes to drought in a coastal plain loblolly pine forest. Global Change Biology, 2010, 16, 272-287. | 9.5 | 130 |
| 20 | Representativeness of Eddy-Covariance flux footprints for areas surrounding AmeriFlux sites. Agricultural and Forest Meteorology, 2021, 301-302, 108350. | 4.8 | 125 |
| 21 | Drought during canopy development has lasting effect on annual carbon balance in a deciduous temperate forest. New Phytologist, 2008, 179, 818-828. | 7. 3 | 121 |
| 22 | Thermal optimality of net ecosystem exchange of carbon dioxide and underlying mechanisms. New Phytologist, 2012, 194, 775-783. | 7.3 | 111 |
| 23 | Age-Dependent Changes in Ecosystem Carbon Fluxes in Managed Forests in Northern Wisconsin, USA. Ecosystems, 2007, 10, 187-203. | 3.4 | 110 |
| 24 | Title is missing!. Water, Air, and Soil Pollution, 1999, 116, 311-322. | 2.4 | 106 |
| 25 | Influence of vegetation and seasonal forcing on carbon dioxide fluxes across the Upper Midwest, USA: Implications for regional scaling. Agricultural and Forest Meteorology, 2008, 148, 288-308. | 4.8 | 106 |
| 26 | Interacting elevated CO2 and tropospheric O3 predisposes aspen (Populus tremuloides Michx.) to infection by rust (Melampsora medusae f. sp. tremuloidae). Global Change Biology, 2002, 8, 329-338. | 9.5 | 96 |
| 27 | Effects of elevated CO2 and O3 on aspen clones varying in O3 sensitivity: can CO2 ameliorate the harmful effects of O3?. Environmental Pollution, 2001, 115, 473-481. | 7.5 | 92 |
| 28 | Estimating nocturnal ecosystem respiration from the vertical turbulent flux and change in storage of CO2. Agricultural and Forest Meteorology, 2009, 149, 1919-1930. | 4.8 | 91 |
| 29 | Tidal effects on net ecosystem exchange of carbon in an estuarine wetland. Agricultural and Forest Meteorology, 2009, 149, 1820-1828. | 4.8 | 88 |
| 30 | Phenophases alter the soil respiration–temperature relationship in an oak-dominated forest. International Journal of Biometeorology, 2006, 51, 135-144. | 3.0 | 85 |
| 31 | Development of a coupled carbon and water model for estimating global gross primary productivity and evapotranspiration based on eddy flux and remote sensing data. Agricultural and Forest Meteorology, 2016, 223, 116-131. | 4.8 | 85 |
| 32 | Response of ecosystem carbon fluxes to drought events in a poplar plantation in Northern China. Forest Ecology and Management, 2013, 300, 33-42. | 3.2 | 84 |
| 33 | Interannual, seasonal, and retrospective analysis of the methane and carbon dioxide budgets of a temperate peatland. Journal of Geophysical Research G: Biogeosciences, 2013, 118, 226-238. | 3.0 | 82 |
| 34 | Predicting plant diversity based on remote sensing products in the semi-arid region of Inner Mongolia. Remote Sensing of Environment, 2008, 112, 2018-2032. | 11.0 | 80 |
| 35 | Daily Landsat-scale evapotranspiration estimation over a forested landscape in North Carolina, USA, using multi-satellite data fusion. Hydrology and Earth System Sciences, 2017, 21, 1017-1037. | 4.9 | 77 |
| 36 | A Comparison of Three Methods to Estimate Evapotranspiration in Two Contrasting Loblolly Pine Plantations: Age-Related Changes in Water Use and Drought Sensitivity of Evapotranspiration Components. Forest Science, 2012, 58, 497-512. | 1.0 | 68 |

3

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Quantifying the effect of forest age in annual net forest carbon balance. Environmental Research Letters, 2018, 13, 124018. | 5.2 | 67 |
| 38 | The effect of elevated carbon dioxide and ozone on leaf- and branch-level photosynthesis and potential plant-level carbon gain in aspen. Trees - Structure and Function, 2001, 15, 262-270. | 1.9 | 66 |
| 39 | Interactive effects of nocturnal transpiration and climate change on the root hydraulic redistribution and carbon and water budgets of southern United States pine plantations. Tree Physiology, 2012, 32, 707-723. | 3.1 | 66 |
| 40 | Poplar plantation has the potential to alter the water balance in semiarid Inner Mongolia. Journal of Environmental Management, 2009, 90, 2762-2770. | 7.8 | 64 |
| 41 | Evapotranspiration estimates from eddy covariance towers and hydrologic modeling in managed forests in Northern Wisconsin, USA. Agricultural and Forest Meteorology, 2008, 148, 257-267. | 4.8 | 58 |
| 42 | Conversion of natural forests to managed forest plantations decreases tree resistance to prolonged droughts. Forest Ecology and Management, 2015, 355, 58-71. | 3.2 | 55 |
| 43 | Fertilization intensifies drought stress: Water use and stomatal conductance of Pinus taeda in a midrotation fertilization and throughfall reduction experiment. Forest Ecology and Management, 2015, 355, 72-82. | 3.2 | 53 |
| 44 | The role of harvest residue in rotation cycle carbon balance in loblolly pine plantations. Respiration partitioning approach. Global Change Biology, 2012, 18, 3186-3201. | 9.5 | 52 |
| 45 | Phenology of Ecosystem Processes. , 2009, , . | | 50 |
| 46 | COSORE: A community database for continuous soil respiration and other soilâ€atmosphere greenhouse gas flux data. Global Change Biology, 2020, 26, 7268-7283. | 9.5 | 50 |
| 47 | The effect of water table fluctuation on soil respiration in a lower coastal plain forested wetland in the southeastern U.S Journal of Geophysical Research G: Biogeosciences, 2013, 118, 1748-1762. | 3.0 | 48 |
| 48 | Hydrology and microtopography control carbon dynamics in wetlands: Implications in partitioning ecosystem respiration in a coastal plain forested wetland. Agricultural and Forest Meteorology, 2017, 247, 343-355. | 4.8 | 48 |
| 49 | Moisture sensitivity of ecosystem respiration: Comparison of 14 forest ecosystems in the Upper Great Lakes Region, USA. Agricultural and Forest Meteorology, 2008, 148, 216-230. | 4.8 | 47 |
| 50 | Understanding moisture stress on light use efficiency across terrestrial ecosystems based on global flux and remoteâ€sensing data. Journal of Geophysical Research G: Biogeosciences, 2015, 120, 2053-2066. | 3.0 | 45 |
| 51 | Long-term variability and environmental control of the carbon cycle in an oak-dominated temperate forest. Forest Ecology and Management, 2014, 313, 319-328. | 3.2 | 43 |
| 52 | Investigating impacts of drought and disturbance on evapotranspiration over a forested landscape in North Carolina, USA using high spatiotemporal resolution remotely sensed data. Remote Sensing of Environment, 2020, 238, 111018. | 11.0 | 41 |
| 53 | Environmental controls on seasonal ecosystem evapotranspiration/potential evapotranspiration ratio as determined by the global eddy flux measurements. Hydrology and Earth System Sciences, 2017, 21, 311-322. | 4.9 | 40 |
| 54 | Soil–plant–atmosphere conditions regulating convective cloud formation above southeastern US pine plantations. Global Change Biology, 2016, 22, 2238-2254. | 9.5 | 39 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 55 | Understanding coastal wetland hydrology with a new regionalâ€scale, processâ€based hydrological model. Hydrological Processes, 2018, 32, 3158-3173. | 2.6 | 38 |
| 56 | Leveraging 35 years of <i>Pinus taeda</i> research in the southeastern US to constrain forest carbon cycle predictions: regional data assimilation using ecosystem experiments. Biogeosciences, 2017, 14, 3525-3547. | 3.3 | 36 |
| 57 | Tidal Wetland Gross Primary Production Across the Continental United States, 2000–2019. Global Biogeochemical Cycles, 2020, 34, e2019GB006349. | 4.9 | 36 |
| 58 | Carbon accumulation in loblolly pine plantations is increased by fertilization across a soil moisture availability gradient. Forest Ecology and Management, 2018, 424, 39-52. | 3.2 | 34 |
| 59 | Drought and thinning have limited impacts on evapotranspiration in a managed pine plantation on the southeastern United States coastal plain. Agricultural and Forest Meteorology, 2018, 262, 14-23. | 4.8 | 34 |
| 60 | Substantial hysteresis in emergent temperature sensitivity of global wetland CH4 emissions. Nature Communications, 2021, 12, 2266. | 12.8 | 34 |
| 61 | Regional validation and improved parameterization of the 3-PG model for Pinus taeda stands. Forest Ecology and Management, 2016, 361, 237-256. | 3.2 | 33 |
| 62 | Gap-filling eddy covariance methane fluxes: Comparison of machine learning model predictions and uncertainties at FLUXNET-CH4 wetlands. Agricultural and Forest Meteorology, 2021, 308-309, 108528. | 4.8 | 33 |
| 63 | Seasonal changes in leaf nitrogen pools in two Salix species. Tree Physiology, 1998, 18, 45-51. | 3.1 | 32 |
| 64 | A Range-Wide Experiment to Investigate Nutrient and Soil Moisture Interactions in Loblolly Pine Plantations. Forests, 2015, 6, 2014-2028. | 2.1 | 31 |
| 65 | Evaluating atmospheric CO2 effects on gross primary productivity and net ecosystem exchanges of terrestrial ecosystems in the conterminous United States using the AmeriFlux data and an artificial neural network approach. Agricultural and Forest Meteorology, 2016, 220, 38-49. | 4.8 | 31 |
| 66 | Variability of sunâ€induced chlorophyll fluorescence according to stand ageâ€related processes in a managed loblolly pine forest. Global Change Biology, 2018, 24, 2980-2996. | 9.5 | 29 |
| 67 | Monthly land coverâ€specific evapotranspiration models derived from global eddy flux measurements and remote sensing data. Ecohydrology, 2016, 9, 248-266. | 2.4 | 28 |
| 68 | Elevated CO2 response of photosynthesis depends on ozone concentration in aspen. Environmental Pollution, 2010, 158, 992-999. | 7. 5 | 27 |
| 69 | The 2013 FLEX—US Airborne Campaign at the Parker Tract Loblolly Pine Plantation in North Carolina, USA. Remote Sensing, 2017, 9, 612. | 4.0 | 27 |
| 70 | Modelling gross primary production in semi-arid Inner Mongolia using MODIS imagery and eddy covariance data. International Journal of Remote Sensing, 2013, 34, 2829-2857. | 2.9 | 26 |
| 71 | Energy partitioning and surface resistance of a poplar plantation in northern China. Biogeosciences, 2015, 12, 4245-4259. | 3.3 | 25 |
| 72 | Assessment and simulation of global terrestrial latent heat flux by synthesis of CMIP5 climate models and surface eddy covariance observations. Agricultural and Forest Meteorology, 2016, 223, 151-167. | 4.8 | 25 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Disentangling the Effects of Temperature, Moisture, and Substrate Availability on Soil CO ₂ Efflux. Journal of Geophysical Research G: Biogeosciences, 2019, 124, 2060-2075. | 3.0 | 25 |
| 74 | Long-term carbon flux and balance in managed and natural coastal forested wetlands of the Southeastern USA. Agricultural and Forest Meteorology, 2020, 288-289, 108022. | 4.8 | 24 |
| 75 | Effects of land-use change and drought on decadal evapotranspiration and water balance of natural and managed forested wetlands along the southeastern US lower coastal plain. Agricultural and Forest Meteorology, 2021, 303, 108381. | 4.8 | 24 |
| 76 | Performance of Linear and Nonlinear Two-Leaf Light Use Efficiency Models at Different Temporal Scales. Remote Sensing, 2015, 7, 2238-2278. | 4.0 | 23 |
| 77 | Modeling the potential impacts of climate change on the water table level of selected forested wetlands in the southeastern United States. Hydrology and Earth System Sciences, 2017, 21, 6289-6305. | 4.9 | 23 |
| 78 | Spectral evidence for substrate availability rather than environmental control of methane emissions from a coastal forested wetland. Agricultural and Forest Meteorology, 2020, 291, 108062. | 4.8 | 23 |
| 79 | Analysis of a Farquhar-von Caemmerer-Berry leaf-level photosynthetic rate model for Populus tremuloides in the context of modeling and measurement limitations. Environmental Pollution, 2010, 158, 1015-1022. | 7.5 | 21 |
| 80 | Comparisons between PnET-Day and eddy covariance based gross ecosystem production in two Northern Wisconsin forests. Agricultural and Forest Meteorology, 2008, 148, 247-256. | 4.8 | 20 |
| 81 | Microtopography Alters Hydrology, Phenol Oxidase Activity and Nutrient Availability in Organic Soils of a Coastal Freshwater Forested Wetland. Wetlands, 2019, 39, 263-273. | 1.5 | 20 |
| 82 | Spatial heterogeneity in CO ₂ , CH ₄ , and energy fluxes: insights from airborne eddy covariance measurements over the Mid-Atlantic region. Environmental Research Letters, 2020, 15, 035008. | 5.2 | 19 |
| 83 | Quantifying the effects of harvesting on carbon fluxes and stocks in northern temperate forests. Biogeosciences, 2014, 11, 6667-6682. | 3.3 | 18 |
| 84 | Productivity, Biomass Partitioning, and Energy Yield of Low-Input Short-Rotation American Sycamore (Platanus occidentalis L.) Grown on Marginal Land: Effects of Planting Density and Simulated Drought. Bioenergy Research, 2017, 10, 903-914. | 3.9 | 18 |
| 85 | Wetland microtopography alters response of potential net CO2 and CH4 production to temperature and moisture: Evidence from a laboratory experiment. Geoderma, 2021, 402, 115367. | 5.1 | 18 |
| 86 | A Working Framework for Quantifying Carbon Sequestration in Disturbed Land Mosaics. Environmental Management, 2004, 33, S210. | 2.7 | 17 |
| 87 | Long-term variability in the water budget and its controls in an oak-dominated temperate forest. Hydrological Processes, 2014, 28, 6054-6066. | 2.6 | 17 |
| 88 | Divergent apparent temperature sensitivity of terrestrial ecosystem respiration. Journal of Plant Ecology, 2014, 7, 419-428. | 2.3 | 16 |
| 89 | Water-use efficiency of a poplar plantation in Northern China. Journal of Forest Research, 2014, 19, 483-492. | 1.4 | 16 |
| 90 | Aquaporins, and not changes in root structure, provide new insights into physiological responses to drought, flooding, and salinity. Journal of Experimental Botany, 2021, 72, 4489-4501. | 4.8 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Water Table Drawdown Alters Soil and Microbial Carbon Pool Size and Isotope Composition in Coastal Freshwater Forested Wetlands. Frontiers in Forests and Global Change, 2019, 2, . | 2.3 | 15 |
| 92 | Effects of Microtopography on Absorptive and Transport Fine Root Biomass, Necromass, Production, Mortality and Decomposition in a Coastal Freshwater Forested Wetland, Southeastern USA. Ecosystems, 2020, 23, 1294-1308. | 3.4 | 15 |
| 93 | Ecosystem Productivity and Evapotranspiration Are Tightly Coupled in Loblolly Pine (Pinus taeda L.) Plantations along the Coastal Plain of the Southeastern U.S Forests, 2021, 12, 1123. | 2.1 | 15 |
| 94 | The Effects of Infrared Loading and Water Table on Soil Energy Fluxes in Northern Peatlands. Ecosystems, 2004, 7, 573. | 3.4 | 14 |
| 95 | The Phenology of Gross Ecosystem Productivity and Ecosystem Respiration in Temperate Hardwood and Conifer Chronosequences., 2009,, 59-85. | | 14 |
| 96 | Assessing the interplay between canopy energy balance and photosynthesis with cellulose $\hat{l}'180$: large-scale patterns and independent ground-truthing. Oecologia, 2018, 187, 995-1007. | 2.0 | 13 |
| 97 | Saltwater reduces potential CO ₂ and CH ₄ production in peat soils from a coastal freshwater forested wetland. Biogeosciences, 2019, 16, 4671-4686. | 3.3 | 13 |
| 98 | Temperature Responses to Infrared‣oading and Water Table Manipulations in Peatland Mesocosms. Journal of Integrative Plant Biology, 2008, 50, 1484-1496. | 8.5 | 12 |
| 99 | Testing DRAINMOD-FOREST for predicting evapotranspiration in a mid-rotation pine plantation. Forest Ecology and Management, 2015, 355, 37-47. | 3.2 | 12 |
| 100 | TRACC: an open source software for processing sap flux data from thermal dissipation probes. Trees - Structure and Function, 2017, 31, 1737-1742. | 1.9 | 12 |
| 101 | Stability of soil organic carbon during forest conversion is more sensitive in deep soil than in topsoil in subtropical forests. Pedobiologia, 2021, 84, 150706. | 1.2 | 12 |
| 102 | Gene structure and expression of the aspen cytosolic copper/zinc-superoxide dismutase (PtSodCc1). Plant Science, 1999, 143, 151-162. | 3.6 | 11 |
| 103 | Differential responses of carbon and water vapor fluxes to climate among evergreen needleleaf forests in the USA. Ecological Processes, 2016, 5, . | 3.9 | 11 |
| 104 | Ozone affects the fitness of trembling aspen. Developments in Environmental Science, 2003, , 199-209. | 0.5 | 7 |
| 105 | Standardized flux seasonality metrics: a companion dataset for FLUXNET annual product. Earth System Science Data, 2021, 13, 1461-1475. | 9.9 | 7 |
| 106 | Carbon fluxes and storage in forests and landscapes. , 2014, , 139-166. | | 7 |
| 107 | Millennial-Scale Carbon Storage in Natural Pine Forests of the North Carolina Lower Coastal Plain: Effects of Artificial Drainage in a Time of Rapid Sea Level Rise. Land, 2021, 10, 1294. | 2.9 | 7 |
| 108 | Using $\hat{l}'13C$ and $\hat{l}'18O$ to analyze loblolly pine (Pinus taeda L.) response to experimental drought and fertilization. Tree Physiology, 2019, 39, 1984-1994. | 3.1 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Automated Geospatial Models of Varying Complexities for Pine Forest Evapotranspiration Estimation with Advanced Data Mining. Water (Switzerland), 2018, 10, 1687. | 2.7 | 5 |
| 110 | Effects of climate and land use on landscape soil respiration in northern Wisconsin, USA: 1972 to 2001. Climate Research, 2005, 28, 163-173. | 1.1 | 5 |
| 111 | Effects of elevated CO2 and O3 on aspen clones of varying O3 sensitivity. Developments in Environmental Science, 2003, 3, 391-409. | 0.5 | 4 |
| 112 | An extractive removal step optimized for a high-throughput \hat{l}_{\pm} -cellulose extraction method for $\hat{l}'13C$ and $\hat{l}'18O$ stable isotope ratio analysis in conifer tree rings. Tree Physiology, 2016, 37, 142-150. | 3.1 | 4 |
| 113 | Forest Drought Response Index (ForDRI): A New Combined Model to Monitor Forest Drought in the Eastern United States. Remote Sensing, 2020, 12, 3605. | 4.0 | 4 |
| 114 | Heterotrophic Respiration and the Divergence of Productivity and Carbon Sequestration. Geophysical Research Letters, 2021, 48, e2020GL092366. | 4.0 | 4 |
| 115 | Site Characteristics Mediate the Relationship Between Forest Productivity and Satellite Measured Solar Induced Fluorescence. Frontiers in Forests and Global Change, 2021, 4, . | 2.3 | 4 |
| 116 | Beyond carbon flux partitioning: Carbon allocation and nonstructural carbon dynamics inferred from continuous fluxes. Ecological Applications, 2022, 32, e2655. | 3.8 | 2 |
| 117 | Olevi Kull's lifetime contribution to ecology. Tree Physiology, 2008, 28, 483-490. | 3.1 | 1 |
| 118 | Spatial variability in tree-ring carbon isotope discrimination in response to local drought across the entire loblolly pine natural range. Tree Physiology, 2022, 42, 44-58. | 3.1 | 1 |