

R Bond

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8245361/publications.pdf>

Version: 2024-02-01

54
papers

1,469
citations

257101

24
h-index

329751

37
g-index

55
all docs

55
docs citations

55
times ranked

651
citing authors

#	ARTICLE	IF	CITATIONS
1	Superficial veterinary mycoses. <i>Clinics in Dermatology</i> , 2010, 28, 226-236.	0.8	109
2	Population sizes and frequency of <i>Malassezia pachydermatis</i> at skin and mucosal sites on healthy dogs. <i>Journal of Small Animal Practice</i> , 1995, 36, 147-150.	0.5	88
3	Factors associated with elevated cutaneous <i>Malassezia pachydermatis</i> populations in dogs with Pruritic skin disease. <i>Journal of Small Animal Practice</i> , 1996, 37, 103-107.	0.5	83
4	Survey of flea infestation in dogs and cats in the United Kingdom during 2005. <i>Veterinary Record</i> , 2007, 160, 503-506.	0.2	81
5	Isolation of <i>Malassezia sympodialis</i> and <i>Malassezia globosa</i> from healthy pet cats. <i>Veterinary Record</i> , 1997, 141, 200-201.	0.2	77
6	Comparison of two shampoos for treatment of <i>Malassezia pachydermatis</i> -associated seborrheic dermatitis in basset hounds. <i>Journal of Small Animal Practice</i> , 1995, 36, 99-104.	0.5	67
7	Use of contact plates for the quantitative culture of <i>Malassezia pachydermatis</i> from canine skin. <i>Journal of Small Animal Practice</i> , 1994, 35, 68-72.	0.5	56
8	Characterization of markedly lipid-dependent <i>Malassezia pachydermatis</i> isolates from healthy dogs. <i>Journal of Applied Bacteriology</i> , 1995, 78, 537-542.	1.1	54
9	Dietary trials with a commercial chicken hydrolysate diet in 63 pruritic dogs. <i>Veterinary Record</i> , 2004, 154, 519-522.	0.2	53
10	Comparison of a chlorhexidine and a benzoyl peroxide shampoo as sole treatment in canine superficial pyoderma. <i>Veterinary Record</i> , 2011, 169, 249-249.	0.2	51
11	Isolation of <i>Malassezia sympodialis</i> from feline skin. <i>Medical Mycology</i> , 1996, 34, 145-147.	0.3	49
12	Skin and mucosal populations of <i>Malassezia pachydermatis</i> in healthy and seborrheic Basset Hounds. <i>Veterinary Dermatology</i> , 1997, 8, 101-106.	0.4	49
13	Metabolic epidermal necrosis in two dogs with different underlying diseases. <i>Veterinary Record</i> , 1995, 136, 466-471.	0.2	37
14	Carriage of <i>Malassezia</i> spp. yeasts in healthy and seborrheic Devon Rex cats. <i>Medical Mycology</i> , 2007, 45, 449-455.	0.3	34
15	Susceptibility in vitro of canine methicillin-resistant and -susceptible staphylococcal isolates to fusidic acid, chlorhexidine and miconazole: opportunities for topical therapy of canine superficial pyoderma. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2048-52.	1.3	34
16	Evaluation of a detergent scrub technique for the quantitative culture of <i>Malassezia pachydermatis</i> from canine skin. <i>Research in Veterinary Science</i> , 1995, 58, 133-137.	0.9	33
17	Synergistic inhibition of the growth in vitro of <i>Microsporum canis</i> by miconazole and chlorhexidine. <i>Veterinary Dermatology</i> , 2003, 14, 99-102.	0.4	33
18	Biology, diagnosis and treatment of <i>Malassezia</i> dermatitis in dogs and cats Clinical Consensus Guidelines of the World Association for Veterinary Dermatology. <i>Veterinary Dermatology</i> , 2020, 31, 27.	0.4	33

#	ARTICLE	IF	CITATIONS
19	Carriage of <i>Malassezia</i> spp. yeasts in Cornish Rex, Devon Rex and Domestic short-haired cats: a cross-sectional survey. <i>Veterinary Dermatology</i> , 2008, 19, 299-304.	0.4	29
20	Combined treatment with concentrated essential fatty acids and prednisolone in the management of canine atopy. <i>Veterinary Record</i> , 1994, 134, 30-32.	0.2	28
21	Evaluation of two enzyme-linked immunosorbent assays for the diagnosis of canine atopy. <i>Veterinary Record</i> , 1994, 135, 130-133.	0.2	27
22	Humoral and cell-mediated responses to <i>Malassezia pachydermatis</i> in healthy dogs and dogs with <i>Malassezia</i> dermatitis. <i>Veterinary Record</i> , 1998, 143, 381-384.	0.2	26
23	Pseudomycetoma caused by <i>Microsporum canis</i> in a Persian cat: lack of response to oral terbinafine. <i>Journal of Small Animal Practice</i> , 2001, 42, 557-560.	0.5	25
24	A double-blind comparison of olive oil and a combination of evening primrose oil and fish oil in the management of canine atopy. <i>Veterinary Record</i> , 1992, 131, 558-60.	0.2	25
25	Intradermal test reactivity to <i>Malassezia pachydermatis</i> in atopic dogs. <i>Veterinary Record</i> , 2002, 150, 448-449.	0.2	20
26	Treatment of <i>Malassezia pachydermatis</i> -associated seborrhoeic dermatitis in Devon Rex cats with itraconazole ? a pilot study. <i>Veterinary Dermatology</i> , 2007, 18, 171-174.	0.4	20
27	Food-specific serum IgE and IgG reactivity in dogs with and without skin disease: lack of correlation between laboratories. <i>Veterinary Dermatology</i> , 2014, 25, 447.	0.4	18
28	Comparison of media and conditions of incubation for the quantitative culture of <i>Malassezia pachydermatis</i> from canine skin. <i>Research in Veterinary Science</i> , 1996, 61, 273-274.	0.9	17
29	<i>Malassezia pachydermatis</i> : a review. <i>Medical Mycology</i> , 1999, 37, 295-306.	0.3	16
30	Clinical, histopathological and immunological effects of exposure of canine skin to <i>Malassezia pachydermatis</i> . <i>Medical Mycology</i> , 2004, 42, 165-175.	0.3	15
31	Factors affecting the adherence of <i>Malassezia pachydermatis</i> to canine corneocytes in vitro. <i>Veterinary Dermatology</i> , 1996, 7, 49-56.	0.4	14
32	Intradermal test reactivity to <i>Malassezia pachydermatis</i> in healthy basset hounds and basset hounds with <i>Malassezia</i> dermatitis. <i>Veterinary Record</i> , 2002, 151, 105-109.	0.2	14
33	Patch test responses to <i>Malassezia pachydermatis</i> in healthy basset hounds and in basset hounds with <i>Malassezia</i> dermatitis. <i>Medical Mycology</i> , 2006, 44, 419-427.	0.3	14
34	Effect of topical therapy of <i>Malassezia pachydermatis</i> -associated seborrhoeic dermatitis on oral carriage of <i>M pachydermatis</i> . <i>Veterinary Record</i> , 1998, 142, 725-726.	0.2	12
35	Immunoglobulin G responses to <i>Malassezia pachydermatis</i> in healthy dogs and dogs with <i>Malassezia</i> dermatitis. <i>Veterinary Record</i> , 2002, 150, 509-512.	0.2	12
36	Chronic dermatophytosis due to <i>Microsporum persicolor</i> infection in three dogs. <i>Journal of Small Animal Practice</i> , 1992, 33, 571-576.	0.5	11

#	ARTICLE	IF	CITATIONS
37	Colonisation status of <i>Malassezia pachydermatis</i> on the hair and in the hair follicle of healthy beagle dogs. <i>Research in Veterinary Science</i> , 2000, 68, 291-293.	0.9	11
38	Inhibition of the growth in vitro of <i>Trichophyton mentagrophytes</i> , <i>Trichophyton erinacei</i> and <i>Microsporum persicolor</i> by miconazole and chlorhexidine. <i>Veterinary Dermatology</i> , 2005, 16, 330-333.	0.4	10
39	A second <i>KRT71</i> allele in curly coated dogs. <i>Animal Genetics</i> , 2019, 50, 97-100.	0.6	9
40	Isolation of <i>Malassezia sympodialis</i> from feline skin. <i>Journal of Medical and Veterinary Mycology: Bi-monthly Publication of the International Society for Human and Animal Mycology</i> , 1996, 34, 145-7.	0.3	8
41	Canine serum immunoreactivity to <i>M. pachydermatis</i> in vitro is influenced by the phase of yeast growth. <i>Veterinary Dermatology</i> , 2005, 16, 147-152.	0.4	7
42	Patch test responses to <i>Malassezia pachydermatis</i> in healthy dogs. <i>Medical Mycology</i> , 2006, 44, 175-184.	0.3	7
43	Activity In Vitro of Clotrimazole against Canine Methicillin-Resistant and Susceptible <i>Staphylococcus pseudintermedius</i> . <i>Antibiotics</i> , 2017, 6, 29.	1.5	7
44	Effect of topical antimicrobial therapy and household cleaning on methicillin-resistant <i>Staphylococcus pseudintermedius</i> carriage in dogs. <i>Veterinary Record</i> , 2021, , e937.	0.2	7
45	Bovine and canine transferrin inhibit the growth of <i>Malassezia pachydermatis</i> in vitro. <i>Medical Mycology</i> , 2005, 43, 447-451.	0.3	6
46	Isolation of dermatophytes from dogs and cats in the South of England between 1991 and 2017. <i>Veterinary Record</i> , 2020, 187, e87.	0.2	6
47	<i>Malassezia</i> otitis unresponsive to primary care: outcome in 59 dogs. <i>Veterinary Dermatology</i> , 2021, 32, 441.	0.4	6
48	Adherence of <i>Malassezia pachydermatis</i> and <i>Malassezia sympodialis</i> to canine, feline and human corneocytes in vitro. <i>Veterinary Record</i> , 2000, 147, 454-455.	0.2	5
49	Transverse sectioning for histological assessment of sebaceous glands in healthy dogs and canine sebaceous adenitis. <i>Journal of Small Animal Practice</i> , 2013, 54, 299-303.	0.5	5
50	Clinical and pathological features of hair coat abnormalities in curly coated retrievers from UK and Sweden. <i>Journal of Small Animal Practice</i> , 2016, 57, 659-667.	0.5	4
51	Comparison of a detergent scrub and a swab technique for the quantification of aerobic bacteria on canine skin. <i>Veterinary Record</i> , 1998, 143, 171-172.	0.2	3
52	Transverse sectioning in the evaluation of skin biopsy specimens from alopecic dogs. <i>Journal of Small Animal Practice</i> , 2021, 62, 244-252.	0.5	3
53	The "spore of <i>Malassezia</i> as a canine skin pathogen: lessons from history?. <i>Veterinary Dermatology</i> , 2014, 25, 292-293.	0.4	0
54	Inadvertent catheterisation of the auditory tube during myringotomy in a dog. <i>Veterinary Record Case Reports</i> , 2020, 8, e001160.	0.1	0