

R Bond

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8245361/r-bond-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

1,194
citations

21
h-index

33
g-index

55
ext. papers

1,321
ext. citations

1.8
avg, IF

4.2
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 53 | Malassezia otitis unresponsive to primary care: outcome in 59 dogs. <i>Veterinary Dermatology</i> , 2021 , 32, 441-e119 | 1.8 | 1 |
| 52 | Transverse sectioning in the evaluation of skin biopsy specimens from alopecic dogs. <i>Journal of Small Animal Practice</i> , 2021 , 62, 244-252 | 1.6 | 1 |
| 51 | Effect of topical antimicrobial therapy and household cleaning on meticillin-resistant Staphylococcus pseudintermedius carriage in dogs. <i>Veterinary Record</i> , 2021 , e937 | 0.9 | 2 |
| 50 | Inadvertent catheterisation of the auditory tube during myringotomy in a dog. <i>Veterinary Record Case Reports</i> , 2020 , 8, e001160 | 0.2 | |
| 49 | Biology, diagnosis and treatment of Malassezia dermatitis in dogs and cats Clinical Consensus Guidelines of the World Association for Veterinary Dermatology. <i>Veterinary Dermatology</i> , 2020 , 31, 28-74 ^{1.8} | 1.8 | 15 |
| 48 | Isolation of dermatophytes from dogs and cats in the South of England between 1991 and 2017. <i>Veterinary Record</i> , 2020 , 187, e87 | 0.9 | 3 |
| 47 | A second KRT71 allele in curly coated dogs. <i>Animal Genetics</i> , 2019 , 50, 97-100 | 2.5 | 4 |
| 46 | Activity In Vitro of Clotrimazole against Canine Methicillin-Resistant and Susceptible Staphylococcus pseudintermedius. <i>Antibiotics</i> , 2017 , 6, | 4.9 | 3 |
| 45 | Clinical and pathological features of hair coat abnormalities in curly coated retrievers from UK and Sweden. <i>Journal of Small Animal Practice</i> , 2016 , 57, 659-667 | 1.6 | 3 |
| 44 | Susceptibility in vitro of canine methicillin-resistant and -susceptible staphylococcal isolates to fusidic acid, chlorhexidine and miconazole: opportunities for topical therapy of canine superficial pyoderma. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 2048-52 | 5.1 | 28 |
| 43 | Food-specific serum IgE and IgG reactivity in dogs with and without skin disease: lack of correlation between laboratories. <i>Veterinary Dermatology</i> , 2014 , 25, 447-e70 | 1.8 | 17 |
| 42 | Transverse sectioning for histological assessment of sebaceous glands in healthy dogs and canine sebaceous adenitis. <i>Journal of Small Animal Practice</i> , 2013 , 54, 299-303 | 1.6 | 4 |
| 41 | Comparison of a chlorhexidine and a benzoyl peroxide shampoo as sole treatment in canine superficial pyoderma. <i>Veterinary Record</i> , 2011 , 169, 249 | 0.9 | 39 |
| 40 | Superficial veterinary mycoses. <i>Clinics in Dermatology</i> , 2010 , 28, 226-36 | 3 | 77 |
| 39 | Carriage of Malassezia spp. yeasts in Cornish Rex, Devon Rex and Domestic short-haired cats: a cross-sectional survey. <i>Veterinary Dermatology</i> , 2008 , 19, 299-304 | 1.8 | 21 |
| 38 | Treatment of Malassezia pachydermatis-associated seborrhoeic dermatitis in Devon Rex cats with itraconazole--a pilot study. <i>Veterinary Dermatology</i> , 2007 , 18, 171-4 | 1.8 | 12 |
| 37 | Survey of flea infestation in dogs and cats in the United Kingdom during 2005. <i>Veterinary Record</i> , 2007 , 160, 503-6 | 0.9 | 69 |

| | | | |
|----|---|-----|----|
| 36 | Carriage of <i>Malassezia</i> spp. yeasts in healthy and seborrhoeic Devon Rex cats. <i>Medical Mycology</i> , 2007 , 45, 449-55 | 3.9 | 27 |
| 35 | Patch test responses to <i>Malassezia pachydermatis</i> in healthy dogs. <i>Medical Mycology</i> , 2006 , 44, 175-84 | 3.9 | 5 |
| 34 | Patch test responses to <i>Malassezia pachydermatis</i> in healthy basset hounds and in basset hounds with <i>Malassezia dermatitis</i> . <i>Medical Mycology</i> , 2006 , 44, 419-27 | 3.9 | 13 |
| 33 | Bovine and canine transferrin inhibit the growth of <i>Malassezia pachydermatis</i> in vitro. <i>Medical Mycology</i> , 2005 , 43, 447-51 | 3.9 | 4 |
| 32 | Canine serum immunoreactivity to <i>M. pachydermatis</i> in vitro is influenced by the phase of yeast growth. <i>Veterinary Dermatology</i> , 2005 , 16, 147-52 | 1.8 | 7 |
| 31 | Inhibition of the growth in vitro of <i>Trichophyton mentagrophytes</i> , <i>Trichophyton erinacei</i> and <i>Microsporum persicolor</i> by miconazole and chlorhexidine. <i>Veterinary Dermatology</i> , 2005 , 16, 330-3 | 1.8 | 6 |
| 30 | Clinical, histopathological and immunological effects of exposure of canine skin to <i>Malassezia pachydermatis</i> . <i>Medical Mycology</i> , 2004 , 42, 165-75 | 3.9 | 14 |
| 29 | Dietary trials with a commercial chicken hydrolysate diet in 63 pruritic dogs. <i>Veterinary Record</i> , 2004 , 154, 519-22 | 0.9 | 48 |
| 28 | Synergistic inhibition of the growth in vitro of <i>Microsporum canis</i> by miconazole and chlorhexidine. <i>Veterinary Dermatology</i> , 2003 , 14, 99-102 | 1.8 | 24 |
| 27 | Intradermal test reactivity to <i>Malassezia pachydermatis</i> in healthy basset hounds and basset hounds with <i>Malassezia dermatitis</i> . <i>Veterinary Record</i> , 2002 , 151, 105-9 | 0.9 | 13 |
| 26 | Immunoglobulin G responses to <i>Malassezia pachydermatis</i> in healthy dogs and dogs with <i>Malassezia dermatitis</i> . <i>Veterinary Record</i> , 2002 , 150, 509-12 | 0.9 | 10 |
| 25 | Intradermal test reactivity to <i>Malassezia pachydermatis</i> in atopic dogs. <i>Veterinary Record</i> , 2002 , 150, 448-9 | 0.9 | 18 |
| 24 | Pseudomycetoma caused by <i>Microsporum canis</i> in a Persian cat: lack of response to oral terbinafine. <i>Journal of Small Animal Practice</i> , 2001 , 42, 557-60 | 1.6 | 20 |
| 23 | Adherence of <i>Malassezia pachydermatis</i> and <i>Malassezia sympodialis</i> to canine, feline and human corneocytes in vitro. <i>Veterinary Record</i> , 2000 , 147, 454-5 | 0.9 | 4 |
| 22 | Colonisation status of <i>Malassezia pachydermatis</i> on the hair and in the hair follicle of healthy beagle dogs. <i>Research in Veterinary Science</i> , 2000 , 68, 291-3 | 2.5 | 10 |
| 21 | <i>Malassezia pachydermatis</i> : a review. <i>Medical Mycology</i> , 1999 , 37, 295-306 | 3.9 | 9 |
| 20 | Humoral and cell-mediated responses to <i>Malassezia pachydermatis</i> in healthy dogs and dogs with <i>Malassezia dermatitis</i> . <i>Veterinary Record</i> , 1998 , 143, 381-4 | 0.9 | 22 |
| 19 | Comparison of a detergent scrub and a swab technique for the quantification of aerobic bacteria on canine skin. <i>Veterinary Record</i> , 1998 , 143, 171-2 | 0.9 | 3 |

| | | | |
|----|---|-----|----|
| 18 | Effect of topical therapy of <i>Malassezia pachydermatis</i> -associated seborrhoeic dermatitis on oral carriage of <i>M pachydermatis</i> . <i>Veterinary Record</i> , 1998 , 142, 725-6 | 0.9 | 9 |
| 17 | Isolation of <i>Malassezia sympodialis</i> and <i>Malassezia globosa</i> from healthy pet cats. <i>Veterinary Record</i> , 1997 , 141, 200-1 | 0.9 | 65 |
| 16 | Skin and mucosal populations of <i>Malassezia pachydermatis</i> in healthy and seborrhoeic Basset Hounds. <i>Veterinary Dermatology</i> , 1997 , 8, 101-106 | 1.8 | 40 |
| 15 | Comparison of media and conditions of incubation for the quantitative culture of <i>Malassezia pachydermatis</i> from canine skin. <i>Research in Veterinary Science</i> , 1996 , 61, 273-4 | 2.5 | 13 |
| 14 | Factors affecting the adherence of <i>Malassezia pachydermatis</i> to canine corneocytes in vitro. <i>Veterinary Dermatology</i> , 1996 , 7, 49-56 | 1.8 | 12 |
| 13 | Factors associated with elevated cutaneous <i>Malassezia pachydermatis</i> populations in dogs with pruritic skin disease. <i>Journal of Small Animal Practice</i> , 1996 , 37, 103-7 | 1.6 | 72 |
| 12 | Isolation of <i>Malassezia sympodialis</i> from feline skin. <i>Medical Mycology</i> , 1996 , 34, 145-147 | 3.9 | 47 |
| 11 | Isolation of <i>Malassezia sympodialis</i> from feline skin. <i>Journal of Medical and Veterinary Mycology: Bi-monthly Publication of the International Society for Human and Animal Mycology</i> , 1996 , 34, 145-7 | | 5 |
| 10 | Evaluation of a detergent scrub technique for the quantitative culture of <i>Malassezia pachydermatis</i> from canine skin. <i>Research in Veterinary Science</i> , 1995 , 58, 133-7 | 2.5 | 31 |
| 9 | Characterization of markedly lipid-dependent <i>Malassezia pachydermatis</i> isolates from healthy dogs. <i>Journal of Applied Bacteriology</i> , 1995 , 78, 537-42 | | 47 |
| 8 | Comparison of two shampoos for treatment of <i>Malassezia pachydermatis</i> -associated seborrhoeic dermatitis in basset hounds. <i>Journal of Small Animal Practice</i> , 1995 , 36, 99-104 | 1.6 | 58 |
| 7 | Population sizes and frequency of <i>Malassezia pachydermatis</i> at skin and mucosal sites on healthy dogs. <i>Journal of Small Animal Practice</i> , 1995 , 36, 147-50 | 1.6 | 78 |
| 6 | Metabolic epidermal necrosis in two dogs with different underlying diseases. <i>Veterinary Record</i> , 1995 , 136, 466-71 | 0.9 | 29 |
| 5 | Use of contact plates for the quantitative culture of <i>Malassezia pachydermatis</i> from canine skin. <i>Journal of Small Animal Practice</i> , 1994 , 35, 68-72 | 1.6 | 52 |
| 4 | Combined treatment with concentrated essential fatty acids and prednisolone in the management of canine atopy. <i>Veterinary Record</i> , 1994 , 134, 30-2 | 0.9 | 20 |
| 3 | Evaluation of two enzyme-linked immunosorbent assays for the diagnosis of canine atopy. <i>Veterinary Record</i> , 1994 , 135, 130-3 | 0.9 | 25 |
| 2 | Chronic dermatophytosis due to <i>Microsporum persicolor</i> infection in three dogs. <i>Journal of Small Animal Practice</i> , 1992 , 33, 571-576 | 1.6 | 10 |
| 1 | A double-blind comparison of olive oil and a combination of evening primrose oil and fish oil in the management of canine atopy. <i>Veterinary Record</i> , 1992 , 131, 558-60 | 0.9 | 24 |

