

Alexander Turra, A Turra

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8246753/alexander-turra-a-turra-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188
papers

3,907
citations

30
h-index

55
g-index

198
ext. papers

4,832
ext. citations

3.2
avg, IF

6.02
L-index

#	Paper	IF	Citations
188	Imposex incidence in the sandy beach snail <i>Hastula cinerea</i> reveals continued and widespread tributyltin contamination after its international ban. <i>Regional Studies in Marine Science</i> , 2022 , 49, 102118 ^{1.5}		
187	Waves of Change: Towards Ecosystem-Based Management to Climate Change Adaptation. <i>Sustainability</i> , 2022 , 14, 1317	3.6	1
186	Envisioning ocean governability transformations through network-based marine spatial planning.. <i>Maritime Studies</i> , 2022 , 21, 1-22	2.1	0
185	Microplastics and the UN Sustainable Development Goals 2022 , 1345-1362		
184	Desafios para promo�� da abordagem ecossist�mica � gest�o de praias na Am�rica Latina e Caribe. <i>Estudos Avancados</i> , 2021 , 35, 219-236	0.6	
183	Recognition of ecosystem-based management principles in key documents of the seabed mining regime: implications and further recommendations. <i>ICES Journal of Marine Science</i> , 2021 , 78, 884-899	2.7	9
182	A c�ncia oce�nica no Brasil e desafios transversais para a produ�o do conhecimento. <i>Ci�ncia E Cultura</i> , 2021 , 73, 07-11	0.3	
181	Critical gaps in the implementation of Coastal Ecological and Economic Zoning persist after 30 years of the Brazilian coastal management policy. <i>Marine Policy</i> , 2021 , 128, 104470	3.5	6
180	The Dynamics of Multiscale Institutional Complexes: the Case of the S�o Paulo Macrometropolitan Region. <i>Environmental Management</i> , 2021 , 67, 109-118	3.1	3
179	Microplastics and the UN Sustainable Development Goals 2021 , 1-18		
178	Coastal Ocean Observing and Modeling Systems in Brazil: Initiatives and Future Perspectives. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	4
177	Parasitism by isopods in sandy beach fish assemblages: role of urbanization and environmental characteristics. <i>Hydrobiologia</i> , 2021 , 848, 4885-4901	2.4	
176	Species with insufficient data and red lists: The dilemma of the beach trigonal clam <i>Tivela mactroides</i> . <i>Journal for Nature Conservation</i> , 2021 , 62, 126024	2.3	
175	An Endless Endeavor: The Evolution and Challenges of Multi-Level Coastal Governance in the Global South. <i>Sustainability</i> , 2021 , 13, 10413	3.6	3
174	The threat of freshwater input on sandy beaches: A small-scale approach to assess macrofaunal changes related to salinity reduction. <i>Marine Environmental Research</i> , 2021 , 171, 105459	3.3	1
173	Daily environmental variation influences temporal patterns of marine debris deposition along an estuarine outlet in southern Brazil. <i>Marine Pollution Bulletin</i> , 2021 , 172, 112859	6.7	1
172	Full stomachs at empty tides: tidal cycle affects feeding activity and diet of the sandy beach gastropod <i>Olivella minuta</i> . <i>Journal of Molluscan Studies</i> , 2020 , 86, 219-227	1.1	4

171	Brazil oil spill response: Protect rhodolith beds. <i>Science</i> , 2020 , 367, 156	33.3	13
170	A Roadmap for Using the UN Decade of Ocean Science for Sustainable Development in Support of Science, Policy, and Action. <i>One Earth</i> , 2020 , 2, 34-42	8.1	96
169	Decadal losses of canopy-forming algae along the warm temperate coastline of Brazil. <i>Global Change Biology</i> , 2020 , 26, 1446-1457	11.4	12
168	Laundering and textile parameters influence fibers release in household washings. <i>Environmental Pollution</i> , 2020 , 257, 113553	9.3	57
167	Flooding affects vertical displacement of intertidal macrofauna: A proxy for the potential impacts of environmental changes on sandy beaches. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 245, 106882	2.9	1
166	Predicting the Dispersal and Accumulation of Microplastic Pellets Within the Estuarine and Coastal Waters of South-Eastern Brazil Using Integrated Rainfall Data and Lagrangian Particle Tracking Models. <i>Frontiers in Environmental Science</i> , 2020 , 8,	4.8	6
165	Crafting a sustainability transition experiment for the brazilian blue economy. <i>Marine Policy</i> , 2020 , 120, 104157	3.5	11
164	Spatial patterns of the gastropod <i>Olivella minuta</i> reveal the importance of tide-dominated beaches and the subtidal zone for sandy beach populations. <i>Regional Studies in Marine Science</i> , 2020 , 39, 101454	1.5	1
163	Rainfall and Tidal Cycle Regulate Seasonal Inputs of Microplastic Pellets to Sandy Beaches. <i>Frontiers in Environmental Science</i> , 2020 , 8,	4.8	10
162	Assessing the Complexity of Social-Ecological Systems: Taking Stock of the Cross-Scale Dependence. <i>Sustainability</i> , 2020 , 12, 6236	3.6	6
161	Improving soil carbon estimates of mudflats in Araçuaí Bay using spatial models that consider riverine input, wave exposure and biogeochemistry. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 238, 106734	2.9	4
160	Patterns of shell utilization by hermit crabs as a proxy of gastropod population dynamics. <i>Marine Biology Research</i> , 2019 , 15, 424-433	1	2
159	Traditional Ecological Knowledge Supports Ecosystem-Based Management in Disturbed Coastal Marine Social-Ecological Systems. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	7
158	Unveiling the genesis of a marine spatial planning arena in Brazil. <i>Ocean and Coastal Management</i> , 2019 , 179, 104825	3.9	13
157	The burrow resetting method, an easy and effective approach to improve indirect ghost-crab population assessments. <i>Ecological Indicators</i> , 2019 , 104, 422-428	5.8	7
156	The importance of embayed coastal areas for the life cycle of two sympatric starfish species (Echinodermata, Asteroidea). <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 219, 128-138	2.9	2
155	Local Agenda 21: Planning for the future, changing today. <i>Environmental Science and Policy</i> , 2019 , 101, 7-15	6.2	7
154	Toward the Integrated Marine Debris Observing System. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	91

153	Stakeholder Participation Assessment Framework (SPAF): A theory-based strategy to plan and evaluate marine spatial planning participatory processes. <i>Marine Policy</i> , 2019 , 108, 103619	3.5	19
152	Capture of anemones and polychaetes in artificial collectors for ornamental purposes, effects of: depth, deployment period, and time of immersion. <i>Boletim Do Instituto De Pesca</i> , 2019 , 45, e.448	1.5	2
151	Elevated pCO does not impair performance in autotomised individuals of the intertidal predatory starfish <i>Asterias rubens</i> (Linnaeus, 1758). <i>Marine Environmental Research</i> , 2019 , 153, 104841	3.3	1
150	Organic contamination of beached plastic pellets in the South Atlantic: Risk assessments can benefit by considering spatial gradients. <i>Chemosphere</i> , 2019 , 223, 608-615	8.4	30
149	Spatial and temporal variation in the diet of the sandy beach gastropod <i>Olivella minuta</i> . <i>Invertebrate Biology</i> , 2019 , 138, e12269	1	4
148	Egg-capsule deposition of the marine gastropod <i>Olivella minuta</i> : the importance of an interspecific relationship with the soft-bottom bivalve <i>Tivela mactroides</i> . <i>Journal of Molluscan Studies</i> , 2019 , 85, 126-132	1.1	1
147	Sewing a blue patchwork: An analysis of marine policies implementation in the Southeast of Brazil. <i>Ocean and Coastal Management</i> , 2019 , 168, 322-339	3.9	11
146	Deep-sea mining on the Rio Grande Rise (Southwestern Atlantic): A review on environmental baseline, ecosystem services and potential impacts. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2019 , 145, 31-58	2.5	21
145	Influence of oceanographic and meteorological events on the quantity and quality of marine debris along an estuarine gradient. <i>Marine Pollution Bulletin</i> , 2019 , 139, 282-298	6.7	22
144	Integrated science for coastal management: Discussion on a local empirical basis. <i>Ocean and Coastal Management</i> , 2019 , 167, 219-228	3.9	7
143	Effects of physical features on production of three macrofaunal species in different sandy beach zones in South America. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 218, 23-30	2.9	2
142	Using mussel as a global bioindicator of coastal microplastic pollution. <i>Environmental Pollution</i> , 2019 , 244, 522-533	9.3	191
141	LandâOcean Connectivity Through Subsidies of Terrestrially Derived Organic Matter to a Nearshore Marine Consumer. <i>Ecosystems</i> , 2019 , 22, 796-804	3.9	5
140	The effect of ocean acidification on the intertidal hermit crab <i>Pagurus criniticornis</i> is not modulated by cheliped amputation and sex. <i>Marine Environmental Research</i> , 2019 , 104794	3.3	2
139	Building a local spatial data infrastructure (SDI) to collect, manage and deliver coastal information. <i>Ocean and Coastal Management</i> , 2018 , 164, 136-146	3.9	6
138	Continuous, video-recording assessment of daily activity cycle of the ghost crab <i>Ocypode quadrata</i> Fabricius, 1787 (Brachyura: Ocypodidae) in southeastern Brazil. <i>Journal of Crustacean Biology</i> , 2018 , 38, 133-139	0.8	10
137	Continuous Exposure to Microplastics Does Not Cause Physiological Effects in the Cultivated Mussel <i>Perna perna</i> . <i>Archives of Environmental Contamination and Toxicology</i> , 2018 , 74, 594-604	3.2	64
136	Gastropod shell size and architecture influence the applicability of methods used to estimate internal volume. <i>Scientific Reports</i> , 2018 , 8, 440	4.9	2

135	A collaborative work process for the development of coastal environmental education activities in a public school in S ^o Sebasti ^o (S ^o Paulo State, Brazil). <i>Ocean and Coastal Management</i> , 2018 , 164, 147-155	3.9	10
134	Spatial variability in the concentrations of metals in beached microplastics. <i>Marine Pollution Bulletin</i> , 2018 , 129, 487-493	6.7	109
133	Marginal coral reefs show high susceptibility to phase shift. <i>Marine Pollution Bulletin</i> , 2018 , 135, 551-561	6.7	27
132	Ghost crab burrows simulation shows differential across-shore persistence. <i>Crustaceana</i> , 2018 , 91, 821-830	6.7	7
131	Prompt induction of chemical defenses in the red seaweed <i>Laurencia dendroidea</i> : The role of herbivory and epibiosis. <i>Journal of Sea Research</i> , 2018 , 138, 48-55	1.9	11
130	On the advantages of working together: Social Learning and knowledge integration in the management of marine areas. <i>Marine Policy</i> , 2018 , 88, 139-150	3.5	14
129	Percep ^o ambiental como subs ^o para gest ^o costeira da Ba ^{ia} do Ara ^o Litoral Norte do Estado de S ^o Paulo, Brasil. <i>Desenvolvimento E Meio Ambiente</i> , 2018 , 44,	1.6	1
128	Vulnerability of juvenile hermit crabs to reduced seawater pH and shading. <i>Marine Environmental Research</i> , 2018 , 142, 130-140	3.3	4
127	Assessing the resilience of hermit crabs to extrinsic and intrinsic environmental change. <i>Estuarine, Coastal and Shelf Science</i> , 2018 , 214, 25-30	2.9	2
126	Risk-taking and risk-avoiding behaviors by hermit crabs across multiple environmental contexts. <i>Journal of Experimental Marine Biology and Ecology</i> , 2018 , 506, 25-29	2.1	7
125	Effects of beach morphodynamic features on production and P/B ratio of the crab <i>Emerita brasiliensis</i> Schmitt, 1935 (Decapoda: Hippidae) in sandy beaches of South America. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017 , 97, 1215-1221	1.1	1
124	Quantifying microplastic pollution on sandy beaches: the conundrum of large sample variability and spatial heterogeneity. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 13732-13740	5.1	26
123	Synthetic fibers as microplastics in the marine environment: A review from textile perspective with a focus on domestic washings. <i>Science of the Total Environment</i> , 2017 , 598, 1116-1129	10.2	311
122	Monitoring nitrogen pollution in seasonally-pulsed coastal waters requires judicious choice of indicator species. <i>Marine Pollution Bulletin</i> , 2017 , 122, 149-155	6.7	23
121	Trophic transference of microplastics under a low exposure scenario: Insights on the likelihood of particle cascading along marine food-webs. <i>Marine Pollution Bulletin</i> , 2017 , 121, 154-159	6.7	123
120	Transboundary movement of marine litter in an estuarine gradient: Evaluating sources and sinks using hydrodynamic modelling and ground truthing estimates. <i>Marine Pollution Bulletin</i> , 2017 , 119, 48-63	6.7	39
119	ENVIRONMENTAL IMPACT ASSESSMENT UNDER AN ECOSYSTEM APPROACH: THE S ^o SEBASTI ^o HARBOR EXPANSION PROJECT. <i>Ambiente & Sociedade</i> , 2017 , 20, 155-176	1.3	15
118	Differences in perception and reaction of tourist groups to beach marine debris that can influence a loss of tourism revenue in coastal areas. <i>Marine Policy</i> , 2017 , 85, 87-99	3.5	98

117	Colour spectrum and resin-type determine the concentration and composition of Polycyclic Aromatic Hydrocarbons (PAHs) in plastic pellets. <i>Marine Pollution Bulletin</i> , 2017 , 122, 323-330	6.7	41
116	Optimizing coastal and marine spatial planning through the use of high-resolution benthic sensitivity models. <i>Ecological Indicators</i> , 2017 , 82, 23-31	5.8	7
115	Resource partitioning between sympatric starfish from tropical unconsolidated substrate: Implications for coexistence and top-down control on benthic prey. <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 196, 141-149	2.9	5
114	Variation in the body growth parameters of the ghost crab <i>Ocypode quadrata</i> from morphodynamically distinct sandy beaches. <i>Brazilian Journal of Oceanography</i> , 2017 , 65, 656-665	1.8	4
113	Natural drivers of distribution of ghost crabs <i>Ocypode quadrata</i> and the implications of estimates from burrows. <i>Marine Ecology - Progress Series</i> , 2017 , 565, 131-147	2.6	16
112	Novel structure in sciaenid fish skulls indicates continuous production of the cephalic neuromast cupula. <i>Scientific Reports</i> , 2016 , 6, 37523	4.9	
111	Distribution of butyltin compounds in Brazil's southern and southeastern estuarine ecosystems: assessment of spatial scale and compartments. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 16152-63	5.1	10
110	Diel variation of sesquiterpene elatol production: a chemical defense mechanism of the red seaweed <i>Laurencia dendroidea</i> . <i>Biochemical Systematics and Ecology</i> , 2016 , 64, 131-135	1.4	6
109	Human threats to sandy beaches: A meta-analysis of ghost crabs illustrates global anthropogenic impacts.. <i>Estuarine, Coastal and Shelf Science</i> , 2016 , 169, 56-73	2.9	76
108	Spatial variability in persistent organic pollutants and polycyclic aromatic hydrocarbons found in beach-stranded pellets along the coast of the state of S ^o Paulo, southeastern Brazil. <i>Marine Pollution Bulletin</i> , 2016 , 106, 87-94	6.7	54
107	Microplastic contamination in natural mussel beds from a Brazilian urbanized coastal region: Rapid evaluation through bioassessment. <i>Marine Pollution Bulletin</i> , 2016 , 106, 183-9	6.7	122
106	Small-scale temporal and spatial variability in the abundance of plastic pellets on sandy beaches: Methodological considerations for estimating the input of microplastics. <i>Marine Pollution Bulletin</i> , 2016 , 102, 114-21	6.7	50
105	Assessment of recreational harvesting of the trigonal clam <i>Tivela mactroides</i> : Socioeconomic aspects and environmental perception. <i>Fisheries Research</i> , 2016 , 174, 58-67	2.3	8
104	Stakeholders perceptions of local environmental changes as a tool for impact assessment in coastal zones. <i>Ocean and Coastal Management</i> , 2016 , 119, 135-145	3.9	34
103	Frequency, Magnitude, and Possible Causes of Stranding and Mass-Mortality Events of the Beach Clam <i>Tivela mactroides</i> (Bivalvia: Veneridae). <i>PLoS ONE</i> , 2016 , 11, e0146323	3.7	9
102	Linking biodiversity and Global Environmental Changes in Brazilian coastal habitats. <i>Brazilian Journal of Oceanography</i> , 2016 , 64, 3-4	1.8	5
101	The role of mangrove revegetation as a means of restoring macrofaunal communities along degraded coasts. <i>Science of the Total Environment</i> , 2016 , 566-567, 223-229	10.2	22
100	The evolving and increasing need for climate change research on the oceans. <i>ICES Journal of Marine Science</i> , 2016 , 73, 1267-1271	2.7	8

99	Population expansion of a tropical seagrass (<i>Halophila decipiens</i>) in the southwest Atlantic (Brazil). <i>Aquatic Botany</i> , 2016 , 132, 30-36	1.8	14
98	Olfactory selectivity in intertidal hermit crabs: aggregation behavior by <i>Pagurus criniticornis</i> (Decapoda, Anomura) in response to simulated predation on the gastropod <i>Cerithium atratum</i> . <i>Hydrobiologia</i> , 2016 , 772, 31-43	2.4	6
97	What makes a good home for hermits? Assessing gastropod shell density and relative strength. <i>Marine Biology Research</i> , 2016 , 12, 379-388	1	6
96	Towards a standard measure of sea anemone size: assessing the accuracy and precision of morphological measures for cantilever-like animals. <i>Marine Ecology</i> , 2016 , 37, 1019-1026	1.4	4
95	Revealing accumulation zones of plastic pellets in sandy beaches. <i>Environmental Pollution</i> , 2016 , 218, 313-321	9.3	48
94	What motivates hermit crabs to abandon trapped shells? Assessing the influence of shell value, olfactory attractants, and previous experience. <i>Hydrobiologia</i> , 2015 , 743, 285-297	2.4	10
93	Assessment of contamination of the beach clam <i>Tivela mactroides</i> : implications for food safety of a recreational and subsistence marine resource in Caraguatatuba Bay, Brazil. <i>International Journal of Food Contamination</i> , 2015 , 2,	4.1	4
92	On the perceptions and conceptions of tourists with regard to global environmental changes and their consequences for coastal and marine environments: A case study of the northern S ^ˆ ˆo Paulo State coast, Brazil. <i>Marine Policy</i> , 2015 , 57, 85-92	3.5	9
91	Evaluation of the use of <i>Olivella minuta</i> (Gastropoda, Olividae) and <i>Hastula cinerea</i> (Gastropoda, Terebridae) as TBT sentinels for sandy coastal habitats. <i>Environmental Monitoring and Assessment</i> , 2015 , 187, 440	3.1	22
90	Population biology and secondary production of the harvested clam <i>Tivela mactroides</i> (Born, 1778) (Bivalvia, Veneridae) in Southeastern Brazil. <i>Marine Ecology</i> , 2015 , 36, 221-234	1.4	12
89	Multi-species generalist predation on the stochastic harvested clam <i>Tivela mactroides</i> (Mollusca, Bivalvia). <i>Estuarine, Coastal and Shelf Science</i> , 2015 , 166, 115-123	2.9	8
88	Intra-specific competition drives variation in the fundamental and realized niches of the hermit crab, <i>Pagurus criniticornis</i> . <i>Bulletin of Marine Science</i> , 2015 , 91, 343-361	1.3	5
87	A new species of philichthyid copepod (Crustacea: Cyclopoida) parasitic on <i>Stellifer</i> spp. (Perciformes: Sciaenidae) from southeastern Brazil. <i>Zootaxa</i> , 2015 , 3925, 438-44	0.5	3
86	Biological associations of color variation in the Indo-Pacific swimming crab <i>Charybdis hellerii</i> . <i>Anais Da Academia Brasileira De Ciencias</i> , 2015 , 87, 219-32	1.4	1
85	Feeding habits of whitemouth croaker <i>Micropogonias furnieri</i> (Perciformes: Sciaenidae) in Caraguatatuba Bay, southeastern Brazil. <i>Brazilian Journal of Oceanography</i> , 2015 , 63, 125-134	1.8	10
84	Spatial and temporal variation in the predation risk for hermit crabs in a subtropical bay. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015 , 462, 98-104	2.1	12
83	Diet and population biology of the invasive crab <i>Charybdis hellerii</i> in southwestern Atlantic waters. <i>Marine Biology Research</i> , 2015 , 11, 814-823	1	4
82	Reproductive cycle of the trigonal clam <i>Tivela mactroides</i> (Bivalvia, Veneridae) in Caraguatatuba Bay, southeastern Brazil. <i>Marine Biology Research</i> , 2015 , 11, 847-858	1	2

81	Harvesting the Beach Clam <i>Tivela mactroides</i> : Short- and Long-Term Dynamics. <i>Marine and Coastal Fisheries</i> , 2015 , 7, 103-115	1.6	6
80	Assessment of microplastic toxicity to embryonic development of the sea urchin <i>Lytechinus variegatus</i> (Echinodermata: Echinoidea). <i>Marine Pollution Bulletin</i> , 2015 , 92, 99-104	6.7	208
79	Solid waste management in coastal cities: where are the gaps? Case study of the North Coast of São Paulo, Brazil. <i>Journal of Integrated Coastal Zone Management</i> , 2015 , 15, 453-465	1	5
78	The barred grunt <i>Conodon nobilis</i> (Perciformes: Haemulidae) in shallow areas of a tropical bight: spatial and temporal distribution, body growth and diet. <i>Helgoland Marine Research</i> , 2014 ,	1.8	1
77	Surface-sediment and hermit-crab contamination by butyltins in southeastern Atlantic estuaries after ban of TBT-based antifouling paints. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 6516-24	5.1	17
76	Subjective resource value and shell abandoning behavior in hermit crabs. <i>Journal of Experimental Marine Biology and Ecology</i> , 2014 , 452, 137-142	2.1	17
75	Temporal variation in life-history traits of the clam <i>Tivela mactroides</i> (Bivalvia: Veneridae): Density-dependent processes in sandy beaches. <i>Estuarine, Coastal and Shelf Science</i> , 2014 , 150, 157-164	2.9	19
74	Three-dimensional distribution of plastic pellets in sandy beaches: shifting paradigms. <i>Scientific Reports</i> , 2014 , 4, 4435	4.9	117
73	Population ecology, life history and diet of the shorthead drum <i>Larimus breviceps</i> in a tropical bight in southeastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014 , 94, 615-622	1.1	7
72	Population biology of the gastropod <i>Olivella minuta</i> (Gastropoda, Olividae) on two sheltered beaches in southeastern Brazil. <i>Estuarine, Coastal and Shelf Science</i> , 2014 , 150, 149-156	2.9	17
71	Concentration and composition of polycyclic aromatic hydrocarbons (PAHs) in plastic pellets: implications for small-scale diagnostic and environmental monitoring. <i>Marine Pollution Bulletin</i> , 2013 , 76, 349-54	6.7	65
70	Polycyclic aromatic hydrocarbons (PAHs) in plastic pellets: variability in the concentration and composition at different sediment depths in a sandy beach. <i>Marine Pollution Bulletin</i> , 2013 , 70, 219-26	6.7	99
69	A combined approach of benthic mapping of Caraguatatuba Bay, Brazil, with recommendations for management practices. <i>Ocean and Coastal Management</i> , 2013 , 71, 269-274	3.9	4
68	Global environmental changes: setting priorities for Latin American coastal habitats. <i>Global Change Biology</i> , 2013 , 19, 1965-9	11.4	40
67	Patterns of sandy-beach macrofauna production. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013 , 93, 1717-1725	1.1	12
66	Body growth and reproduction of individuals of the sciaenid fish <i>Stellifer rastrifer</i> in a shallow tropical bight: A cautionary tale for assumptions regarding population parameters. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 123, 39-45	2.9	2
65	Seasonality, dietary overlap and the role of taxonomic resolution in the study of the diet of three congeneric fishes from a tropical bay. <i>PLoS ONE</i> , 2013 , 8, e56107	3.7	11
64	Population dynamics and diet of the madamango Sea catfish <i>Cathorops spixii</i> (Agassiz, 1829) (Siluriformes: Ariidae) in a tropical bight in Southeastern Brazil. <i>PLoS ONE</i> , 2013 , 8, e81257	3.7	4

63	Issues to be considered in counting burrows as a measure of Atlantic ghost crab populations, an important bioindicator of sandy beaches. <i>PLoS ONE</i> , 2013 , 8, e83792	3.7	29
62	Population biology of the barbel drum <i>Ctenosciaena gracilicirrhus</i> (Metzelaar, 1919) (Perciformes: Sciaenidae) in Caraguatatuba Bay, Southeastern Brazil. <i>Brazilian Journal of Oceanography</i> , 2013 , 61, 169-175	1.8	1
61	Population biology and diet of <i>Pomadasy corvinaeformis</i> (Perciformes: Pomadasyidae) in Caraguatatuba Bay, southeastern Brazil. <i>Revista De Biologia Tropical</i> , 2013 , 61, 1947-54	1.3	5
60	Plastic pellets as oviposition site and means of dispersal for the ocean-skater insect <i>Halobates</i> . <i>Marine Pollution Bulletin</i> , 2012 , 64, 1143-7	6.7	45
59	Effects of tributyltin exposure in hermit crabs: <i>Clibanarius vittatus</i> as a model. <i>Environmental Toxicology and Chemistry</i> , 2012 , 31, 632-8	3.8	12
58	Production of <i>Excirrolana armata</i> (Dana, 1853) (Isopoda, Cirolanidae) on an exposed sandy beach in southeastern Brazil. <i>Helgoland Marine Research</i> , 2012 , 66, 265-274	1.8	8
57	Reproductive migration and population dynamics of the blue crab <i>Callinectes danae</i> in an estuary in southeastern Brazil. <i>Marine Biology Research</i> , 2012 , 8, 354-362	1	14
56	Hermit crabs as bioindicators of recent tributyltin (TBT) contamination. <i>Ecological Indicators</i> , 2012 , 14, 184-188	5.8	12
55	Secondary production of sandy beach macrofauna: An evaluation of predictive models. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 115, 359-365	2.9	8
54	Is shell partitioning between the hermit crabs <i>Pagurus brevidactylus</i> and <i>Pagurus criniticornis</i> explained by interference and/or exploitation competition?. <i>Marine Biology Research</i> , 2012 , 8, 662-669	1	13
53	Population biology and diet of the southern kingcroaker <i>Menticirrhus americanus</i> (Linnaeus, 1758) (Perciformes: Sciaenidae) in Caraguatatuba Bay, southeastern Brazil. <i>Brazilian Journal of Oceanography</i> , 2012 , 60, 343-352	1.8	6
52	Tributyltin in crustacean tissues: analytical performance and validation of method. <i>Journal of the Brazilian Chemical Society</i> , 2012 , 23, 39-45	1.5	8
51	Brazilian sandy beach macrofauna production: a review. <i>Brazilian Journal of Oceanography</i> , 2012 , 60, 473-484	1.8	8
50	Life history of three catfish species (Siluriformes: Ariidae) from southeastern Brazil. <i>Biota Neotropica</i> , 2012 , 12, 74-83		16
49	Composition and seasonal variation of brachyura and anomura (Crustacea, Decapoda) associated with brown mussel farms at Praia da Cocanha, Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2012 , 55, 549-557	1.8	
48	Population biology and diet of the puffer fish <i>Lagocephalus laevigatus</i> (Tetraodontiformes: Tetraodontidae) in Caraguatatuba Bay, south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012 , 92, 407-412	1.1	8
47	Population biology of <i>Stellifer rastrifer</i> , <i>S. brasiliensis</i> and <i>S. stellifer</i> in Caraguatatuba Bay, northern coast of S ^o Paulo, Brazil. <i>Brazilian Journal of Oceanography</i> , 2012 , 60, 271-282	1.8	9
46	Relative abundance and population biology of the non-indigenous crab <i>Charybdis hellerii</i> (Crustacea: Brachyura: Portunidae) in a southwestern Atlantic estuary-bay complex. <i>Aquatic Invasions</i> , 2012 , 7, 347-356	2.9	16

45	First record of the non-indigenous portunid crab <i>Charybdis variegata</i> from the western Atlantic coast. <i>BioInvasions Records</i> , 2012 , 1, 11-16	1.8	8
44	Effects of abiotic factors on growth and chemical defenses in cultivated clones of <i>Laurencia dendroidea</i> J. Agardh (Ceramiales, Rhodophyta). <i>Marine Biology</i> , 2011 , 158, 1439-1446	2.5	50
43	Influence of a narrow depth gradient and season on the morphology, phenology, and epibiosis of the brown alga <i>Sargassum cymosum</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011 , 91, 761-770	1.1	9
42	Ara ^o biodiversidade, impactos e amea ^{as} . <i>Biota Neotropica</i> , 2010 , 10, 219-264		80
41	Simultaneous activity of male and female gonads in intersex hermit crabs. <i>Aquatic Biology</i> , 2010 , 10, 201-209	2	19
40	Occurrence and behavior of butyltins in intertidal and shallow subtidal surface sediments of an estuarine beach under different sampling conditions. <i>Estuarine, Coastal and Shelf Science</i> , 2010 , 88, 322-328	2.0	11
39	Are the preference and selection patterns of hermit crabs for gastropod shells species- or site-specific?. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009 , 378, 15-21	2.1	22
38	Embryonic development and duration of incubation period of tropical intertidal hermit crabs (Decapoda, Anomura). <i>Revista Brasileira De Zoologia</i> , 2007 , 24, 677-686		5
37	Reproductive role of intersex hermit crabs. <i>Crustaceana</i> , 2007 , 80, 491-494	0.4	2
36	Microhabitat use by two rocky shore gastropods in an intertidal sandy substrate with rocky fragments. <i>Brazilian Journal of Biology</i> , 2006 , 66, 351-5	1.5	1
35	Levantamento de Mollusca, Crustacea e Echinodermata associados a <i>Sargassum</i> spp. na Ilha da Queimada Pequena, Esta ^o Ecol ^{ogica} dos Tupiniquins, litoral sul do Estado de S ^o Paulo, Brasil. <i>Biota Neotropica</i> , 2006 , 6,		6
34	Spatial distribution of the ghost crab <i>Ocypode quadrata</i> in low-energy tide-dominated sandy beaches. <i>Journal of Natural History</i> , 2005 , 39, 2163-2177	0.5	38
33	Structure of molluscan assemblages in sheltered intertidal unconsolidated environments. <i>Brazilian Archives of Biology and Technology</i> , 2005 , 48, 825-839	1.8	13
32	Reproductive behavior of intertidal hermit crabs (Decapoda, Anomura) in southeastern Brazil. <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 313-319		21
31	Along- and across-shore components of the spatial distribution of the clam <i>Tivela mactroides</i> (Born, 1778) (Bivalvia, Veneridae). <i>Journal of Natural History</i> , 2005 , 39, 3275-3295	0.5	19
30	Predation on gastropods by shell-breaking crabs: effects on shell availability to hermit crabs. <i>Marine Ecology - Progress Series</i> , 2005 , 286, 279-291	2.6	24
29	Intersexuality in hermit crabs: reproductive role and fate of gonopores in intersex individuals. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004 , 84, 757-759	1.1	21
28	Interference and exploitation components in interespecific competition between sympatric intertidal hermit crabs. <i>Journal of Experimental Marine Biology and Ecology</i> , 2004 , 310, 183-193	2.1	27

27	Biology of a tropical intertidal population of <i>Cerithium atratum</i> (Born, 1778) (Mollusca, Gastropoda). <i>Journal of Natural History</i> , 2004 , 38, 1695-1710	0.5	11
26	Temporal variation in Sargassum Biomass, Hypnea epiphytism and associated fauna. <i>Brazilian Archives of Biology and Technology</i> , 2003 , 46, 665-671	1.8	31
25	Daily activity of four tropical intertidal hermit crabs from southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2003 , 63, 537-44	1.5	29
24	Shell condition and adequacy of three sympatric intertidal hermit crab populations. <i>Journal of Natural History</i> , 2003 , 37, 1781-1795	0.5	22
23	Substrate use and selection in sympatric intertidal hermit crab species. <i>Brazilian Journal of Biology</i> , 2002 , 62, 107-12	1.5	13
22	Population biology of the hermit crab <i>Petrochirus diogenes</i> (Linnaeus) (Crustacea, Decapoda) in Southern Brazil. <i>Revista Brasileira De Zoologia</i> , 2002 , 19, 1043-1051		12
21	Population biology and growth of the hermit crab <i>Dardanus insignis</i> at Arma [^] ã do Itapocoroy, southern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002 , 82, 597-603	1.1	24
20	Shell utilization patterns of a tropical intertidal hermit crab assemblage. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002 , 82, 97-107	1.1	32
19	Hermit crab (Decapoda, Anomura) attraction to dead gastropod baits in an infralittoral algae bank. <i>Brazilian Archives of Biology and Technology</i> , 2002 , 45, 245-250	1.8	13
18	Spatial Distribution of Molluscs on Sandy Intertidal Substrates with Rock Fragments in South-Eastern Brazil. <i>Estuarine, Coastal and Shelf Science</i> , 2001 , 53, 733-743	2.9	11
17	Shell Utilization Patterns of a Tropical Rocky Intertidal Hermit Crab Assemblage: I. The Case of Grande Beach. <i>Journal of Crustacean Biology</i> , 2001 , 21, 393-406	0.8	21
16	FECUNDITY OF THREE SYMPATRIC POPULATIONS OF HERMIT CRABS (DECAPODA, ANOMURA, DIOGENIDAE). <i>Crustaceana</i> , 2001 , 74, 1019-1027	0.4	8
15	SHELL UTILIZATION PATTERNS OF A TROPICAL ROCKY INTERTIDAL HERMIT CRAB ASSEMBLAGE: I. THE CASE OF GRANDE BEACH. <i>Journal of Crustacean Biology</i> , 2001 , 21, 393-406	0.8	9
14	Desiccation tolerance of four sympatric tropical intertidal hermit crabs (Decapoda, Anomura). <i>Marine and Freshwater Behaviour and Physiology</i> , 2001 , 34, 227-238	1.1	16
13	Patterns of shell utilization and selection in two sympatric hermit crabs (Anomura: Diogenidae) in south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2000 , 80, 1053-1059	1.1	19
12	Population biology and growth of three sympatric species of intertidal hermit crabs in south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2000 , 80, 1061-1069	1.1	60
11	Annual variation of the malacofauna on two intertidal sandy substrates with rock fragments in southeastern Brazil. <i>Revista Brasileira De Oceanografia</i> , 2000 , 48, 141-150		3
10	Annual variation of the malacofauna on two intertidal sandy substrates with rock fragments in southeastern Brazil. <i>Brazilian Journal of Oceanography</i> , 2000 , 48,	1.8	3

9	Hermit crabs (Crustacea: Decapoda: Anomura), gastropod shells and environmental structure: their relationship in southeastern Brazil. <i>Journal of Natural History</i> , 1998 , 32, 1599-1608	0.5	34
8	ARE WE MISSING THE BIGGER PICTURE? AN ANALYSIS OF HOW SCIENCE CAN CONTRIBUTE TO AN ECOSYSTEM-BASED APPROACH FOR BEACH MANAGEMENT ON THE S^O PAULO MACROMETROPOLIS. <i>Ambiente & Sociedade</i> ,23,	1.3	2
7	EDITORIAL N^o 3/2019 THREATENED AMAZON. <i>Ambiente & Sociedade</i> ,22,	1.3	2
6	The Brazilian Blue Amazon under threat: Why has the oil spill continued for so long?. <i>Ambiente & Sociedade</i> ,23,	1.3	2
5	Sub-lethal predatory shell damage does not affect physiology under high CO2 in the intertidal gastropod <i>Tritia reticulata</i> . <i>Ocean and Coastal Research</i> ,68,		1
4	Avalia^o dos Zoneamentos Ecol^gico-Econ^micos Costeiros (ZEEC) do Brasil: proposta metodol^gica. <i>Desenvolvimento E Meio Ambiente</i> ,44,	1.6	4
3	O litoral da macrometr^pole: t^o longe de Deus e t^o perto do Diabo. <i>Desenvolvimento E Meio Ambiente</i> ,54,	1.6	2
2	Night underwater rides: the activity of a sandy beach gastropod is affected by interactive effects of light availability and water level. <i>Marine Biology Research</i> ,1-6	1	
1	Step by step: a participatory action-research framework to improve social participation in coastal systems. <i>Ambiente & Sociedade</i> ,24,	1.3	4