

Jian Ping Gong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8247890/publications.pdf>

Version: 2024-02-01

436
papers

31,670
citations

5558

82
h-index

5519

163
g-index

449
all docs

449
docs citations

449
times ranked

15931
citing authors

#	ARTICLE	IF	CITATIONS
1	Double-Network Hydrogels with Extremely High Mechanical Strength. <i>Advanced Materials</i> , 2003, 15, 1155-1158.	11.1	3,537
2	Why are double network hydrogels so tough?. <i>Soft Matter</i> , 2010, 6, 2583.	1.2	1,750
3	Physical hydrogels composed of polyampholytes demonstrate high toughness and viscoelasticity. <i>Nature Materials</i> , 2013, 12, 932-937.	13.3	1,636
4	High Mechanical Strength Double-Network Hydrogel with Bacterial Cellulose. <i>Advanced Functional Materials</i> , 2004, 14, 1124-1128.	7.8	635
5	Super tough double network hydrogels and their application as biomaterials. <i>Polymer</i> , 2012, 53, 1805-1822.	1.8	611
6	Large Strain Hysteresis and Mullins Effect of Tough Double-Network Hydrogels. <i>Macromolecules</i> , 2007, 40, 2919-2927.	2.2	573
7	Oppositely Charged Polyelectrolytes Form Tough, Self-Healing, and Rebuildable Hydrogels. <i>Advanced Materials</i> , 2015, 27, 2722-2727.	11.1	545
8	Mechanoresponsive self-growing hydrogels inspired by muscle training. <i>Science</i> , 2019, 363, 504-508.	6.0	526
9	Soft and Wet Materials: Polymer Gels. <i>Advanced Materials</i> , 1998, 10, 827-837.	11.1	519
10	Tough Physical Double-Network Hydrogels Based on Amphiphilic Triblock Copolymers. <i>Advanced Materials</i> , 2016, 28, 4884-4890.	11.1	442
11	Friction and lubrication of hydrogels—its richness and complexity. <i>Soft Matter</i> , 2006, 2, 544-552.	1.2	357
12	Materials both Tough and Soft. <i>Science</i> , 2014, 344, 161-162.	6.0	341
13	Lamellar Bilayers as Reversible Sacrificial Bonds To Toughen Hydrogel: Hysteresis, Self-Recovery, Fatigue Resistance, and Crack Blunting. <i>Macromolecules</i> , 2011, 44, 8916-8924.	2.2	322
14	Biomechanical properties of high-toughness double network hydrogels. <i>Biomaterials</i> , 2005, 26, 4468-4475.	5.7	288
15	Determination of Fracture Energy of High Strength Double Network Hydrogels. <i>Journal of Physical Chemistry B</i> , 2005, 109, 11559-11562.	1.2	261
16	True Chemical Structure of Double Network Hydrogels. <i>Macromolecules</i> , 2009, 42, 2184-2189.	2.2	258
17	Unidirectional Alignment of Lamellar Bilayer in Hydrogel: One-Dimensional Swelling, Anisotropic Modulus, and Stress/Strain Tunable Structural Color. <i>Advanced Materials</i> , 2010, 22, 5110-5114.	11.1	256
18	Microgel-Reinforced Hydrogel Films with High Mechanical Strength and Their Visible Mesoscale Fracture Structure. <i>Macromolecules</i> , 2011, 44, 7775-7781.	2.2	248

#	ARTICLE	IF	CITATIONS
19	A Facile Method to Fabricate Anisotropic Hydrogels with Perfectly Aligned Hierarchical Fibrous Structures. <i>Advanced Materials</i> , 2018, 30, 1704937.	11.1	244
20	Necking Phenomenon of Double-Network Gels. <i>Macromolecules</i> , 2006, 39, 4641-4645.	2.2	235
21	Tough Hydrogels with Fast, Strong, and Reversible Underwater Adhesion Based on a Multiscale Design. <i>Advanced Materials</i> , 2018, 30, e1801884.	11.1	235
22	Synthesis of Hydrogels with Extremely Low Surface Friction. <i>Journal of the American Chemical Society</i> , 2001, 123, 5582-5583.	6.6	229
23	Double-Network Hydrogels Strongly Bondable to Bones by Spontaneous Osteogenesis Penetration. <i>Advanced Materials</i> , 2016, 28, 6740-6745.	11.1	225
24	Stimuli-responsive polymer gels and their application to chemomechanical systems. <i>Progress in Polymer Science</i> , 1993, 18, 187-226.	11.8	214
25	Mechano-actuated ultrafast full-colour switching in layered photonic hydrogels. <i>Nature Communications</i> , 2014, 5, 4659.	5.8	210
26	Adjacent cationic aromatic sequences yield strong electrostatic adhesion of hydrogels in seawater. <i>Nature Communications</i> , 2019, 10, 5127.	5.8	202
27	Structural Characteristics of Double Network Gels with Extremely High Mechanical Strength. <i>Macromolecules</i> , 2004, 37, 5370-5374.	2.2	198
28	Characterization of internal fracture process of double network hydrogels under uniaxial elongation. <i>Soft Matter</i> , 2013, 9, 1955-1966.	1.2	195
29	Self-Healing Behaviors of Tough Polyampholyte Hydrogels. <i>Macromolecules</i> , 2016, 49, 4245-4252.	2.2	191
30	Fabrication of Bioinspired Hydrogels: Challenges and Opportunities. <i>Macromolecules</i> , 2020, 53, 2769-2782.	2.2	185
31	Bioinspired Underwater Adhesives. <i>Advanced Materials</i> , 2021, 33, e2102983.	11.1	178
32	Effect of Polymer Entanglement on the Toughening of Double Network Hydrogels. <i>Journal of Physical Chemistry B</i> , 2005, 109, 16304-16309.	1.2	177
33	A Universal Molecular Stent Method to Toughen any Hydrogels Based on Double Network Concept. <i>Advanced Functional Materials</i> , 2012, 22, 4426-4432.	7.8	175
34	Transition between Phantom and Affine Network Model Observed in Polymer Gels with Controlled Network Structure. <i>Macromolecules</i> , 2013, 46, 1035-1040.	2.2	172
35	Titration Behavior and Spectral Transitions of Water-Soluble Polythiophene Carboxylic Acids. <i>Macromolecules</i> , 1999, 32, 3964-3969.	2.2	171
36	Mechanically Strong Hydrogels with Ultra-Low Frictional Coefficients. <i>Advanced Materials</i> , 2005, 17, 535-538.	11.1	166

#	ARTICLE	IF	CITATIONS
37	Inorganic/Organic Double-Network Gels Containing Ionic Liquids. <i>Advanced Materials</i> , 2017, 29, 1704118.	11.1	165
38	Self-Adjustable Adhesion of Polyampholyte Hydrogels. <i>Advanced Materials</i> , 2015, 27, 7344-7348.	11.1	160
39	Gel friction: A model based on surface repulsion and adsorption. <i>Journal of Chemical Physics</i> , 1998, 109, 8062-8068.	1.2	157
40	A Novel Double-Network Hydrogel Induces Spontaneous Articular Cartilage Regeneration <i>in vivo</i> in a Large Osteochondral Defect. <i>Macromolecular Bioscience</i> , 2009, 9, 307-316.	2.1	157
41	Direct Observation of Damage Zone around Crack Tips in Double-Network Gels. <i>Macromolecules</i> , 2009, 42, 3852-3855.	2.2	156
42	Proteoglycans and Glycosaminoglycans Improve Toughness of Biocompatible Double Network Hydrogels. <i>Advanced Materials</i> , 2014, 26, 436-442.	11.1	155
43	Lamellar Hydrogels with High Toughness and Ternary Tunable Photonic Stop-Band. <i>Advanced Materials</i> , 2013, 25, 3106-3110.	11.1	152
44	Highly Extensible Double-Network Gels with Self-Assembling Anisotropic Structure. <i>Advanced Materials</i> , 2008, 20, 4499-4503.	11.1	151
45	Barnacle Cement Proteins-Inspired Tough Hydrogels with Robust, Long-Lasting, and Repeatable Underwater Adhesion. <i>Advanced Functional Materials</i> , 2021, 31, 2009334.	7.8	148
46	Friction of Gels. 3. Friction on Solid Surfaces. <i>Journal of Physical Chemistry B</i> , 1999, 103, 6001-6006.	1.2	140
47	Polymer Gels. <i>Journal of Macromolecular Science - Reviews in Macromolecular Chemistry and Physics</i> , 2004, 44, 87-112.	2.2	138
48	Biodegradation of high-toughness double network hydrogels as potential materials for artificial cartilage. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 81A, 373-380.	2.1	138
49	Friction of Gels. 4. Friction on Charged Gels. <i>Journal of Physical Chemistry B</i> , 1999, 103, 6007-6014.	1.2	134
50	Friction of Gels. <i>Journal of Physical Chemistry B</i> , 1997, 101, 5487-5489.	1.2	132
51	Phase-Separation-Induced Anomalous Stiffening, Toughening, and Self-Healing of Polyacrylamide Gels. <i>Advanced Materials</i> , 2015, 27, 6990-6998.	11.1	132
52	Importance of Entanglement between First and Second Components in High-Strength Double Network Gels. <i>Macromolecules</i> , 2007, 40, 6658-6664.	2.2	129
53	Tubular bacterial cellulose gel with oriented fibrils on the curved surface. <i>Polymer</i> , 2008, 49, 1885-1891.	1.8	126
54	Toughening hydrogels through force-triggered chemical reactions that lengthen polymer strands. <i>Science</i> , 2021, 374, 193-196.	6.0	124

#	ARTICLE	IF	CITATIONS
55	Crack Blunting and Advancing Behaviors of Tough and Self-healing Polyampholyte Hydrogel. <i>Macromolecules</i> , 2014, 47, 6037-6046.	2.2	123
56	Anisotropic tough double network hydrogel from fish collagen and its spontaneous in vivo bonding to bone. <i>Biomaterials</i> , 2017, 132, 85-95.	5.7	122
57	Structure Optimization and Mechanical Model for Microgel-Reinforced Hydrogels with High Strength and Toughness. <i>Macromolecules</i> , 2012, 45, 5218-5228.	2.2	119
58	Brittle to ductile transition of double network hydrogels: Mechanical balance of two networks as the key factor. <i>Polymer</i> , 2014, 55, 914-923.	1.8	119
59	Yielding Criteria of Double Network Hydrogels. <i>Macromolecules</i> , 2016, 49, 1865-1872.	2.2	119
60	Energy-Dissipative Matrices Enable Synergistic Toughening in Fiber Reinforced Soft Composites. <i>Advanced Functional Materials</i> , 2017, 27, 1605350.	7.8	116
61	Effects of polyelectrolyte complexation on the UCST of zwitterionic polymer. <i>Polymer</i> , 2000, 41, 141-147.	1.8	110
62	Rapid and Reversible Tuning of Structural Color of a Hydrogel over the Entire Visible Spectrum by Mechanical Stimulation. <i>Chemistry of Materials</i> , 2011, 23, 5200-5207.	3.2	109
63	Robust bonding and one-step facile synthesis of tough hydrogels with desirable shape by virtue of the double network structure. <i>Polymer Chemistry</i> , 2011, 2, 575-580.	1.9	108
64	Extremely tough composites from fabric reinforced polyampholyte hydrogels. <i>Materials Horizons</i> , 2015, 2, 584-591.	6.4	108
65	Water-Induced Brittle-Ductile Transition of Double Network Hydrogels. <i>Macromolecules</i> , 2010, 43, 9495-9500.	2.2	104
66	Multiscale Energy Dissipation Mechanism in Tough and Self-Healing Hydrogels. <i>Physical Review Letters</i> , 2018, 121, 185501.	2.9	104
67	The Fracture of Highly Deformable Soft Materials: A Tale of Two Length Scales. <i>Annual Review of Condensed Matter Physics</i> , 2021, 12, 71-94.	5.2	103
68	Fracture energy of polymer gels with controlled network structures. <i>Journal of Chemical Physics</i> , 2013, 139, 144905.	1.2	102
69	Bulk Energy Dissipation Mechanism for the Fracture of Tough and Self-Healing Hydrogels. <i>Macromolecules</i> , 2017, 50, 2923-2931.	2.2	102
70	Double-Network Strategy Improves Fracture Properties of Chondroitin Sulfate Networks. <i>ACS Macro Letters</i> , 2013, 2, 137-140.	2.3	101
71	Molecular structure of self-healing polyampholyte hydrogels analyzed from tensile behaviors. <i>Soft Matter</i> , 2015, 11, 9355-9366.	1.2	100
72	Synthesis and Fracture Process Analysis of Double Network Hydrogels with a Well-Defined First Network. <i>ACS Macro Letters</i> , 2013, 2, 518-521.	2.3	99

#	ARTICLE	IF	CITATIONS
73	Double network hydrogels from polyzwitterions: high mechanical strength and excellent anti-biofouling properties. <i>Journal of Materials Chemistry B</i> , 2013, 1, 3685.	2.9	99
74	Instant Thermal Switching from Soft Hydrogel to Rigid Plastics Inspired by Thermophile Proteins. <i>Advanced Materials</i> , 2020, 32, e1905878.	11.1	97
75	Free Reprocessability of Tough and Self-Healing Hydrogels Based on Polyion Complex. <i>ACS Macro Letters</i> , 2015, 4, 961-964.	2.3	96
76	Shape memory behaviors of crosslinked copolymers containing stearyl acrylate. <i>Macromolecular Rapid Communications</i> , 1996, 17, 539-543.	2.0	95
77	Ligament-like tough double-network hydrogel based on bacterial cellulose. <i>Cellulose</i> , 2010, 17, 93-101.	2.4	95
78	Tunable one-dimensional photonic crystals from soft materials. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2015, 23, 45-67.	5.6	93
79	Magnetism and compressive modulus of magnetic fluid containing gels. <i>Journal of Applied Physics</i> , 1999, 85, 8451-8455.	1.1	91
80	Gel Machines Constructed from Chemically Cross-linked Actins and Myosins. <i>Advanced Materials</i> , 2002, 14, 1124.	11.1	91
81	Strong and Tough Polyion-Complex Hydrogels from Oppositely Charged Polyelectrolytes: A Comparative Study with Polyampholyte Hydrogels. <i>Macromolecules</i> , 2016, 49, 2750-2760.	2.2	91
82	Fabrication of Tough and Stretchable Hybrid Double-Network Elastomers Using Ionic Dissociation of Polyelectrolyte in Nonaqueous Media. <i>Chemistry of Materials</i> , 2019, 31, 3766-3776.	3.2	86
83	Mesoscale bicontinuous networks in self-healing hydrogels delay fatigue fracture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 7606-7612.	3.3	86
84	Cultivation of endothelial cells on adhesive protein-free synthetic polymer gels. <i>Biomaterials</i> , 2005, 26, 4588-4596.	5.7	83
85	Surface friction of polymer gels. <i>Progress in Polymer Science</i> , 2002, 27, 3-38.	11.8	81
86	Creating Stiff, Tough, and Functional Hydrogel Composites with Low Melting Point Alloys. <i>Advanced Materials</i> , 2018, 30, e1706885.	11.1	81
87	Anisotropic hydrogel based on bilayers: color, strength, toughness, and fatigue resistance. <i>Soft Matter</i> , 2012, 8, 8008.	1.2	80
88	Friction of Gels. 6. Effects of Sliding Velocity and Viscoelastic Responses of the Network. <i>Journal of Physical Chemistry B</i> , 2002, 106, 4596-4601.	1.2	78
89	Thermodynamic Interactions in Double-Network Hydrogels. <i>Journal of Physical Chemistry B</i> , 2008, 112, 3903-3909.	1.2	78
90	Formation of a strong hydrogel porous solid interface via the double-network principle. <i>Acta Biomaterialia</i> , 2010, 6, 1353-1359.	4.1	78

#	ARTICLE	IF	CITATIONS
91	Tough Particle-Based Double Network Hydrogels for Functional Solid Surface Coatings. <i>Advanced Materials Interfaces</i> , 2018, 5, 1801018.	1.9	78
92	Localized Yielding Around Crack Tips of Double-Network Gels. <i>Macromolecular Rapid Communications</i> , 2008, 29, 1514-1520.	2.0	77
93	Antifouling properties of hydrogels. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 064706.	2.8	77
94	Fiber-Reinforced Viscoelastomers Show Extraordinary Crack Resistance That Exceeds Metals. <i>Advanced Materials</i> , 2020, 32, e1907180.	11.1	77
95	Double-network hydrogel and its potential biomedical application: A review. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2015, 229, 853-863.	1.0	76
96	Hydrogels as dynamic memory with forgetting ability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 18962-18968.	3.3	76
97	Surface Friction of Hydrogels with Well-Defined Polyelectrolyte Brushes. <i>Langmuir</i> , 2004, 20, 6549-6555.	1.6	75
98	The molecular origin of enhanced toughness in double-network hydrogels: A neutron scattering study. <i>Polymer</i> , 2007, 48, 7449-7454.	1.8	75
99	High Fracture Efficiency and Stress Concentration Phenomenon for Microgel-Reinforced Hydrogels Based on Double-Network Principle. <i>Macromolecules</i> , 2012, 45, 9445-9451.	2.2	75
100	Polymer gels as soft and wet chemomechanical systems—an approach to artificial muscles. <i>Journal of Materials Chemistry</i> , 2002, 12, 2169-2177.	6.7	74
101	Hydrogel/Elastomer Laminates Bonded via Fabric Interphases for Stimuli-Responsive Actuators. <i>Matter</i> , 2019, 1, 674-689.	5.0	74
102	In vitro differentiation of chondrogenic ATDC5 cells is enhanced by culturing on synthetic hydrogels with various charge densities. <i>Acta Biomaterialia</i> , 2010, 6, 494-501.	4.1	73
103	Elastic-Hydrodynamic Transition of Gel Friction. <i>Langmuir</i> , 2005, 21, 8643-8648.	1.6	72
104	Polyelectrolyte Gels-Fundamentals and Applications. <i>Polymer Journal</i> , 2006, 38, 1211-1219.	1.3	71
105	Biological responses of novel high-toughness double network hydrogels in muscle and the subcutaneous tissues. <i>Journal of Materials Science: Materials in Medicine</i> , 2008, 19, 1379-1387.	1.7	71
106	Hydrogels with self-assembling ordered structures and their functions. <i>NPG Asia Materials</i> , 2011, 3, 57-64.	3.8	71
107	A phase diagram of neutral polyampholyte “ from solution to tough hydrogel. <i>Journal of Materials Chemistry B</i> , 2013, 1, 4555.	2.9	71
108	Network elasticity of a model hydrogel as a function of swelling ratio: from shrinking to extreme swelling states. <i>Soft Matter</i> , 2018, 14, 9693-9701.	1.2	71

#	ARTICLE	IF	CITATIONS
109	Facile synthesis of novel elastomers with tunable dynamics for toughness, self-healing and adhesion. <i>Journal of Materials Chemistry A</i> , 2019, 7, 17334-17344.	5.2	70
110	Ring-Shaped Assembly of Microtubules Shows Preferential Counterclockwise Motion. <i>Biomacromolecules</i> , 2008, 9, 2277-2282.	2.6	68
111	Anisotropic Hydrogel from Complexation-Driven Reorientation of Semirigid Polyanion at Ca ²⁺ Diffusion Flux Front. <i>Macromolecules</i> , 2011, 44, 3535-3541.	2.2	67
112	Effect of void structure on the toughness of double network hydrogels. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2011, 49, 1246-1254.	2.4	67
113	Environmental Responses of Polythiophene Hydrogels. <i>Macromolecules</i> , 2000, 33, 1232-1236.	2.2	66
114	Crack Tip Field of a Double-Network Gel: Visualization of Covalent Bond Scission through Mechanoradical Polymerization. <i>Macromolecules</i> , 2020, 53, 8787-8795.	2.2	65
115	Surfactant Binding of Polycations Carrying Charges on the Chain Backbone: Cooperativity, Stoichiometry and Crystallinity. <i>Macromolecules</i> , 1998, 31, 787-794.	2.2	64
116	Control superstructure of rigid polyelectrolytes in oppositely charged hydrogels via programmed internal stress. <i>Nature Communications</i> , 2014, 5, 4490.	5.8	64
117	Hydrophobic Hydrogels with Fruit-Like Structure and Functions. <i>Advanced Materials</i> , 2019, 31, e1900702.	11.1	64
118	A facile method for synthesizing free-shaped and tough double network hydrogels using physically crosslinked poly(vinyl alcohol) as an internal mold. <i>Polymer Chemistry</i> , 2010, 1, 693.	1.9	62
119	Strain-Induced Molecular Reorientation and Birefringence Reversion of a Robust, Anisotropic Double-Network Hydrogel. <i>Macromolecules</i> , 2011, 44, 3542-3547.	2.2	61
120	Friction of hydrogels with controlled surface roughness on solid flat substrates. <i>Soft Matter</i> , 2014, 10, 3192-3199.	1.2	60
121	Tough Double Network Hydrogel and Its Biomedical Applications. <i>Annual Review of Chemical and Biomolecular Engineering</i> , 2021, 12, 393-410.	3.3	60
122	Effect of Charge on Protein Diffusion in Hydrogels. <i>Journal of Physical Chemistry B</i> , 2000, 104, 9898-9903.	1.2	59
123	Friction of Gels. 5. Negative Load Dependence of Polysaccharide Gels. <i>Journal of Physical Chemistry B</i> , 2000, 104, 3423-3428.	1.2	58
124	Ultrathin tough double network hydrogels showing adjustable muscle-like isometric force generation triggered by solvent. <i>Chemical Communications</i> , 2009, , 7518.	2.2	58
125	Dynamic cell behavior on synthetic hydrogels with different charge densities. <i>Soft Matter</i> , 2009, 5, 1804.	1.2	56
126	Solvent-driven chemical motor. <i>Applied Physics Letters</i> , 1998, 73, 2366-2368.	1.5	55

#	ARTICLE	IF	CITATIONS
127	Fracture Process of Microgel-Reinforced Hydrogels under Uniaxial Tension. <i>Macromolecules</i> , 2014, 47, 3587-3594.	2.2	55
128	Heterogeneous Polymerization of Hydrogels on Hydrophobic Substrate. <i>Journal of Physical Chemistry B</i> , 2001, 105, 4565-4571.	1.2	54
129	Prolongation of the Active Lifetime of a Biomolecular Motor for in Vitro Motility Assay by Using an Inert Atmosphere. <i>Langmuir</i> , 2011, 27, 13659-13668.	1.6	54
130	Controlled Motion of Solvent-Driven Gel Motor and Its Application as a Generator. <i>Langmuir</i> , 2000, 16, 307-312.	1.6	53
131	Electrical Conductance of Polyelectrolyte Gels. <i>Journal of Physical Chemistry B</i> , 1997, 101, 740-745.	1.2	52
132	Antifouling activity of synthetic polymer gels against cyprids of the barnacle (<i>Balanus tintinnulus</i>). <i>Journal of Applied Polymer Science</i> , 2008, 108, 542-549.	0.8	52
133	Platelet adhesion to human umbilical vein endothelial cells cultured on anionic hydrogel scaffolds. <i>Biomaterials</i> , 2007, 28, 1752-1760.	5.7	50
134	Molecular Model for Toughening in Double-Network Hydrogels. <i>Journal of Physical Chemistry B</i> , 2008, 112, 8024-8031.	1.2	50
135	Soft and wet touch-sensing system made of hydrogel. <i>Macromolecular Rapid Communications</i> , 1995, 16, 713-716.	2.0	49
136	Tuning of cell proliferation on tough gels by critical charge effect. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 88A, 74-83.	2.1	49
137	Macroscale Double Networks: Design Criteria for Optimizing Strength and Toughness. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 35343-35353.	4.0	49
138	Phase Separation Behavior in Tough and Self-Healing Polyampholyte Hydrogels. <i>Macromolecules</i> , 2020, 53, 5116-5126.	2.2	49
139	Rapid reprogramming of tumour cells into cancer stem cells on double-network hydrogels. <i>Nature Biomedical Engineering</i> , 2021, 5, 914-925.	11.6	48
140	Friction between like-charged hydrogels: combined mechanisms of boundary, hydrated and elastohydrodynamic lubrication. <i>Soft Matter</i> , 2009, 5, 1879.	1.2	47
141	Hydrogels with Cylindrically Symmetric Structure at Macroscopic Scale by Self-Assembly of Semi-rigid Polyion Complex. <i>Journal of the American Chemical Society</i> , 2010, 132, 10064-10069.	6.6	47
142	Stretching-induced ion complexation in physical polyampholyte hydrogels. <i>Soft Matter</i> , 2016, 12, 8833-8840.	1.2	47
143	Tough and Self-Healable Thin Hydrogel Membranes for Biological Applications. <i>Advanced Functional Materials</i> , 2018, 28, 1801489.	7.8	47
144	Anisotropic Polyion-Complex Gels from Template Polymerization. <i>Advanced Materials</i> , 2005, 17, 2695-2699.	11.1	46

#	ARTICLE	IF	CITATIONS
145	Sensing surface mechanical deformation using active probes driven by motor proteins. <i>Nature Communications</i> , 2016, 7, 12557.	5.8	46
146	Kinetic Study of Surfactant Binding into Polymer Gel. <i>Experimental and Theoretical Analyses. Journal of Physical Chemistry B</i> , 1998, 102, 4566-4572.	1.2	45
147	Shape memory functions and motility of amphiphilic polymer gels. <i>Polymers for Advanced Technologies</i> , 2001, 12, 136-150.	1.6	45
148	Antifouling properties of tough gels against barnacles in a long-term marine environment experiment. <i>Biofouling</i> , 2009, 25, 657-666.	0.8	45
149	Direct Observation on the Surface Fracture of Ultrathin Film Double-Network Hydrogels. <i>Macromolecules</i> , 2011, 44, 3016-3020.	2.2	45
150	Chemomechanical Polymer Gel with Fish-like Motion. <i>Journal of Intelligent Material Systems and Structures</i> , 1997, 8, 465-471.	1.4	44
151	Artificial cartilage made from a novel double-network hydrogel: <i>in vivo</i> effects on the normal cartilage and <i>ex vivo</i> evaluation of the friction property. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 93A, 1160-1168.	2.1	44
152	Effect of substrate adhesion and hydrophobicity on hydrogel friction. <i>Soft Matter</i> , 2008, 4, 1033.	1.2	43
153	Production of Bacterial Cellulose with Well Oriented Fibril on PDMS Substrate. <i>Polymer Journal</i> , 2008, 40, 137-142.	1.3	42
154	Creep Behavior and Delayed Fracture of Tough Polyampholyte Hydrogels by Tensile Test. <i>Macromolecules</i> , 2016, 49, 5630-5636.	2.2	42
155	Effect of Structure Heterogeneity on Mechanical Performance of Physical Polyampholytes Hydrogels. <i>Macromolecules</i> , 2019, 52, 7369-7378.	2.2	42
156	Sliding Friction of Zwitterionic Hydrogel and Its Electrostatic Origin. <i>Macromolecules</i> , 2014, 47, 3101-3107.	2.2	41
157	Anisotropic Growth of Hydroxyapatite in Stretched Double Network Hydrogel. <i>ACS Nano</i> , 2017, 11, 12103-12110.	7.3	41
158	Preparation of Tough Double- and Triple-Network Supermacroporous Hydrogels through Repeated Cryogelation. <i>Chemistry of Materials</i> , 2020, 32, 8576-8586.	3.2	41
159	Superior fracture resistance of fiber reinforced polyampholyte hydrogels achieved by extraordinarily large energy-dissipative process zones. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13431-13440.	5.2	40
160	Effect of Relative Strength of Two Networks on the Internal Fracture Process of Double Network Hydrogels As Revealed by <i>in Situ</i> Small-Angle X-ray Scattering. <i>Macromolecules</i> , 2020, 53, 1154-1163.	2.2	40
161	Substrate Effect on Topographical, Elastic, and Frictional Properties of Hydrogels. <i>Macromolecules</i> , 2002, 35, 8161-8166.	2.2	39
162	Soft and Wet Materials: From Hydrogels to Biotissues. <i>Advances in Polymer Science</i> , 2010, , 203-246.	0.4	39

#	ARTICLE	IF	CITATIONS
163	Aggregated structures and their functionalities in hydrogels. <i>Aggregate</i> , 2021, 2, e33.	5.2	39
164	Electroconductive organogel. 3. Preparation and properties of a charge-transfer complex gel in an organic solvent. <i>Macromolecules</i> , 1991, 24, 5246-5250.	2.2	38
165	Tough polyion-complex hydrogels from soft to stiff controlled by monomer structure. <i>Polymer</i> , 2017, 116, 487-497.	1.8	38
166	Investigation of Molecular Diffusion in Hydrogel by Electronic Speckle Pattern Interferometry. <i>Journal of Physical Chemistry B</i> , 1999, 103, 6069-6074.	1.2	37
167	Friction of a soft hydrogel on rough solid substrates. <i>Soft Matter</i> , 2008, 4, 1645.	1.2	37
168	Quantitative Observation of Electric Potential Distribution of Brittle Polyelectrolyte Hydrogels Using Microelectrode Technique. <i>Macromolecules</i> , 2016, 49, 3100-3108.	2.2	37
169	Elastic-Plastic Transformation of Polyelectrolyte Complex Hydrogels from Chitosan and Sodium Hyaluronate. <i>Macromolecules</i> , 2018, 51, 8887-8898.	2.2	37
170	Effect of mesoscale phase contrast on fatigue-delaying behavior of self-healing hydrogels. <i>Science Advances</i> , 2021, 7, .	4.7	37
171	Nanophase Separation in Immiscible Double Network Elastomers Induces Synergetic Strengthening, Toughening, and Fatigue Resistance. <i>Chemistry of Materials</i> , 2021, 33, 3321-3334.	3.2	37
172	Tear Velocity Dependence of High-Strength Double Network Gels in Comparison with Fast and Slow Relaxation Modes Observed by Scanning Microscopic Light Scattering. <i>Macromolecules</i> , 2008, 41, 7173-7178.	2.2	36
173	Polyelectrolyte hydrogels for replacement and regeneration of biological tissues. <i>Macromolecular Research</i> , 2014, 22, 227-235.	1.0	36
174	Tough Double-Network Gels and Elastomers from the Nonprestretched First Network. <i>ACS Macro Letters</i> , 2019, 8, 1407-1412.	2.3	36
175	Micromechanical modeling of the multi-axial deformation behavior in double network hydrogels. <i>International Journal of Plasticity</i> , 2021, 137, 102901.	4.1	36
176	Thermoresponsive Shrinkage Triggered by Mesophase Transition in Liquid Crystalline Physical Hydrogels. <i>Macromolecules</i> , 2004, 37, 5385-5388.	2.2	35
177	Selective Formation of a Linear-Shaped Bundle of Microtubules. <i>Langmuir</i> , 2010, 26, 533-537.	1.6	35
178	Hydroxyapatite-coated double network hydrogel directly bondable to the bone: Biological and biomechanical evaluations of the bonding property in an osteochondral defect. <i>Acta Biomaterialia</i> , 2016, 44, 125-134.	4.1	35
179	Distinctive Characteristics of Internal Fracture in Tough Double Network Hydrogels Revealed by Various Modes of Stretching. <i>Macromolecules</i> , 2018, 51, 5245-5257.	2.2	35
180	Chitin-Based Double-Network Hydrogel as Potential Superficial Soft-Tissue-Repairing Materials. <i>Biomacromolecules</i> , 2020, 21, 4220-4230.	2.6	35

#	ARTICLE	IF	CITATIONS
181	Two-step surfactant binding of solvated and cross-linked poly(N -isopropylacrylamide-co-) Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf 50	1.0	34
182	Growth of Large Polymer-Actin Complexes. <i>Bioconjugate Chemistry</i> , 2003, 14, 1185-1190.	1.8	34
183	Interfacial water structure at polymer gel/quartz interfaces investigated by sum frequency generation spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2008, 10, 4987.	1.3	34
184	Polymer Adsorbed Bilayer Membranes Form Self-Healing Hydrogels with Tunable Superstructure. <i>Macromolecules</i> , 2015, 48, 2277-2282.	2.2	34
185	Decoupling dual-stimuli responses in patterned lamellar hydrogels as photonic sensors. <i>Journal of Materials Chemistry B</i> , 2016, 4, 4104-4109.	2.9	34
186	Double network hydrogels based on semi-rigid polyelectrolyte physical networks. <i>Journal of Materials Chemistry B</i> , 2019, 7, 6347-6354.	2.9	34
187	Low-Frequency Dielectric Relaxation of Polyelectrolyte Gels. <i>Journal of Physical Chemistry B</i> , 1998, 102, 5246-5251.	1.2	33
188	Liquid-Crystalline Hydrogels. 1. Enhanced Effects of Incorporation of Acrylic Acid Units on the Liquid-Crystalline Ordering. <i>Macromolecules</i> , 2000, 33, 412-418.	2.2	33
189	Friction of Gels. 7. Observation of Static Friction between Like-Charged Gels. <i>Journal of Physical Chemistry B</i> , 2003, 107, 10221-10225.	1.2	33
190	Novel Developed Systems and Techniques Based on Double-Network Principle. <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 1295-1311.	2.0	33
191	Effect of Aspect Ratio on Protein Diffusion in Hydrogels. <i>Journal of Physical Chemistry B</i> , 2000, 104, 9904-9908.	1.2	32
192	Fracture Process of Double-Network Gels by Coarse-Grained Molecular Dynamics Simulation. <i>Macromolecules</i> , 2018, 51, 3075-3087.	2.2	32
193	Substrate Effects of Gel Surfaces on Cell Adhesion and Disruption. <i>Biomacromolecules</i> , 2000, 1, 162-167.	2.6	31
194	Hydrogels with Crystalline or Liquid Crystalline Structure. <i>Macromolecular Rapid Communications</i> , 2002, 23, 447.	2.0	31
195	Self-Assembling Structure in Solution of a Semirigid Polyelectrolyte. <i>Macromolecules</i> , 2008, 41, 1791-1799.	2.2	31
196	Induction of Spontaneous Hyaline Cartilage Regeneration Using a Double-Network Gel. <i>American Journal of Sports Medicine</i> , 2011, 39, 1160-1169.	1.9	31
197	Stress Relaxation and Underlying Structure Evolution in Tough and Self-Healing Hydrogels. <i>ACS Macro Letters</i> , 2020, 9, 1582-1589.	2.3	31
198	Dynamic self-organization and polymorphism of microtubule assembly through active interactions with kinesin. <i>Soft Matter</i> , 2011, 7, 5654.	1.2	30

#	ARTICLE	IF	CITATIONS
199	Formation of ring-shaped assembly of microtubules with a narrow size distribution at an air-water interface. <i>Soft Matter</i> , 2012, 8, 10863.	1.2	30
200	Effects of charge density and hydrophobicity of ionene polymer on cell binding and viability. <i>Colloid and Polymer Science</i> , 2000, 278, 884-887.	1.0	29
201	Formation of Well-Oriented Microtubules with Preferential Polarity in a Confined Space under a Temperature Gradient. <i>Journal of the American Chemical Society</i> , 2009, 131, 18089-18095.	6.6	29
202	Microtubule bundle formation driven by ATP: the effect of concentrations of kinesin, streptavidin and microtubules. <i>Nanotechnology</i> , 2010, 21, 145603.	1.3	29
203	Toughness Enhancement and Stick-Slip Tearing of Double-Network Hydrogels in Poly(ethylene glycol) Solution. <i>Macromolecules</i> , 2012, 45, 4758-4763.	2.2	29
204	Water-Triggered Ductile-Brittle Transition of Anisotropic Lamellar Hydrogels and Effect of Confinement on Polymer Dynamics. <i>Macromolecules</i> , 2017, 50, 8169-8177.	2.2	29
205	Azo-Crosslinked Double-Network Hydrogels Enabling Highly Efficient Mechanoradical Generation. <i>Journal of the American Chemical Society</i> , 2022, 144, 3154-3161.	6.6	29
206	Preparation of polymeric metal-tetracyanoquinodimethane film and its bistable switching. <i>Applied Physics Letters</i> , 1992, 61, 2787-2789.	1.5	28
207	Hydrogels toughened by biominerals providing energy-dissipative sacrificial bonds. <i>Journal of Materials Chemistry B</i> , 2020, 8, 5184-5188.	2.9	28
208	A Possible Mechanism for the Substrate Effect on Hydrogel Formation. <i>Journal of Physical Chemistry B</i> , 2001, 105, 4572-4576.	1.2	27
209	Negatively charged polyelectrolyte gels as bio-tissue model system and for biomedical application. <i>Current Opinion in Colloid and Interface Science</i> , 2006, 11, 345-350.	3.4	27
210	Catch and Release of DNA in Coacervate-Dispersed Gels. <i>Macromolecular Rapid Communications</i> , 2006, 27, 1242-1246.	2.0	27
211	In situ observation of a hydrogel-glass interface during sliding friction. <i>Soft Matter</i> , 2014, 10, 5589-5596.	1.2	27
212	Swim bladder collagen forms hydrogel with macroscopic superstructure by diffusion induced fast gelation. <i>Journal of Materials Chemistry B</i> , 2015, 3, 7658-7666.	2.9	27
213	Polyelectrolyte complexation via viscoelastic phase separation results in tough and self-recovering porous hydrogels. <i>Journal of Materials Chemistry B</i> , 2019, 7, 5296-5305.	2.9	27
214	Thermosensitive Polymer Gel by Reversible Surfactant Binding. <i>Macromolecules</i> , 1996, 29, 6803-6806.	2.2	26
215	Effect of Surface Roughness of Hydrophobic Substrate on Heterogeneous Polymerization of Hydrogels. <i>Journal of Physical Chemistry B</i> , 2002, 106, 3073-3081.	1.2	26
216	Morphology of Actin Assemblies in Response to Polycation and Salts. <i>Biomacromolecules</i> , 2005, 6, 3005-3009.	2.6	26

#	ARTICLE	IF	CITATIONS
217	Dual Network Formation in Polyelectrolyte Hydrogel via Viscoelastic Phase Separation: Role of Ionic Strength and Polymerization Kinetics. <i>Macromolecules</i> , 2010, 43, 8202-8208.	2.2	26
218	Acrylamide Polymer Double-Network Hydrogels. <i>Cartilage</i> , 2011, 2, 374-383.	1.4	26
219	Spontaneous hyaline cartilage regeneration can be induced in an osteochondral defect created in the femoral condyle using a novel double-network hydrogel. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 49.	0.8	26
220	Growth of ring-shaped microtubule assemblies through stepwise active self-organisation. <i>Soft Matter</i> , 2013, 9, 7061.	1.2	26
221	Polyzwitterions as a Versatile Building Block of Tough Hydrogels: From Polyelectrolyte Complex Gels to Double-Network Gels. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 50068-50076.	4.0	26
222	Molecular and supramolecular structures of complexes formed by polyelectrolyte-surfactant interactions: effects of charge density and compositions. <i>Journal of Polymer Science Part A</i> , 1999, 37, 635-644.	2.5	25
223	Liquid Crystalline Gels. 3. Role of Hydrogen Bonding in the Formation and Stabilization of Mesophase Structures. <i>Macromolecules</i> , 2001, 34, 1470-1476.	2.2	25
224	Inhibitory Effects of Hydrogels on the Adhesion, Germination, and Development of Zoospores Originating from <i>Laminaria angustata</i> . <i>Macromolecular Bioscience</i> , 2002, 2, 163.	2.1	25
225	Shear-Induced Mesophase Organization of Polyanionic Rigid Rods in Aqueous Solution. <i>Langmuir</i> , 2004, 20, 6518-6520.	1.6	25
226	Anisotropic Nucleation Growth of Actin Bundle: A Model for Determining the Well-Defined Thickness of Bundles. <i>Biochemistry</i> , 2006, 45, 10313-10318.	1.2	25
227	SUPER TOUGH GELS WITH A DOUBLE NETWORK STRUCTURE. <i>Chinese Journal of Polymer Science (English)</i> 2010, 22, 1107-1114	2.0	25
228	In Situ Monitoring of Hydrogel Polymerization Using Speckle Interferometry. <i>Journal of Physical Chemistry B</i> , 1999, 103, 2888-2891.	1.2	24
229	Friction of Soft Gel in Dilute Polymer Solution. <i>Macromolecules</i> , 2007, 40, 4313-4321.	2.2	24
230	A Multiaxial Theory of Double Network Hydrogels. <i>Macromolecules</i> , 2019, 52, 5937-5947.	2.2	24
231	Fabrication of Tough Hydrogel Composites from Photoresponsive Polymers to Show Double-Network Effect. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 37139-37146.	4.0	24
232	Role of dynamic bonds on fatigue threshold of tough hydrogels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2200678119.	3.3	24
233	Active self-organization of microtubules in an inert chamber system. <i>Polymer Journal</i> , 2012, 44, 607-611.	1.3	23
234	Liquid Crystalline Hydrogels. 2. Effects of Water on the Structural Ordering. <i>Macromolecules</i> , 2000, 33, 4422-4426.	2.2	22

#	ARTICLE	IF	CITATIONS
235	Effects of Carboxyls Attached at Alkyl Side Chain Ends on the Lamellar Structure of Hydrogels. <i>Macromolecules</i> , 2001, 34, 6024-6028.	2.2	22
236	Novel Thermosensitive IPN Hydrogel Having a Phase Transition Without Volume Change. <i>Macromolecular Rapid Communications</i> , 2002, 23, 171-174.	2.0	22
237	Swelling-induced long-range ordered structure formation in polyelectrolyte hydrogel. <i>Soft Matter</i> , 2012, 8, 8060.	1.2	22
238	Fundamental biomaterial properties of tough glycosaminoglycan-containing double network hydrogels newly developed using the molecular stent method. <i>Acta Biomaterialia</i> , 2016, 43, 38-49.	4.1	22
239	Micro patterning of hydroxyapatite by soft lithography on hydrogels for selective osteoconduction. <i>Acta Biomaterialia</i> , 2018, 81, 60-69.	4.1	22
240	How Supertough Gels Break. <i>Physical Review Letters</i> , 2018, 121, 135501.	2.9	22
241	Competitive cation- π interactions between small cations and polycations with phenyl groups in poly(cation- π) hydrogels. <i>Giant</i> , 2020, 1, 100005.	2.5	22
242	Revisiting the Origins of the Fracture Energy of Tough Double-Network Hydrogels with Quantitative Mechanochemical Characterization of the Damage Zone. <i>Macromolecules</i> , 2021, 54, 10331-10339.	2.2	22
243	Spontaneous Motion of Amphoteric Polymer Gels on Water. <i>Japanese Journal of Applied Physics</i> , 1995, 34, L511-L512.	0.8	21
244	Kinetic study of cell disruption by ionic polymers with varied charge density. <i>Colloid and Polymer Science</i> , 2001, 279, 178-183.	1.0	21
245	Liquid Crystalline Hydrogels: Mesomorphic Behavior of Amphiphilic Polyacrylates Bearing Cholesterol Mesogen. <i>Macromolecules</i> , 2004, 37, 187-191.	2.2	21
246	Spontaneous Redifferentiation of Dedifferentiated Human Articular Chondrocytes on Hydrogel Surfaces. <i>Tissue Engineering - Part A</i> , 2010, 16, 2529-2540.	1.6	21
247	Long-term in situ observation of barnacle growth on soft substrates with different elasticity and wettability. <i>Soft Matter</i> , 2011, 7, 7281.	1.2	21
248	Controlled Clockwise-Counterclockwise Motion of the Ring-Shaped Microtubules Assembly. <i>Biomacromolecules</i> , 2011, 12, 3394-3399.	2.6	21
249	Molecular mechanism of abnormally large nonsoftening deformation in a tough hydrogel. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	21
250	Formation of Soluble Complexes by Two-Step Surfactant Bindings. <i>Macromolecules</i> , 1996, 29, 8021-8023.	2.2	20
251	Synthesis and properties of poly(3-thiopheneacetic acid) and its networks via electropolymerization. <i>Synthetic Metals</i> , 1999, 99, 53-59.	2.1	20
252	Water-Induced Crystallization of Hydrogels. <i>Langmuir</i> , 2002, 18, 965-967.	1.6	20

#	ARTICLE	IF	CITATIONS
253	Observation of the Three-Dimensional Structure of Actin Bundles Formed with Polycations. <i>Biomacromolecules</i> , 2008, 9, 537-542.	2.6	20
254	Dynamic Behavior and Spontaneous Differentiation of Mouse Embryoid Bodies on Hydrogel Substrates of Different Surface Charge and Chemical Structures. <i>Tissue Engineering - Part A</i> , 2011, 17, 2343-2357.	1.6	20
255	Gene expression profile of the cartilage tissue spontaneously regenerated in vivo by using a novel double-network gel: Comparisons with the normal articular cartilage. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 213.	0.8	20
256	Supramolecular Assemblies of a Semirigid Polyanion in Aqueous Solutions. <i>Macromolecules</i> , 2013, 46, 3581-3586.	2.2	20
257	In Situ Observation of Ca ²⁺ Diffusion-Induced Superstructure Formation of a Rigid Polyanion. <i>Macromolecules</i> , 2014, 47, 7208-7214.	2.2	20
258	Coupled instabilities of surface crease and bulk bending during fast free swelling of hydrogels. <i>Soft Matter</i> , 2016, 12, 5081-5088.	1.2	20
259	Supramolecular hydrogels with multi-cylindrical lamellar bilayers: Swelling-induced contraction and anisotropic molecular diffusion. <i>Polymer</i> , 2017, 128, 373-378.	1.8	20
260	Tough double network elastomers reinforced by the amorphous cellulose network. <i>Polymer</i> , 2019, 178, 121686.	1.8	20
261	Ultrahigh Water Content Photonic Hydrogels with Large Electro-Optic Responses in Visible to Near-Infrared Region. <i>Advanced Optical Materials</i> , 2021, 9, 2002198.	3.6	20
262	Facile preparation of cellulose hydrogel with Achilles tendon-like super strength through aligning hierarchical fibrous structure. <i>Chemical Engineering Journal</i> , 2022, 428, 132040.	6.6	20
263	Effects of water and cross-linkage on the formation of organized structure in the hydrogels. <i>Polymer Gels and Networks</i> , 1998, 6, 307-317.	0.6	19
264	Spreading of liquids on gel surfaces. <i>Journal of Chemical Physics</i> , 2000, 113, 8253-8259.	1.2	19
265	Microrheological Investigation of Substrate-Induced Gradient Structure in Hydrogels. <i>Macromolecules</i> , 2001, 34, 5725-5726.	2.2	19
266	Surface friction of polymer gels. <i>Wear</i> , 2001, 251, 1183-1187.	1.5	19
267	Anisotropic Gelation Seeded by a Rod-Like Polyelectrolyte. <i>Macromolecules</i> , 2007, 40, 2477-2485.	2.2	19
268	Gene expression, glycocalyx assay, and surface properties of human endothelial cells cultured on hydrogel matrix with sulfonic moiety: Effect of elasticity of hydrogel. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 95A, 531-542.	2.1	19
269	Effect of Hyaluronan Solution on Dynamic Friction of PVA Gel Sliding on Weakly Adhesive Glass Substrate. <i>Macromolecules</i> , 2011, 44, 8908-8915.	2.2	19
270	In Vitro Platelet Adhesion of PNaAMPS/PAAm and PNaAMPS/PDMAAm Double-Network Hydrogels. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 641-649.	1.1	19

#	ARTICLE	IF	CITATIONS
271	Anisotropic Double-Network Hydrogels via Controlled Orientation of a Physical Sacrificial Network. ACS Applied Polymer Materials, 2020, 2, 2350-2358.	2.0	19
272	Enhanced velocity of surfactant binding after the volume collapse of an oppositely charged gel. Macromolecular Rapid Communications, 1997, 18, 853-857.	2.0	18
273	Effects of Counterions and Co-Ions on the Surfactant Binding Process in the Charged Polymer Network. Journal of Physical Chemistry B, 1999, 103, 6262-6266.	1.2	18
274	Friction Coefficient between Rubber and Solid Substrate –“Effect of Rubber Thickness”. Journal of the Physical Society of Japan, 2007, 76, 043601.	0.7	18
275	<i>In vivo</i> cartilage regeneration induced by a double-network hydrogel: Evaluation of a novel therapeutic strategy for femoral articular cartilage defects in a sheep model. Journal of Biomedical Materials Research - Part A, 2016, 104, 2159-2165.	2.1	18
276	Tough and Variable-Band-Gap Photonic Hydrogel Displaying Programmable Angle-Dependent Colors. ACS Omega, 2018, 3, 55-62.	1.6	18
277	Modulation and Characterization of the Double Network Hydrogel Surface-Bulk Transition. Macromolecules, 2019, 52, 6704-6713.	2.2	18
278	Effect of the constituent networks of double-network gels on their mechanical properties and energy dissipation process. Soft Matter, 2020, 16, 8618-8627.	1.2	18
279	Structure and Unique Functions of Anisotropic Hydrogels Comprising Uniaxially Aligned Lamellar Bilayers. Bulletin of the Chemical Society of Japan, 2021, 94, 2221-2234.	2.0	18
280	Substrate effect on the formation of hydrogels with heterogeneous network structure. Chemical Record, 2003, 3, 40-50.	2.9	17
281	Influence of Cyclohexane Vapor on Stick-Slip Friction between Mica Surfaces. Langmuir, 2007, 23, 7032-7038.	1.6	17
282	Adhesion, Spreading, and Proliferation of Endothelial Cells on Charged Hydrogels. Journal of Adhesion, 2009, 85, 839-868.	1.8	17
283	Geometric and Edge Effects on Swelling-Induced Ordered Structure Formation in Polyelectrolyte Hydrogels. Macromolecules, 2013, 46, 9083-9090.	2.2	17
284	Effects of osteochondral defect size on cartilage regeneration using a double-network hydrogel. BMC Musculoskeletal Disorders, 2017, 18, 210.	0.8	17
285	Damage cross-effect and anisotropy in tough double network hydrogels revealed by biaxial stretching. Soft Matter, 2019, 15, 3719-3732.	1.2	17
286	Electroconductive organogel. 4. Electrodriven chemomechanical behaviors of charge-transfer complex gel in organic solvent. Macromolecules, 1991, 24, 6582-6587.	2.2	16
287	Surface Friction of Poly(dimethyl Siloxane) Gel and Its Transition Phenomenon. Tribology Letters, 2004, 17, 505-511.	1.2	16
288	Characteristics of chemically cross-linked myosin gels. Journal of Biomaterials Science, Polymer Edition, 2005, 16, 203-218.	1.9	16

#	ARTICLE	IF	CITATIONS
289	Polarity and Motility of Large Polymer-Actin Complexes. <i>Biomacromolecules</i> , 2005, 6, 845-849.	2.6	16
290	Actin Network Formation by Unidirectional Polycation Diffusion. <i>Langmuir</i> , 2007, 23, 6257-6262.	1.6	16
291	Brittle, ductile, paste-like behaviors and distinct necking of double network gels with enhanced heterogeneity. <i>Journal of Physics: Conference Series</i> , 2009, 184, 012016.	0.3	16
292	Surfactant-induced friction reduction for hydrogels in the boundary lubrication regime. <i>Journal of Physics Condensed Matter</i> , 2011, 23, 284107.	0.7	16
293	Double-network acrylamide hydrogel compositions adapted to achieve cartilage-like dynamic stiffness. <i>Biomechanics and Modeling in Mechanobiology</i> , 2013, 12, 243-248.	1.4	16
294	Structure Frustration Enables Thermal History-Dependent Responsive Behavior in Self-Healing Hydrogels. <i>Macromolecules</i> , 2021, 54, 9927-9936.	2.2	16
295	Presence of Electrostatic Potential Wells in the Ionic Polymer Network. <i>Chemistry Letters</i> , 1995, 24, 449-450.	0.7	15
296	Effect of Hydrophobic Side Chain on Poly(carboxyl acid) Dissociation and Surfactant Binding. <i>Macromolecules</i> , 2003, 36, 8830-8835.	2.2	15
297	Liquid Crystalline Gels. 4. Water- and Stress-Induced Mesophase Transition. <i>Langmuir</i> , 2003, 19, 8134-8136.	1.6	15
298	Nonvolatile and Shape-Memorized Bacterial Cellulose Gels Swollen by Poly(ethylene glycol). <i>Polymer Journal</i> , 2009, 41, 524-525.	1.3	15
299	A Deformation Mechanism for Double-Network Hydrogels with Enhanced Toughness. <i>Macromolecular Symposia</i> , 2010, 291-292, 122-126.	0.4	15
300	Synthetic hydrogels as scaffolds for manipulating endothelium cell behaviors. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2011, 29, 23-41.	2.0	15
301	How to Integrate Biological Motors towards Bio-Actuators Fueled by ATP. <i>Macromolecular Bioscience</i> , 2011, 11, 1314-1324.	2.1	15
302	Hydrogels as feeder-free scaffolds for long-term self-renewal of mouse induced pluripotent stem cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015, 9, 375-388.	1.3	15
303	Quantitative evaluation of macromolecular crowding environment based on translational and rotational diffusion using polarization dependent fluorescence correlation spectroscopy. <i>Scientific Reports</i> , 2021, 11, 10594.	1.6	15
304	Kinetics of fluid spreading on viscoelastic substrates. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 562-572.	2.4	14
305	Joint immobilization inhibits spontaneous hyaline cartilage regeneration induced by a novel double-network gel implantation. <i>Journal of Materials Science: Materials in Medicine</i> , 2011, 22, 417-425.	1.7	14
306	Intra-articular administration of hyaluronic acid increases the volume of the hyaline cartilage regenerated in a large osteochondral defect by implantation of a double-network gel. <i>Journal of Materials Science: Materials in Medicine</i> , 2014, 25, 1173-1182.	1.7	14

#	ARTICLE	IF	CITATIONS
307	Quasi-unidirectional shrinkage of gels with well-oriented lipid bilayers upon uniaxial stretching. <i>Soft Matter</i> , 2015, 11, 237-240.	1.2	14
308	Programmed Diffusion Induces Anisotropic Superstructures in Hydrogels with High Mechano-Optical Sensitivity. <i>Advanced Materials Technologies</i> , 2019, 4, 1900665.	3.0	14
309	Facile tuning of hydrogel properties by manipulating cationic-aromatic monomer sequences. <i>Science China Chemistry</i> , 2021, 64, 1560-1568.	4.2	14
310	Unique crack propagation of double network hydrogels under high stretch. <i>Extreme Mechanics Letters</i> , 2022, 51, 101588.	2.0	14
311	Self-Propagating Association of Zwitterionic Polymers Initiated by Ionene Polymers. <i>Macromolecular Rapid Communications</i> , 2002, 23, 423.	2.0	13
312	Electric Field Effect on the Sliding Friction of a Charged Gel. <i>Journal of the Physical Society of Japan</i> , 2009, 78, 084602.	0.7	13
313	A Polysaccharide-Based Container Transportation System Powered by Molecular Motors. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 724-727.	7.2	13
314	Hydrogels with a macroscopic-scale liquid crystal structure by self-assembly of a semi-rigid polyion complex. <i>Polymer Journal</i> , 2012, 44, 503-511.	1.3	13
315	Poly(2-acrylamido-2-methylpropanesulfonic acid) gel induces articular cartilage regeneration <i>in vivo</i> : Comparisons of the induction ability between single- and double-network gels. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 2244-2251.	2.1	13
316	Mechanical behavior of unidirectional fiber reinforced soft composites. <i>Extreme Mechanics Letters</i> , 2020, 35, 100642.	2.0	13
317	Surfactant binding by polyelectrolyte gels and its application to electro-driven chemomechanics. <i>Polymer International</i> , 1999, 48, 691-698.	1.6	12
318	Fluorinated Water-Swollen Hydrogels with Molecular and Supramolecular Organization. <i>Macromolecules</i> , 2000, 33, 2535-2538.	2.2	12
319	Titration behaviors and spectral properties of hydrophobically modified water-soluble polythiophenes. <i>European Polymer Journal</i> , 2001, 37, 2499-2503.	2.6	12
320	Multi-functions of hydrogel with bilayer-based lamellar structure. <i>Reactive and Functional Polymers</i> , 2013, 73, 929-935.	2.0	12
321	Tough, self-recovery and self-healing polyampholyte hydrogels. <i>Polymer Science - Series C</i> , 2017, 59, 11-17.	0.8	12
322	Relaxation Dynamics and Underlying Mechanism of a Thermally Reversible Gel from Symmetric Triblock Copolymer. <i>Macromolecules</i> , 2019, 52, 8651-8661.	2.2	12
323	Constitutive modeling of bond breaking and healing kinetics of physical Polyampholyte (PA) gel. <i>Extreme Mechanics Letters</i> , 2021, 43, 101184.	2.0	12
324	How chain dynamics affects crack initiation in double-network gels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	12

#	ARTICLE	IF	CITATIONS
325	First Observation of Stickâ€”Slip Instability in Tearing of Poly(vinyl alcohol) Gel Sheets. <i>Macromolecules</i> , 2009, 42, 5425-5426.	2.2	11
326	Dynamics in Multicomponent Polyelectrolyte Solutions. <i>Macromolecules</i> , 2009, 42, 1293-1299.	2.2	11
327	Study on the Sliding Friction of Endothelial Cells Cultured on Hydrogel and the Role of Glycocalyx on Friction Reduction. <i>Advanced Engineering Materials</i> , 2010, 12, B628.	1.6	11
328	Mechanics and physics of hydrogels. <i>Soft Matter</i> , 2012, 8, 8006.	1.2	11
329	Nematic growth of microtubules that changed into giant spiral structure through partial depolymerization and subsequent dynamic ordering. <i>Soft Matter</i> , 2012, 8, 11544.	1.2	11
330	Synthetic <sc>PAMPS</sc> gel activates <sc>BMP</sc>/Smad signaling pathway in <sc>ATDC</sc>5 cells, which plays a significant role in the gelâ€”induced chondrogenic differentiation. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 734-746.	2.1	11
331	Double-network gels as polyelectrolyte gels with salt-insensitive swelling properties. <i>Soft Matter</i> , 2020, 16, 5487-5496.	1.2	11
332	Improving the strength and toughness of macroscale double networks by exploiting Poissonâ€™s ratio mismatch. <i>Scientific Reports</i> , 2021, 11, 13280.	1.6	11
333	Tiny yet tough: Maximizing the toughness of fiber-reinforced soft composites in the absence of a fiber-fracture mechanism. <i>Matter</i> , 2021, 4, 3646-3661.	5.0	11
334	Hydrogels with the ordered structures. <i>Science and Technology of Advanced Materials</i> , 2000, 1, 201-210.	2.8	10
335	Surface friction of polymer gels. <i>Wear</i> , 2001, 251, 1188-1192.	1.5	10
336	Hydrogel with cubic-packed giant concentric domains of semi-rigid polyion complex. <i>Soft Matter</i> , 2011, 7, 1884.	1.2	10
337	Hyaluronic acid affects the in vitro induction effects of Synthetic PAMPS and PDMAAm hydrogels on chondrogenic differentiation of ATDC5 cells, depending on the level of concentration. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 56.	0.8	10
338	Influence of the gel thickness on in vivo hyaline cartilage regeneration induced by double-network gel implanted at the bottom of a large osteochondral defect: Short-term results. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 50.	0.8	10
339	Relaxation modes in chemically cross-linked poly(2-methacryloyloxyethyl phosphorylcholine) hydrogels. <i>Soft Matter</i> , 2013, 9, 2166.	1.2	10
340	Prolonged morphometric study of barnacles grown on soft substrata of hydrogels and elastomers. <i>Biofouling</i> , 2014, 30, 271-279.	0.8	10
341	Friction of Zwitterionic Hydrogel by Dynamic Polymer Adsorption. <i>Macromolecules</i> , 2015, 48, 5394-5401.	2.2	10
342	Molecular structure and properties of click hydrogels with controlled dangling end defect. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 1227-1236.	2.4	10

#	ARTICLE	IF	CITATIONS
343	Internal Damage Evolution in Double-Network Hydrogels Studied by Microelectrode Technique. <i>Macromolecules</i> , 2019, 52, 7114-7122.	2.2	10
344	Polymer gels as a chemical valve. <i>Bioseparation</i> , 1998, 7, 269-280.	0.7	9
345	Ionization and order-disorder transition of hydrogels with ionizable hydrophobic side chain. <i>Journal of Molecular Structure</i> , 2000, 554, 91-97.	1.8	9
346	Real-Time Laser Sheet Refraction To Monitor in Situ the Heterogeneity of Polymerization Process on Teflon Surface. <i>Macromolecules</i> , 2001, 34, 7829-7835.	2.2	9
347	Surface sliding friction of negatively charged polyelectrolyte gels. <i>Colloids and Surfaces B: Biointerfaces</i> , 2007, 56, 296-302.	2.5	9
348	Self-assembled structures of a semi-rigid polyanion in aqueous solutions and hydrogels. <i>Science China Chemistry</i> , 2012, 55, 735-742.	4.2	9
349	Tuning Mechanical Properties of Chondroitin Sulfate-Based Double-Network Hydrogels. <i>Macromolecular Symposia</i> , 2013, 329, 9-18.	0.4	9
350	Drag force on micron-sized objects with different surface morphologies in a flow with a small Reynolds number. <i>Polymer Journal</i> , 2015, 47, 564-570.	1.3	9
351	Gel machines constructed from chemically cross-linked actins and myosins. <i>Polymer</i> , 2005, 46, 7759-7770.	1.8	8
352	Toughening of Hydrogels with Double Network Structure. <i>E-Journal of Surface Science and Nanotechnology</i> , 2005, 3, 8-11.	0.1	8
353	Selective Cell Spreading, Proliferation, and Orientation on Micropatterned Gel Surfaces. <i>Journal of Nanoscience and Nanotechnology</i> , 2007, 7, 773-779.	0.9	8
354	Morphogenesis of Liposomes Caused by Polycation-Induced Actin Assembly Formation. <i>Langmuir</i> , 2008, 24, 11975-11981.	1.6	8
355	Orientated Bacterial Cellulose Culture Controlled by Liquid Substrate of Silicone Oil with Different Viscosity and Thickness. <i>Polymer Journal</i> , 2009, 41, 764-770.	1.3	8
356	Hierarchical structures of the actin/polycation complexes, investigated by ultra-small-angle neutron scattering and fluorescence microscopy. <i>Soft Matter</i> , 2010, 6, 2021.	1.2	8
357	High-Fidelity Hydrogel Thin Films Processed from Deep Eutectic Solvents. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 43191-43200.	4.0	8
358	Integrin $\alpha 4$ mediates ATDC5 cell adhesion to negatively charged synthetic polymer hydrogel leading to chondrogenic differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2020, 528, 120-126.	1.0	8
359	Integration of Motor Proteins Towards an ATP Fueled Soft Actuator. <i>International Journal of Molecular Sciences</i> , 2008, 9, 1685-1703.	1.8	7
360	Mechanism on Polarity Sorting of Actin Bundles Formed with Polycations. <i>Langmuir</i> , 2009, 25, 1554-1557.	1.6	7

#	ARTICLE	IF	CITATIONS
361	Osteochondral Autograft Transplantation Technique Augmented by an Ultrapurified Alginate Gel Enhances Osteochondral Repair in a Rabbit Model. <i>American Journal of Sports Medicine</i> , 2019, 47, 468-478.	1.9	7
362	How surface stress transforms surface profiles and adhesion of rough elastic bodies. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2020, 476, 20200477.	1.0	7
363	Lamellar Bilayer to Fibril Structure Transformation of Tough Photonic Hydrogel under Elongation. <i>Macromolecules</i> , 2020, 53, 4711-4721.	2.2	7
364	Non-linear rheological study of hydrogel sliding friction in water and concentrated hyaluronan solution. <i>Tribology International</i> , 2020, 147, 106270.	3.0	7
365	Flower-like Photonic Hydrogel with Superstructure Induced via Modulated Shear Field. <i>ACS Macro Letters</i> , 2021, 10, 708-713.	2.3	7
366	Electroconductive Organogel. 6. Thermal and Electroconductive Characteristics of a Charged Polypeptide Gel in Organic Medium. <i>Macromolecules</i> , 1994, 27, 7877-7879.	2.2	6
367	Influence of Shear Stress on Cationic Surfactant Uptake by Anionic Gels. <i>Journal of Physical Chemistry B</i> , 2003, 107, 13601-13607.	1.2	6
368	Creation of Double Network Hydrogels with Extremely High Strength and Its Anomalous Fracture Mechanism. <i>Kobunshi Ronbunshu</i> , 2008, 65, 707-715.	0.2	6
369	Nano-biomachine from actin and myosin gels. <i>Polymer Science - Series A</i> , 2009, 51, 689-700.	0.4	6
370	Double Network Hydrogels as Tough, Durable Tissue Substitutes. , 2010, , 285-301.		6
371	Formation of motile assembly of microtubules driven by kinesins. <i>Smart Materials and Structures</i> , 2011, 20, 124007.	1.8	6
372	Lamellar-micelle transition in a hydrogel induced by polyethylene glycol grafting. <i>Soft Matter</i> , 2013, 9, 5223.	1.2	6
373	Isotope Microscopic Observation of Osteogenesis Process Forming Robust Bonding of Double Network Hydrogel to Bone. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001731.	3.9	6
374	Constitutive modeling of strain-dependent bond breaking and healing kinetics of chemical polyampholyte (PA) gel. <i>Soft Matter</i> , 2021, 17, 4161-4169.	1.2	6
375	Experimental Verification of the Balance between Elastic Pressure and Ionic Osmotic Pressure of Highly Swollen Charged Gels. <i>Gels</i> , 2021, 7, 39.	2.1	6
376	Chemomechanical bending behaviors of ionizable thin films with gradient network-size. <i>Thin Solid Films</i> , 1999, 350, 289-294.	0.8	5
377	Formation of Giant Needle-Like Polycation-Bile Acid Complexes. <i>Macromolecular Rapid Communications</i> , 2003, 24, 789-792.	2.0	5
378	ATP-fueled soft gel machine with well-oriented structure constructed using actin-myosin system. <i>Journal of Applied Polymer Science</i> , 2009, 114, 2087-2092.	1.3	5

#	ARTICLE	IF	CITATIONS
379	Significant increase in Young's modulus of ATDC5 cells during chondrogenic differentiation induced by PAMPS/PDMAAm double-network gel: Comparison with induction by insulin. <i>Journal of Biomechanics</i> , 2014, 47, 3408-3414.	0.9	5
380	Fractal Pattern Formation of Metal-Containing Polymeric Thin Films Prepared by Plasma Reaction. <i>Bulletin of the Chemical Society of Japan</i> , 1990, 63, 1578-1583.	2.0	4
381	Photo-Current Characteristics of Two-Layered Organic Thin Films Prepared by Plasma Polymerization. <i>Polymer Journal</i> , 1994, 26, 754-757.	1.3	4
382	Complexation and Crystallization of Anionic Phthalocyanine with Soluble and Cross-Linked Polycations. <i>Langmuir</i> , 1999, 15, 5670-5675.	1.6	4
383	Surface friction of gellan gels. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006, 284-285, 56-60.	2.3	4
384	Mesoscopic Network Structure of a Semi-Rigid Polyion Complex Nested in a Polycationic Hydrogel. <i>Advanced Materials</i> , 2009, 21, 4696-4700.	11.1	4
385	Photoinduced <i>in situ</i> formation of various F-actin assemblies with a photoresponsive polycation. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 89A, 424-431.	2.1	4
386	Ultrapurified Alginate Gel Containing Bone Marrow Aspirate Concentrate Enhances Cartilage and Bone Regeneration on Osteochondral Defects in a Rabbit Model. <i>American Journal of Sports Medicine</i> , 2021, 49, 2199-2210.	1.9	4
387	Surfactant induced bilayer-micelle transition for emergence of functions in anisotropic hydrogel. <i>Journal of Materials Chemistry B</i> , 2022, 10, 8386-8397.	2.9	4
388	Iridescent coloration of a copolymer gel in an organic solvent. <i>Macromolecular Chemistry and Physics</i> , 1994, 195, 1871-1876.	1.1	3
389	Electrical control of polymer association and its chemomechanical behavior. <i>Macromolecular Rapid Communications</i> , 1994, 15, 73-79.	2.0	3
390	Thickness decrease of a grafted polyelectrolyte membrane exposed to shear flow. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 2808-2815.	2.4	3
391	Surface friction of polyelectrolyte gels. <i>Macromolecular Symposia</i> , 2003, 195, 209-216.	0.4	3
392	Gel biomachine based on muscle proteins. <i>Polymer Bulletin</i> , 2007, 58, 43-52.	1.7	3
393	Structural Approaches on the Toughness in Double Network Hydrogels. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2009, , 117-138.	0.5	3
394	Bactericidal effect of cationic hydrogels prepared from hydrophilic polymers. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49583.	1.3	3
395	Nano-Gel Machine Reconstructed from Muscle Proteins. <i>E-Journal of Surface Science and Nanotechnology</i> , 2005, 3, 51-54.	0.1	3
396	Hydroxyapatite-hybridized double-network hydrogel surface enhances differentiation of bone marrow-derived mesenchymal stem cells to osteogenic cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2022, 110, 747-760.	2.1	3

#	ARTICLE	IF	CITATIONS
397	Evaluation of biological responses to micro-particles derived from a double network hydrogel. <i>Biomaterials Science</i> , 2022, 10, 2182-2187.	2.6	3
398	Synthesis of degradable double network gels using a hydrolysable cross-linker. <i>Polymer Chemistry</i> , 2022, 13, 3756-3762.	1.9	3
399	Surface friction of hydrogels. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1999, 75, 122-126.	1.6	2
400	Intelligent Gels. <i>Materials Research Society Symposia Proceedings</i> , 1999, 604, 149.	0.1	2
401	Intelligent gelâ€“ surface properties and functions of gelsâ€“. <i>Macromolecular Symposia</i> , 2000, 159, 215-220.	0.4	2
402	Hydrogels with Extremely High Mechanical Strength. <i>Membrane</i> , 2006, 31, 302-306.	0.0	2
403	Tough Hydrogel - Learn from Nature. <i>Advances in Science and Technology</i> , 0, , .	0.2	2
404	Double-Network Hydrogels: Soft and Tough IPN. , 2013, , 1-6.		2
405	Anisotropic Gelation Induced by Very Little Amount of Filamentous Actin. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 2007-2011.	1.1	2
406	Double Network Gels: Tough Particleâ€Based Double Network Hydrogels for Functional Solid Surface Coatings (<i>Adv. Mater. Interfaces</i> 23/2018). <i>Advanced Materials Interfaces</i> , 2018, 5, 1870118.	1.9	2
407	Synthetic poly(2â€acrylamidoâ€2â€methylpropanesulfonic acid) gel induces chondrogenic differentiation of <sc>ATDC5</sc> cells via a novel protein reservoir function. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 354-364.	2.1	2
408	Hierarchical toughening: A step toward matching the complexity of biological materials. <i>CheM</i> , 2021, 7, 1153-1155.	5.8	2
409	Fast <i>in vivo</i> fixation of double network hydrogel to bone by monetite surface hybridization. <i>Journal of the Ceramic Society of Japan</i> , 2021, 129, 584-589.	0.5	2
410	A surface flattening method for characterizing the surface stress, drained Poisson's ratio and diffusivity of poroelastic gels. <i>Soft Matter</i> , 2021, 17, 7332-7340.	1.2	2
411	In Situ Evaluation of the Polymer Concentration Distribution of Microphase-Separated Polyelectrolyte Hydrogels by the Microelectrode Technique. <i>Macromolecules</i> , 2021, 54, 10776-10785.	2.2	2
412	Modelling and simulation of electrostatic potential distribution in polyelectrolyte gels. <i>Electrochimica Acta</i> , 1995, 40, 2445-2447.	2.6	1
413	Crystalline Structure and Thermal Behavior of Water-Soluble Copolymers with Pendant Terthiophenes. <i>Macromolecular Chemistry and Physics</i> , 2002, 203, 176-181.	1.1	1
414	Water-Swollen Hydrogels with Pendant Terthiophenes. <i>Macromolecular Chemistry and Physics</i> , 2003, 204, 661-665.	1.1	1

#	ARTICLE	IF	CITATIONS
415	Motility and Structural Polymorphism of Polymer-Actin Complex Gel. Journal of Nanoscience and Nanotechnology, 2007, 7, 844-847.	0.9	1
416	Barnacle Settlement Behavior on Natural Polymer Gels. Kobunshi Ronbunshu, 2013, 70, 326-330.	0.2	1
417	Optical and Mechanical Properties of a Hydrogel Based on Lamellar Bilayers. Kobunshi Ronbunshu, 2013, 70, 309-316.	0.2	1
418	Shearing-induced contact pattern formation in hydrogels sliding in polymer solution. Soft Matter, 2019, 15, 1953-1959.	1.2	1
419	Hydrogel as Low-Friction Materials. , 2014, , 1-10.		1
420	Quantitative determination of cation-π interactions between metal ions and aromatic groups in aqueous media by a hydrogel Donnan potential method. Physical Chemistry Chemical Physics, 2022, 24, 6126-6132.	1.3	1
421	Flower Petal-like Pattern on Soft Hydrogels during Vodka Spreading. , 2008, , 225-230.		0
422	Synthesis of Novel Double Network Hydrogels via Atom Transfer Radical Polymerization. Composite Interfaces, 2009, 16, 433-446.	1.3	0
423	Hydrogel Friction and Lubrication. , 2014, , 145-181.		0
424	Solvent and Ca ²⁺ -triggered robust and fast stress generation by ultrathin triple-network hydrogels. Extreme Mechanics Letters, 2014, 1, 17-22.	2.0	0
425	Stimuli-Responsive Transformation of a Gradient Gel. Kobunshi Ronbunshu, 2017, 74, 311-318.	0.2	0
426	Surface of Gel as the Extremely Low Friction Material. Oleoscience, 2001, 1, 929-934,926.	0.0	0
427	Electrical Behaviors and Mechanical Responses of Polyelectrolyte Gels. , 2001, , .		0
428	Cooperative Binding in Surfactant-Polymer Association. , 2004, , .		0
429	Spontaneous In Vivo Regeneration of the Articular Cartilage Using a Novel Double-Network Hydrogel. , 2010, , 116-125.		0
430	TEM Observation of Nano-Scale Hydrogel Network Structure. ECS Meeting Abstracts, 2018, , .	0.0	0
431	Antibacterial Property of Cationic Hydrogels. ECS Meeting Abstracts, 2018, , .	0.0	0
432	Self-Toughening of Double Network Hydrogels By Using Bond Rupture-Induced Radical Polymerization. ECS Meeting Abstracts, 2018, , .	0.0	0

#	ARTICLE	IF	CITATIONS
433	(Invited) Distinctive Characteristics of Internal Fracture in Tough Double Network Hydrogels Revealed By Various Modes of Stretching. ECS Meeting Abstracts, 2018, , .	0.0	0
434	(Invited) Creating "Double Network" Composites Via Macroscale Reinforcement. ECS Meeting Abstracts, 2018, , .	0.0	0
435	Toughening Mechanism of Double Network Gels and New Research Trends. Nippon Gomu Kyokaishi, 2019, 92, 352-356.	0.0	0
436	Tough Double-Network Hydrogels as Scaffolds for Tissue Engineering. Advances in Bioinformatics and Biomedical Engineering Book Series, 0, , 213-222.	0.2	0