

Chul Hyoung Lyoo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8249579/chul-hyoung-lyoo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

2,929
citations

29
h-index

51
g-index

169
ext. papers

3,765
ext. citations

5.2
avg, IF

5.12
L-index

#	Paper	IF	Citations
141	In vivo cortical spreading pattern of tau and amyloid in the Alzheimer disease spectrum. <i>Annals of Neurology</i> , 2016 , 80, 247-58	9.4	266
140	In vivo radioligand binding to translocator protein correlates with severity of Alzheimer's disease. <i>Brain</i> , 2013 , 136, 2228-38	11.2	232
139	Tau PET in Alzheimer disease and mild cognitive impairment. <i>Neurology</i> , 2016 , 87, 375-83	6.5	175
138	A genetic polymorphism for translocator protein 18 kDa affects both in vitro and in vivo radioligand binding in human brain to this putative biomarker of neuroinflammation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013 , 33, 53-8	7.3	175
137	Cerebellum Can Serve As a Pseudo-Reference Region in Alzheimer Disease to Detect Neuroinflammation Measured with PET Radioligand Binding to Translocator Protein. <i>Journal of Nuclear Medicine</i> , 2015 , 56, 701-6	8.9	146
136	(11)C-PBR28 binding to translocator protein increases with progression of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016 , 44, 53-61	5.6	104
135	PET radioligand binding to translocator protein (TSPO) is increased in unmedicated depressed subjects. <i>EJNMMI Research</i> , 2018 , 8, 57	3.6	104
134	Functional connectivity associated with tau levels in ageing, Alzheimer's, and small vessel disease. <i>Brain</i> , 2019 , 142, 1093-1107	11.2	91
133	Subcortical F-AV-1451 binding patterns in progressive supranuclear palsy. <i>Movement Disorders</i> , 2017 , 32, 134-140	7	87
132	Analysis of PARK genes in a Korean cohort of early-onset Parkinson disease. <i>Neurogenetics</i> , 2008 , 9, 263-9		85
131	Four distinct trajectories of tau deposition identified in Alzheimer's disease. <i>Nature Medicine</i> , 2021 , 27, 871-881	50.5	81
130	Topographical distribution of cerebral cortical thinning in patients with mild Parkinson's disease without dementia. <i>Movement Disorders</i> , 2010 , 25, 496-9	7	68
129	Assessment of Extent and Role of Tau in Subcortical Vascular Cognitive Impairment Using 18F-AV1451 Positron Emission Tomography Imaging. <i>JAMA Neurology</i> , 2018 , 75, 999-1007	17.2	60
128	Genotypes of catechol-O-methyltransferase and response to levodopa treatment in patients with Parkinson's disease. <i>Neuroscience Letters</i> , 2001 , 298, 131-4	3.3	53
127	Fluoxetine administered to juvenile monkeys: effects on the serotonin transporter and behavior. <i>American Journal of Psychiatry</i> , 2014 , 171, 323-31	11.9	52
126	Off-Target F-AV-1451 Binding in the Basal Ganglia Correlates with Age-Related Iron Accumulation. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 117-120	8.9	52
125	F-AV-1451 binds to motor-related subcortical gray and white matter in corticobasal syndrome. <i>Neurology</i> , 2017 , 89, 1170-1178	6.5	48

124	Progressive Tau Accumulation in Alzheimer Disease: 2-Year Follow-up Study. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 1611-1621	8.9	46
123	Excessive tau accumulation in the parieto-occipital cortex characterizes early-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 53, 103-111	5.6	42
122	Impaired finger dexterity in patients with parkinson's disease correlates with discriminative cutaneous sensory dysfunction. <i>Movement Disorders</i> , 2010 , 25, 2531-5	7	41
121	Distinct patterns of amyloid-dependent tau accumulation in Lewy body diseases. <i>Movement Disorders</i> , 2018 , 33, 262-272	7	41
120	Cerebral glucose metabolism of Parkinson's disease patients with mild cognitive impairment. <i>European Neurology</i> , 2010 , 64, 65-73	2.1	40
119	Head to head comparison of [F] AV-1451 and [F] THK5351 for tau imaging in Alzheimer's disease and frontotemporal dementia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 432-442	8.8	38
118	Assessment of Demographic, Genetic, and Imaging Variables Associated With Brain Resilience and Cognitive Resilience to Pathological Tau in Patients With Alzheimer Disease. <i>JAMA Neurology</i> , 2020 , 77, 632-642	17.2	36
117	Association of mutations in the glucocerebrosidase gene with Parkinson disease in a Korean population. <i>Neuroscience Letters</i> , 2012 , 514, 12-5	3.3	35
116	Distinct patterns of increased translocator protein in posterior cortical atrophy and amnesic Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 51, 132-140	5.6	33
115	Different cerebral cortical areas influence the effect of subthalamic nucleus stimulation on parkinsonian motor deficits and freezing of gait. <i>Movement Disorders</i> , 2007 , 22, 2176-82	7	32
114	Distinct tau PET patterns in atrophy-defined subtypes of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, 335-344	1.2	31
113	Accuracy of Tau Positron Emission Tomography as a Prognostic Marker in Preclinical and Prodromal Alzheimer Disease: A Head-to-Head Comparison Against Amyloid Positron Emission Tomography and Magnetic Resonance Imaging. <i>JAMA Neurology</i> , 2021 , 78, 961-971	17.2	29
112	Predicted sequence of cortical tau and amyloid- β deposition in Alzheimer disease spectrum. <i>Neurobiology of Aging</i> , 2018 , 68, 76-84	5.6	24
111	Population-based input function modeling for [(18)F]FMPEP-d 2, an inverse agonist radioligand for cannabinoid CB1 receptors: validation in clinical studies. <i>PLoS ONE</i> , 2013 , 8, e60231	3.7	23
110	Striatal dopamine uptake and olfactory dysfunction in patients with early Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018 , 56, 47-51	3.6	21
109	Relationship between dopamine deficit and the expression of depressive behavior resulted from alteration of serotonin system. <i>Synapse</i> , 2015 , 69, 453-60	2.4	20
108	Moyamoya disease presenting with paroxysmal exercise-induced dyskinesia. <i>Parkinsonism and Related Disorders</i> , 2007 , 13, 446-8	3.6	19
107	F-AV-1451 binds to putamen in multiple system atrophy. <i>Movement Disorders</i> , 2017 , 32, 171-173	7	18

106	Cerebral cortical areas in which thickness correlates with severity of motor deficits of Parkinson's disease. <i>Journal of Neurology</i> , 2011 , 258, 1871-6	5.5	18
105	Neuroimaging studies and whole exome sequencing of PLA2G6-associated neurodegeneration in a family with intrafamilial phenotypic heterogeneity. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 402-6	3.6	17
104	Feasibility of Computed Tomography-Guided Methods for Spatial Normalization of Dopamine Transporter Positron Emission Tomography Image. <i>PLoS ONE</i> , 2015 , 10, e0132585	3.7	17
103	Comparison of two PET radioligands, [C]FPEB and [C]SP203, for quantification of metabotropic glutamate receptor 5 in human brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 2458-2470	7.3	16
102	Current Status of Huntington's Disease in Korea: A Nationwide Survey and National Registry Analysis. <i>Journal of Movement Disorders</i> , 2015 , 8, 14-20	2.9	16
101	Effect of APOE ϵ genotype on amyloid- β and tau accumulation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 140	9	15
100	Clinical Heterogeneity of Atypical Pantothenate Kinase-Associated Neurodegeneration in Koreans. <i>Journal of Movement Disorders</i> , 2016 , 9, 20-7	2.9	15
99	Temporal trajectories of in vivo tau and amyloid- β accumulation in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 2879-2886	8.8	14
98	¹⁸ F-AV-1451 PET Imaging in Three Patients with Probable Cerebral Amyloid Angiopathy. <i>Journal of Alzheimer's Disease</i> , 2017 , 57, 711-716	4.3	12
97	Automatic Extraction of a Reference Region for the Noninvasive Quantification of Translocator Protein in Brain Using C-PBR28. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 978-984	8.9	12
96	Weight loss is associated with rapid striatal dopaminergic degeneration in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018 , 51, 67-72	3.6	12
95	Predominant subcortical accumulation of F-flortaucipir binding in behavioral variant frontotemporal dementia. <i>Neurobiology of Aging</i> , 2018 , 66, 112-121	5.6	12
94	Rhabdomyolysis induced by severe levodopa induced dyskinesia in a patient with Parkinson's disease. <i>Journal of Neurology</i> , 2011 , 258, 1893-4	5.5	12
93	Primary progressive freezing gait in a patient with CO-induced parkinsonism. <i>Movement Disorders</i> , 2010 , 25, 1513-5	7	12
92	Image-derived input function derived from a supervised clustering algorithm: methodology and validation in a clinical protocol using [¹¹ C](R)-rolipram. <i>PLoS ONE</i> , 2014 , 9, e89101	3.7	11
91	Kinematic analysis in patients with Parkinson's disease and SWEDD. <i>Journal of Parkinson's Disease</i> , 2014 , 4, 421-30	5.3	10
90	Levodopa responsive hemidystonia associated with contralateral nigral lesion. <i>Journal of Neurology</i> , 2010 , 257, 856-7	5.5	10
89	Human Radiation Dosimetry of [(¹⁸ F)AV-1451(T807) to Detect Tau Pathology. <i>Molecular Imaging and Biology</i> , 2016 , 18, 479-82	3.8	10

88	F-flortaucipir uptake patterns in clinical subtypes of primary progressive aphasia. <i>Neurobiology of Aging</i> , 2019 , 75, 187-197	5.6	10
87	Anticholinergic-responsive gait freezing in a patient with pantothenate kinase-associated neurodegeneration. <i>Movement Disorders</i> , 2008 , 23, 283-4	7	9
86	18F-Mefway PET imaging of serotonin 1A receptors in humans: a comparison with 18F-FCWAY. <i>PLoS ONE</i> , 2015 , 10, e0121342	3.7	9
85	Lack of association between LRRK2 G2385R and cognitive dysfunction in Korean patients with Parkinson's disease. <i>Journal of Clinical Neuroscience</i> , 2017 , 36, 108-113	2.2	8
84	Brain regional iron contents in progressive supranuclear palsy. <i>Parkinsonism and Related Disorders</i> , 2017 , 45, 28-32	3.6	8
83	A patient with genetically confirmed myoclonus-dystonia responded to anticholinergic treatment and improved spontaneously. <i>Journal of Clinical Neurology (Korea)</i> , 2011 , 7, 231-2	1.7	8
82	Application of an amyloid and tau classification system in subcortical vascular cognitive impairment patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 292-303	8.8	8
81	The impact of demographic, clinical, genetic, and imaging variables on tau PET status. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2245-2258	8.8	8
80	Striatal dopamine activity and myocardial I-metaiodobenzylguanidine uptake in early Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019 , 63, 156-161	3.6	7
79	Later-Onset Multiple System Atrophy: A Multicenter Asian Study. <i>Movement Disorders</i> , 2020 , 35, 1692-1693		7
78	Tau Accumulation in Primary Motor Cortex of Variant Alzheimer's Disease with Spastic Paraparesis. <i>Journal of Alzheimer's Disease</i> , 2016 , 51, 671-5	4.3	7
77	"Depressed" caudate and ventral striatum dopamine transporter availability in de novo Depressed Parkinson's disease. <i>Neurobiology of Disease</i> , 2019 , 132, 104563	7.5	7
76	Periodic bursts of rhythmic dyskinesia associated with spinal anesthesia. <i>Movement Disorders</i> , 1997 , 12, 816-7	7	7
75	Effect of polygenic load on striatal dopaminergic deterioration in Parkinson disease. <i>Neurology</i> , 2019 , 93, e665-e674	6.5	6
74	A Patient with Recurrent Dyskinesia and Hyperpyrexia Syndrome. <i>Journal of Movement Disorders</i> , 2017 , 10, 154-157	2.9	6
73	Impact of regional striatal dopaminergic function on kinematic parameters of Parkinson's disease. <i>Journal of Neural Transmission</i> , 2015 , 122, 669-77	4.3	5
72	A prognostic factor in focal hand dystonia: typist's cramp cases and literature review. <i>Journal of the Neurological Sciences</i> , 2016 , 371, 85-87	3.2	5
71	A Dextral Primary Progressive Aphasia Patient with Right Dominant Hypometabolism and Tau Accumulation and Left Dominant Amyloid Accumulation. <i>Case Reports in Neurology</i> , 2016 , 8, 78-86	1	5

70	THK5351 and flortaucipir PET with pathological correlation in a Creutzfeldt-Jakob disease patient: a case report. <i>BMC Neurology</i> , 2019 , 19, 211	3.1	5
69	Slow rhythmic dyskinesia of the shoulder: one idiopathic and two symptomatic cases. <i>Movement Disorders</i> , 1999 , 14, 1049-51	7	5
68	Clinical Features Indicating Nigrostriatal Dopaminergic Degeneration in Drug-Induced Parkinsonism. <i>Journal of Movement Disorders</i> , 2017 , 10, 35-39	2.9	5
67	Tau Positron Emission Tomography Imaging in Degenerative Parkinsonisms. <i>Journal of Movement Disorders</i> , 2018 , 11, 1-12	2.9	5
66	Novel Ferritin Light Chain Gene Mutation in a Korean Patient with Neuroferritinopathy. <i>Journal of Movement Disorders</i> , 2019 , 12, 63-65	2.9	5
65	Characterizing the spatiotemporal variability of Alzheimer's disease pathology		5
64	Association between physical activity and conversion from mild cognitive impairment to dementia. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 136	9	5
63	Modeling of Frontotemporal Dementia Using iPSC Technology. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
62	P-Glycoprotein, not BCRP, Limits the Brain Uptake of [(18)F]Mefway in Rodent Brain. <i>Molecular Imaging and Biology</i> , 2016 , 18, 267-73	3.8	4
61	Dopaminergic neuron destruction reduces hippocampal serotonin 1A receptor uptake of trans-[(18)F]Mefway. <i>Applied Radiation and Isotopes</i> , 2014 , 94, 30-34	1.7	4
60	Giant somatosensory evoked potential in a patient with shaking TIA. <i>Movement Disorders</i> , 2009 , 24, 2301-3		4
59	Increased Uptake of AV-1451 in a Subacute Infarction Lesion. <i>Yonsei Medical Journal</i> , 2018 , 59, 563-565	3	4
58	Association of Dipeptidyl Peptidase-4 Inhibitor Use and Amyloid Burden in Patients With Diabetes and AD-Related Cognitive Impairment. <i>Neurology</i> , 2021 , 97, e1110-e1122	6.5	4
57	Customized FreeSurfer-based brain atlas for diffeomorphic anatomical registration through exponentiated Lie algebra tool. <i>Annals of Nuclear Medicine</i> , 2020 , 34, 280-288	2.5	3
56	Delayed iron deposit and atrophy of the putamen in a case with osmotic demyelination syndrome. <i>Journal of the Neurological Sciences</i> , 2016 , 369, 131-133	3.2	3
55	Paroxysmal freezing of gait in a patient with mesial frontal transient ischemic attacks. <i>BMC Neurology</i> , 2017 , 17, 122	3.1	3
54	[(18)F]FPEB and [(18)F]FDEGPECO comparative study of mGlu5 quantification in rodent brain. <i>Applied Radiation and Isotopes</i> , 2015 , 98, 103-7	1.7	3
53	A Patient with Neuroferritinopathy Presenting with Juvenile-Onset Voice Tremor. <i>Journal of Movement Disorders</i> , 2020 , 13, 66-68	2.9	3

52	Effect of A/T/N imaging biomarkers on impaired odor identification in Alzheimer's disease. <i>Scientific Reports</i> , 2020 , 10, 11556	4.9	3
51	Principal components of tau positron emission tomography and longitudinal tau accumulation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 114	9	3
50	Combined Model of Aggregation and Network Diffusion Recapitulates Alzheimer's Regional Tau-Positron Emission Tomography. <i>Brain Connectivity</i> , 2021 , 11, 624-638	2.7	3
49	Biodistribution and Radiation Dosimetry of [F]Mefway in Humans. <i>Molecular Imaging and Biology</i> , 2016 , 18, 803-806	3.8	2
48	Optimal timing of [11C]Mefway PET for imaging the serotonin 1A receptor in healthy male subjects. <i>Applied Radiation and Isotopes</i> , 2016 , 107, 127-132	1.7	2
47	A computed tomography-based spatial normalization for the analysis of [18F] fluorodeoxyglucose positron emission tomography of the brain. <i>Korean Journal of Radiology</i> , 2014 , 15, 862-70	6.9	2
46	Imaging evidence of nigral damage in dystonia secondary to disulfiram intoxication. <i>Movement Disorders</i> , 2011 , 26, 763-4	7	2
45	Genetic factors affecting dopaminergic deterioration during the premotor stage of Parkinson disease. <i>Npj Parkinson's Disease</i> , 2021 , 7, 104	9.7	2
44	Low thalamic monoamine transporter availability is related to excessive daytime sleepiness in early Parkinson's disease. <i>Neurological Sciences</i> , 2020 , 41, 1081-1087	3.5	2
43	The Impact of Amyloid-β/Tau on Cognitive Change in the Presence of Severe Cerebrovascular Disease. <i>Journal of Alzheimer's Disease</i> , 2020 , 78, 573-585	4.3	2
42	The Association of βAmyloid with Cognition and Striatal Dopamine in Early, Non-Demented Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2021 , 11, 605-613	5.3	2
41	MRI-Visible Perivascular Spaces in the Centrum Semiovale Are Associated with Brain Amyloid Deposition in Patients with Alzheimer Disease-Related Cognitive Impairment. <i>American Journal of Neuroradiology</i> , 2021 , 42, 1231-1238	4.4	2
40	Neuropsychiatric symptoms and striatal monoamine availability in early Parkinson's disease without dementia. <i>Neurological Sciences</i> , 2021 , 42, 711-718	3.5	2
39	[P4012]: HEAD-TO-HEAD COMPARISON OF [18F] AV-1451 AND [18F] THK5351 FOR TAU IMAGING IN ALZHEIMER'S DISEASE AND FRONTOTEMPORAL DEMENTIA 2017 , 13, P1347-P1348		1
38	Application of calibrated image-derived input function to a clinical protocol. <i>Nuclear Medicine Communications</i> , 2014 , 35, 1188-9	1.6	1
37	P2-232: TAU Burden and Cognition in Early-Onset Versus Late-Onset Alzheimer's Disease Spectrum 2016 , 12, P711-P712		1
36	O4-07-04: In Vivo Cortical Spreading Pattern of TAU and Amyloid Pathology in the Alzheimer's Disease Spectrum 2016 , 12, P349-P349		1
35	The effect of levodopa on bilateral coordination and gait asymmetry in Parkinson's disease using inertial sensor. <i>Npj Parkinson's Disease</i> , 2021 , 7, 42	9.7	0

34	Risks and Prognoses of Alzheimer's Disease and Vascular Dementia in Patients With Insomnia: A Nationwide Population-Based Study. <i>Frontiers in Neurology</i> , 2021 , 12, 611446	4.1	○
33	Temporal trajectory of biofluid markers in Parkinson's disease. <i>Scientific Reports</i> , 2021 , 11, 14820	4.9	○
32	Optical Coherence Tomography Findings Facilitate the Diagnosis of Autosomal Recessive Spastic Ataxia of Charlevoix-Saguenay. <i>Korean Journal of Ophthalmology: KJO</i> , 2021 , 35, 330-331	1.2	○
31	Decreased thalamic monoamine availability in drug-induced parkinsonism.. <i>Scientific Reports</i> , 2022 , 12, 3749	4.9	○
30	Effect of A/T/N imaging biomarkers on impaired odor identification in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041700	1.2	
29	Effect of apolipoprotein-E ϵ genotype on amyloid- β and tau accumulation in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042284	1.2	
28	Directed graph-based longitudinal model for spatiotemporal dynamics of amyloid, tau, and neurodegeneration in the Alzheimer's disease spectrum. <i>Alzheimer's and Dementia</i> , 2020 , 16, e044367	1.2	
27	Longitudinal changes in A/T/N imaging biomarkers in early-onset and late-onset Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e046718	1.2	
26	IC-P-090: Increased radioligand binding to translocator protein correlates with worsened clinical severity and atrophy in Alzheimer's disease 2015 , 11, P62-P63		
25	O1-02-02: Increased radioligand binding to translocator protein correlates with worsened clinical severity and atrophy in Alzheimer's disease 2015 , 11, P126-P127		
24	Parkinsonian Patients with Striatal Cribiform State Present Rapidly Progressive Axial Parkinsonism. <i>European Neurology</i> , 2017 , 78, 119-124	2.1	
23	[S20104]: IN VIVO CORTICAL SPREADING OF TAU AND AMYLOID 2017 , 13, P541-P541		
22	[P1024]: 18F-AV1451 PET IMAGING IN SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT 2017 , 13, P329-P330		
21	[P2046]: EXCESSIVE NEOCORTICAL TAU ACCUMULATION IN DOWN SYNDROME 2017 , 13, P754-P755		
20	[IC-P-179]: PRINCIPAL COMPONENT ANALYSIS OF TAU PET IN ALZHEIMER'S DISEASE AND HEALTHY ELDERLY 2017 , 13, P133-P134		
19	[P1065]: PREDOMINANT SUBCORTICAL 18F-AV-1451 BINDING IN BEHAVIORAL VARIANT FRONTOTEMPORAL DEMENTIA 2017 , 13, P399-P399		
18	[P1086]: DISTINCT TAU ACCUMULATION PATTERN IN DEMENTIA WITH LEWY BODY 2017 , 13, P414-P414		
17	[P2042]: 18F-AV-1451 BINDS TO THE MOTOR-RELATED SUBCORTICAL GRAY AND WHITE MATTER IN CORTICOBASAL SYNDROME 2017 , 13, P753-P753		

- 16 Relationship Between the Striatal and Cerebellar Glucose Metabolism and the Response to Levodopa Treatment in Patients With Multiple System Atrophy. *Journal of Movement Disorders*, **2008**, 1, 26-32 2.9
- 15 Amnesia Presenting Acute Multiple Subcortical Cerebral Infarctions in CADASIL **2018**, 10, 172-174
- 14 Cortical Hypometabolism in Opsoclonus-Myoclonus Syndrome. *Journal of the Korean Neurological Association*, **2015**, 33, 103-105 0.1
- 13 Anti-LGI1 Antibody Limbic Encephalitis Presented with Amnesic Mild Cognitive Impairment. *Journal of the Korean Neurological Association*, **2016**, 34, 71-73 0.1
- 12 Oculogyric crisis associated with disulfiram-induced pallidonigral lesion. *Journal of Movement Disorders*, **2009**, 2, 48-9 2.9
- 11 Neuroleptic malignant syndrome in a patient with corticobasal degeneration. *Journal of Movement Disorders*, **2011**, 4, 73-4 2.9
- 10 P3-263: TAU PET in Alzheimer's Disease and Mild Cognitive Impairment **2016**, 12, P933-P933
- 9 IC-P-200: [18F] T807 PET Imaging in Subcortical Vascular Cognitive Impairment **2016**, 12, P144-P144
- 8 IC-P-202: TAU Distribution in Probable CAA **2016**, 12, P145-P145
- 7 IC-P-164: MEDIAL TEMPORAL TAU CAN BE A PREDICTOR OF AMYLOID-POSITIVITY IN MILD COGNITIVE IMPAIRMENT **2019**, 15, P130-P130
- 6 IC-P-163: TEMPORAL TRAJECTORIES OF IN VIVO TAU AND AMYLOID-ACCUMULATION IN ALZHEIMER'S DISEASE **2019**, 15, P130-P130
- 5 P1-382: COMPARISON OF AD PATHOLOGIES IN HYPERTENSIVE SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT AND CEREBRAL AMYLOID ANGIOPATHY **2018**, 14, P445-P446
- 4 IC-P-078: CLINICAL SIGNIFICANCE OF A/T/N SYSTEM IN SUBCORTICAL VASCULAR COGNITIVE IMPAIRMENT PATIENTS **2018**, 14, P69-P69
- 3 P1-383: 18F-FLORTAUCIPIR BINDING PATTERNS IN CLINICAL SUBTYPES OF PRIMARY PROGRESSIVE APHASIA **2018**, 14, P446-P446
- 2 P2-582: HORMONE REPLACEMENT THERAPY AND RISK OF DEMENTIA IN POSTMENOPAUSAL WOMEN: A NATIONWIDE COHORT STUDY **2018**, 14, P958-P959
- 1 Clinical Characteristic in Primary Progressive Aphasia in Relation to Alzheimer's Disease Biomarkers. *Journal of Alzheimer's Disease*, **2021**, 84, 633-645 4.3