

Kathrin Wagner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8249817/publications.pdf>

Version: 2024-02-01

19
papers

646
citations

623574

14
h-index

794469

19
g-index

19
all docs

19
docs citations

19
times ranked

1018
citing authors

#	ARTICLE	IF	CITATIONS
1	Epilepsy Surgery for Glioneuronal Tumors in Childhood. <i>Neurosurgery</i> , 2014, 74, 648-657.	0.6	77
2	Epilepsy Surgery in the First 3 Years of Life: Predictors of Seizure Freedom and Cognitive Development. <i>Neurosurgery</i> , 2019, 84, E368-E377.	0.6	66
3	Remote effects of hippocampal damage on default network connectivity in the human brain. <i>Journal of Neurology</i> , 2009, 256, 2021-2029.	1.8	64
4	The reliability of fMRI activations in the medial temporal lobes in a verbal episodic memory task. <i>NeuroImage</i> , 2005, 28, 122-131.	2.1	54
5	Frontal Lobe Epilepsy Surgery in Childhood and Adolescence: Predictors of Long-Term Seizure Freedom, Overall Cognitive and Adaptive Functioning. <i>Neurosurgery</i> , 2018, 83, 93-103.	0.6	52
6	Hippocampal functional connectivity reflects verbal episodic memory network integrity. <i>NeuroReport</i> , 2007, 18, 1719-1723.	0.6	48
7	Cognitive Functions in Juvenile and Adult Patients with Gelastic Epilepsy due to Hypothalamic Hamartoma. <i>Epilepsia</i> , 2006, 47, 153-158.	2.6	47
8	Who needs a Wada test? Present clinical indications for amobarbital procedures. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 503-509.	0.9	38
9	Surgical Treatment of Mesiotemporal Lobe Epilepsy: Which Approach is Favorable?. <i>Neurosurgery</i> , 2017, 81, 992-1004.	0.6	38
10	Memory outcome after hippocampus sparing resections in the temporal lobe. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 630-636.	0.9	30
11	Association between seizure freedom and default mode network reorganization in patients with unilateral temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2019, 90, 238-246.	0.9	24
12	Memory outcome one year after stereotactic interstitial radiosurgery in patients with epilepsy due to hypothalamic hamartomas. <i>Epilepsy and Behavior</i> , 2014, 37, 204-209.	0.9	22
13	Which seizure elements do patients memorize? A comparison of history and seizure documentation. <i>Epilepsia</i> , 2020, 61, 1365-1375.	2.6	19
14	Reduced interhemispheric hippocampal BOLD signal coupling related to early epilepsy onset. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2009, 18, 153-157.	0.9	15
15	Cognition in epilepsy patients with hypothalamic hamartomas. <i>Epilepsia</i> , 2017, 58, 85-93.	2.6	15
16	Transsylvian Selective Amygdalohippocampectomy for Mesiotemporal Epilepsy: Experience with 162 Procedures. <i>Neurosurgery</i> , 2017, 80, 454-464.	0.6	13
17	Reduced glucose metabolism in neocortical network nodes remote from hypothalamic hamartomas reflects cognitive impairment. <i>Epilepsia</i> , 2017, 58, 41-49.	2.6	12
18	Incipient preoperative reorganization processes of verbal memory functions in patients with left temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2015, 42, 78-85.	0.9	7

#	ARTICLE	IF	CITATIONS
19	Effects of hippocampus-sparing resections in the temporal lobe: Hippocampal atrophy is associated with a decline in memory performance. <i>Epilepsia</i> , 2020, 61, 725-734.	2.6	5