

Kathrin Wagner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8249817/publications.pdf>

Version: 2024-02-01

19
papers

646
citations

623574

14
h-index

794469

19
g-index

19
all docs

19
docs citations

19
times ranked

1018
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Which seizure elements do patients memorize? A comparison of history and seizure documentation. <i>Epilepsia</i> , 2020, 61, 1365-1375. | 2.6 | 19 |
| 2 | Effects of hippocampus-sparing resections in the temporal lobe: Hippocampal atrophy is associated with a decline in memory performance. <i>Epilepsia</i> , 2020, 61, 725-734. | 2.6 | 5 |
| 3 | Epilepsy Surgery in the First 3 Years of Life: Predictors of Seizure Freedom and Cognitive Development. <i>Neurosurgery</i> , 2019, 84, E368-E377. | 0.6 | 66 |
| 4 | Association between seizure freedom and default mode network reorganization in patients with unilateral temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2019, 90, 238-246. | 0.9 | 24 |
| 5 | Frontal Lobe Epilepsy Surgery in Childhood and Adolescence: Predictors of Long-Term Seizure Freedom, Overall Cognitive and Adaptive Functioning. <i>Neurosurgery</i> , 2018, 83, 93-103. | 0.6 | 52 |
| 6 | Surgical Treatment of Mesiotemporal Lobe Epilepsy: Which Approach is Favorable?. <i>Neurosurgery</i> , 2017, 81, 992-1004. | 0.6 | 38 |
| 7 | Reduced glucose metabolism in neocortical network nodes remote from hypothalamic hamartomas reflects cognitive impairment. <i>Epilepsia</i> , 2017, 58, 41-49. | 2.6 | 12 |
| 8 | Cognition in epilepsy patients with hypothalamic hamartomas. <i>Epilepsia</i> , 2017, 58, 85-93. | 2.6 | 15 |
| 9 | Transylvian Selective Amygdalohippocampectomy for Mesiotemporal Epilepsy: Experience with 162 Procedures. <i>Neurosurgery</i> , 2017, 80, 454-464. | 0.6 | 13 |
| 10 | Incipient preoperative reorganization processes of verbal memory functions in patients with left temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2015, 42, 78-85. | 0.9 | 7 |
| 11 | Epilepsy Surgery for Glioneuronal Tumors in Childhood. <i>Neurosurgery</i> , 2014, 74, 648-657. | 0.6 | 77 |
| 12 | Memory outcome one year after stereotactic interstitial radiosurgery in patients with epilepsy due to hypothalamic hamartomas. <i>Epilepsy and Behavior</i> , 2014, 37, 204-209. | 0.9 | 22 |
| 13 | Memory outcome after hippocampus sparing resections in the temporal lobe. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 630-636. | 0.9 | 30 |
| 14 | Who needs a Wada test? Present clinical indications for amobarbital procedures. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 503-509. | 0.9 | 38 |
| 15 | Remote effects of hippocampal damage on default network connectivity in the human brain. <i>Journal of Neurology</i> , 2009, 256, 2021-2029. | 1.8 | 64 |
| 16 | Reduced interhemispheric hippocampal BOLD signal coupling related to early epilepsy onset. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2009, 18, 153-157. | 0.9 | 15 |
| 17 | Hippocampal functional connectivity reflects verbal episodic memory network integrity. <i>NeuroReport</i> , 2007, 18, 1719-1723. | 0.6 | 48 |
| 18 | Cognitive Functions in Juvenile and Adult Patients with Gelastic Epilepsy due to Hypothalamic Hamartoma. <i>Epilepsia</i> , 2006, 47, 153-158. | 2.6 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The reliability of fMRI activations in the medial temporal lobes in a verbal episodic memory task. <i>NeuroImage</i> , 2005, 28, 122-131. | 2.1 | 54 |