

Sriram Sundararajan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8250836/sriram-sundararajan-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

1,606
citations

21
h-index

39
g-index

80
ext. papers

1,773
ext. citations

3.7
avg, IF

4.89
L-index

#	Paper	IF	Citations
69	Tribofilm characterization and residual stress changes in rolling/sliding contacts under low lambda conditions. <i>Wear</i> , 2022 , 204350	3.5	
68	Influence of Surfactants on the Tribological Behavior of Nanoparticle Additives Under Boundary Lubrication Conditions. <i>Arabian Journal for Science and Engineering</i> , 2021 , 46, 7967	2.5	0
67	Failure mode mapping for rolling/sliding contacts under low lambda conditions. <i>Wear</i> , 2021 , 477, 203855	3.5	2
66	An investigation on ice adhesion and wear of surfaces with differential stiffness. <i>Wear</i> , 2021 , 476, 203663	3.5	1
65	Formation of Size and Density Controlled Nanostructures by Galvanic Displacement. <i>Nanomaterials</i> , 2020 , 10,	5.4	3
64	Tribological analysis of a novel lubricant additive: Pyrone esters. <i>Wear</i> , 2020 , 442-443, 203115	3.5	2
63	Automated trichome counting in soybean using advanced image-processing techniques. <i>Applications in Plant Sciences</i> , 2020 , 8, e11375	2.3	6
62	Investigating the micropitting and wear performance of copper oxide and tungsten carbide nanofluids under boundary lubrication. <i>Wear</i> , 2019 , 428-429, 55-63	3.5	15
61	Effect of Retained Austenite on White Etching Crack Behavior of Carburized AISI 8620 Steel Under Boundary Lubrication. <i>Tribology Letters</i> , 2019 , 67, 1	2.8	10
60	Effect of plasticizer on the wear behavior and ice adhesion of elastomeric coatings. <i>Wear</i> , 2019 , 426-427, 212-218	3.5	6
59	The rheology of slurries of athermal cohesive micro-particles immersed in fluid: A computational and experimental comparison. <i>Chemical Engineering Science</i> , 2019 , 193, 411-420	4.4	3
58	Effect of retained austenite on spalling behavior of carburized AISI 8620 steel under boundary lubrication. <i>International Journal of Fatigue</i> , 2019 , 119, 238-246	5	16
57	The evolution of hardness and tribofilm growth during running-in of case carburized steel under boundary lubrication. <i>Tribology International</i> , 2018 , 118, 1-10	4.9	10
56	Investigating the effect of retained austenite and residual stress on rolling contact fatigue of carburized steel with XFEM and experimental approaches. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 732, 311-319	5.3	28
55	Rheological transition in simple shear of moderately dense assemblies of dry cohesive granules. <i>Physical Review E</i> , 2018 , 97, 062902	2.4	1
54	The Effect of Agglomeration Reduction on the Tribological Behavior of WS ₂ and MoS ₂ Nanoparticle Additives in the Boundary Lubrication Regime. <i>Lubricants</i> , 2018 , 6, 106	3.1	8
53	Effect of retained austenite on micropitting behavior of carburized AISI 8620 steel under boundary lubrication. <i>Materialia</i> , 2018 , 3, 192-201	3.2	17

52	Microtribological behavior of Mo and W nanoparticle/graphene composites. <i>Wear</i> , 2018 , 414-415, 310-316	3.5	7
51	Correlation between evolution of surface roughness parameters and micropitting of carburized steel under boundary lubrication condition. <i>Surface and Coatings Technology</i> , 2018 , 350, 445-452	4.4	18
50	Superhydrophobic coatings on Portland cement concrete surfaces. <i>Construction and Building Materials</i> , 2017 , 141, 393-401	6.7	66
49	Effect of laser treatment parameters on surface modification and tribological behavior of AISI 8620 steel. <i>Tribology International</i> , 2017 , 112, 94-102	4.9	21
48	The effect of contact pressure and surface texture on running-in behavior of case carburized steel under boundary lubrication. <i>Wear</i> , 2017 , 376-377, 851-857	3.5	18
47	Tribological behavior and wettability of spray-coated superhydrophobic coatings on aluminum. <i>Wear</i> , 2017 , 376-377, 1713-1719	3.5	21
46	Influence of Deicing Salts on the Water-Repellency of Portland Cement Concrete Coated with Polytetrafluoroethylene and Polyetheretherketone 2017 ,		5
45	Lubricant Properties of \square Hydroxy Branched Fatty Acid-Containing Natural and Synthetic Lipids. <i>Tribology Letters</i> , 2017 , 65, 1	2.8	5
44	Engineering Encounters: Teaching Educators About Engineering. <i>Science and Children</i> , 2017 , 055,	0.4	1
43	The effect of heat treatment routes on the retained austenite and Tribomechanical properties of carburized AISI 8620 steel. <i>Surface and Coatings Technology</i> , 2016 , 308, 236-243	4.4	41
42	Nanoscale Characterization of Cementitious Materials 2015 , 45-53		2
41	The effects of adhesive strength and load on material transfer in nanoscale wear. <i>Computational Materials Science</i> , 2014 , 95, 464-469	3.2	15
40	Structural and Chemical Evolution of the Near-Apex Region of an Atomic Force Microscope Tip Subject to Sliding. <i>Tribology Letters</i> , 2014 , 53, 181-187	2.8	10
39	Micro- and macroscale coefficients of friction of cementitious materials. <i>Cement and Concrete Research</i> , 2013 , 54, 21-28	10.3	4
38	Activation energy for diffusion and welding of PLA films. <i>Polymer Engineering and Science</i> , 2012 , 52, 1693-1700	3.7	10
37	A test method for determining adhesion forces and Hamaker constants of cementitious materials using atomic force microscopy. <i>Cement and Concrete Research</i> , 2011 , 41, 1157-1166	10.3	55
36	Rubbers Based on Conjugated Soybean Oil: Synthesis and Characterization. <i>Macromolecular Materials and Engineering</i> , 2011 , 296, 444-454	3.9	5
35	An alternative method to determining optical lever sensitivity in atomic force microscopy without tip-sample contact. <i>Review of Scientific Instruments</i> , 2010 , 81, 073711	1.7	9

34	Atom scale characterization of the near apex region of an atomic force microscope tip. <i>Microscopy and Microanalysis</i> , 2010 , 16, 636-42	0.5	2
33	Synthesis and Physical Properties of Potential Biolubricants based on Ricinoleic Acid. <i>JAACS, Journal of the American Oil ChemistsoSociety</i> , 2010 , 87, 937-945	1.8	40
32	Friction and wear behavior of ultrahigh molecular weight polyethylene as a function of crystallinity in the presence of the phospholipid dipalmitoyl phosphatidylcholine. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010 , 93, 351-8	3.5	15
31	Visualization by atomic force microscopy and FISH of the 45S rDNA gaps in mitotic chromosomes of <i>Lolium perenne</i> . <i>Protoplasma</i> , 2009 , 236, 59-65	3.4	16
30	Evaluation of Friction Behavior and Its Contact-Area Dependence at the Micro- and Nano-Scales. <i>Tribology Letters</i> , 2009 , 36, 259-267	2.8	15
29	Nanoscale Friction switches: friction modulation of monomolecular assemblies using external electric fields. <i>Langmuir</i> , 2009 , 25, 12114-9	4	25
28	Superhydrophobic engineering surfaces with tunable air-trapping ability. <i>Journal of Micromechanics and Microengineering</i> , 2008 , 18, 035024	2	15
27	Friction and wear behavior of ultra-high molecular weight polyethylene as a function of polymer crystallinity. <i>Acta Biomaterialia</i> , 2008 , 4, 1401-10	10.8	97
26	Iterative control approach to high-speed force-distance curve measurement using AFM: time-dependent response of PDMS example. <i>Ultramicroscopy</i> , 2008 , 108, 911-20	3.1	29
25	Evaluating Tribological Properties of Materials for Total Joint Replacements Using Scanning Probe Microscopy 2008 , 329-350		
24	Iterative Control Approach to High-Speed Force-Distance Curve Measurement Using AFM for Biological Applications 2007 ,		1
23	Method to generate surfaces with desired roughness parameters. <i>Langmuir</i> , 2007 , 23, 8347-51	4	8
22	A method to Generate Biomimetic Superhydrophobic Engineering Surfaces. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 1008, 1		
21	Surface Stress Generation During Formation of Alkanethiol Self-assembled Monolayer (SAM). <i>Materials Research Society Symposia Proceedings</i> , 2006 , 951, 5		
20	Effect of Crystallinity on the Friction Behavior of Ultra-high-molecular-weight-polyethylene. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 977, 1		
19	Instrument Statics 2006 , 1-31		
18	Generating random surfaces with desired autocorrelation length. <i>Applied Physics Letters</i> , 2006 , 88, 141903	3	16
17	The Effect of Protein Adsorption on the Friction Behavior of Ultra-High Molecular Weight Polyethylene 2006 , 1203		

16	The effect of protein adsorption on the friction behavior of ultra-high molecular weight polyethylene. <i>Tribology Letters</i> , 2006 , 22, 181-188	2.8	39
15	Adhesion and friction studies of silicon surfaces processed using a microparticle-based method. <i>Tribology Letters</i> , 2006 , 23, 1-5	2.8	10
14	A Comparison of Lateral Calibration Techniques for Quantitative Friction Force Microscopy 2005 , 821		1
13	Virtual Training Simulator for Atomic Force Microscopy 2005 , 567		
12	Comparison of the effect of surface roughness on the micro/nanotribological behavior of ultra-high-molecular-weight polyethylene (UHMWPE) in air and bovine serum solution. <i>Journal of Biomedical Materials Research - Part A</i> , 2005 , 74, 687-95	5.4	25
11	The effect of autocorrelation length on the real area of contact and friction behavior of rough surfaces. <i>Journal of Applied Physics</i> , 2005 , 97, 103526	2.5	22
10	Effect of microfabrication processes on surface roughness parameters of silicon surfaces. <i>Surface and Coatings Technology</i> , 2004 , 188-189, 581-587	4.4	32
9	Development of AFM-based techniques to measure mechanical properties of nanoscale structures. <i>Sensors and Actuators A: Physical</i> , 2002 , 101, 338-351	3.9	161
8	Mechanical property measurements of nanoscale structures using an atomic force microscope. <i>Ultramicroscopy</i> , 2002 , 91, 111-8	3.1	85
7	Development of a continuous microscratch technique in an atomic force microscope and its application to study scratch resistance of ultrathin hard amorphous carbon coatings. <i>Journal of Materials Research</i> , 2001 , 16, 437-445	2.5	76
6	Static friction and surface roughness studies of surface micromachined electrostatic micromotors using an atomic force/friction force microscope. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2001 , 19, 1777-1785	2.9	82
5	Topography-induced contributions to friction forces measured using an atomic force/friction force microscope. <i>Journal of Applied Physics</i> , 2000 , 88, 4825	2.5	116
4	Micro/nanotribology of ultra-thin hard amorphous carbon coatings using atomic force/friction force microscopy. <i>Wear</i> , 1999 , 225-229, 678-689	3.5	103
3	Micro/nanotribological studies of polysilicon and SiC films for MEMS applications. <i>Wear</i> , 1998 , 217, 251-261		112
2	Micro/Nanotribological Studies of Single-Crystal Silicon and Polysilicon and SiC Films for Use in MEMS Devices 1998 , 407-430		21
1	Instrument Statics1539		