
Jordi Pérez-Rodon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8250942/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Sex-Related Differences in Patients With Unexplained Syncope and Bundle Branch Block: Lower Risk of AV Block and Lesser Need for Cardiac Pacing in Women. Frontiers in Cardiovascular Medicine, 2022, 9, 838473.	2.4	8
2	Syncope in Patients With Severe Aortic Stenosis: More Than Just an Obstruction Issue. Canadian Journal of Cardiology, 2021, 37, 284-291.	1.7	14
3	Etiology and prognosis of patients with unexplained syncope and mid-range left ventricular dysfunction. Heart Rhythm, 2021, 18, 597-604.	0.7	9
4	Risk stratification of ventricular arrhythmias in repaired tetralogy of Fallot. Revista Espanola De Cardiologia (English Ed), 2021, 74, 935-942.	0.6	2
5	Cardiac biometric variables and arrhythmic events during COVID-19 pandemic lockdown in patients with an implantable cardiac monitor for syncope work-up. Medicina ClÃnica, 2021, 156, 496-499.	0.6	3
6	Substrate characterization of the right ventricle in repaired tetralogy of Fallot using late enhancement cardiac magnetic resonance. Heart Rhythm, 2021, 18, 1868-1875.	0.7	6
7	Cardiac monitoring for patients with palpitations. World Journal of Cardiology, 2021, 13, 608-627.	1.5	3
8	Syncope Time Frames for Adverse Events after Emergency Department Presentation: An Individual Patient Data Meta-Analysis. Medicina (Lithuania), 2021, 57, 1235.	2.0	1
9	Management of Heart Failure with Reduced Ejection Fraction after ESC 2016 Heart Failure Guidelines: The Linx Registry. ESC Heart Failure, 2020, 7, 26-36.	3.1	8
10	High incidence of subclinical atrial fibrillation in patients with syncope monitored with implantable cardiac monitor. International Journal of Cardiology, 2020, 316, 110-116.	1.7	7
11	Diagnostic Yield and Economic Assessment of a Diagnostic Protocol With Systematic Use of an External Loop Recorder for Patients With Palpitations. Revista Espanola De Cardiologia (English Ed), 2019, 72, 473-478.	0.6	6
12	Preprocedural imaging to guide transcoronary ethanol ablation for refractory septal ventricular tachycardia. Journal of Cardiovascular Electrophysiology, 2019, 30, 448-456.	1.7	12
13	Syncope, conduction disturbance, and negative electrophysiological test: Predictive factors and risk score to predict pacemaker implantation during follow-up. Heart Rhythm, 2019, 16, 905-912.	0.7	19
14	Flecainide Versus Procainamide in Electrophysiological Study in Patients With Syncope and Wide QRS Duration. JACC: Clinical Electrophysiology, 2019, 5, 212-219.	3.2	18
15	Predictors of Acute Failure Ablation of Intraâ€atrial Reâ€entrant Tachycardia in Patients With Congenital Heart Disease: Cardiac Disease, Atypical Flutter, and Previous Atrial Fibrillation. Journal of the American Heart Association, 2018, 7, .	3.7	13
16	Cardiac resynchronization therapy is associated with a reduction in ICD therapies as it improves ventricular function. Clinical Cardiology, 2018, 41, 803-808.	1.8	4
17	Syncope and bundle branch block. Herzschrittmachertherapie Und Elektrophysiologie, 2018, 29, 161-165.	0.8	9
18	Intra-atrial re-entrant tachycardia in patients with congenital heart disease: factors associated with disease severity. Europace, 2018, 20, 1343-1351.	1.7	7

Jordi Pérez-Rodon

#	Article	IF	CITATIONS
19	A risk score to predict the absence of left ventricular reverse remodeling: Implications for the timing of ICD implantation in primary prevention. Journal of Cardiology, 2018, 71, 505-512.	1.9	5
20	Intra-atrial re-entrant tachycardia in congenital heart disease: types and relation of isthmus to atrial voltage. Europace, 2018, 20, 353-361.	1.7	17
21	Predictors of positive electrophysiological study in patients with syncope and bundle branch block: PR interval and type of conduction disturbance. Clinical Cardiology, 2018, 41, 1537-1542.	1.8	15
22	Mechanisms of Intra-Atrial Re-Entrant Tachycardias in Congenital Heart Disease: Types and Predictors. American Journal of Cardiology, 2018, 122, 672-682.	1.6	6
23	Predictors of acute inefficacy and the radiofrequency energy time required for cavotricuspid isthmus-dependent atrial flutter ablation. Journal of Interventional Cardiac Electrophysiology, 2017, 49, 83-91.	1.3	4
24	Lifeâ€threatening and lifeâ€saving inappropriate implantable cardioverter defibrillator shocks. Clinical Case Reports (discontinued), 2017, 5, 521-525.	0.5	0
25	A Risk Score to Predict the Absence of Left Ventricular Reverse Remodelling: Implications for the Timing of ICD Implantation in Primary Prevention. European Cardiology Review, 2017, 12, 99.	2.2	1
26	Single Intracoronary Injection of Encapsulated Antagomirâ€92a Promotes Angiogenesis and Prevents Adverse Infarct Remodeling. Journal of the American Heart Association, 2014, 3, e000946.	3.7	76
27	Prognostic value of the electrocardiogram in patients with syncope: Data from the Group for Syncope Study in the Emergency Room (GESINUR). Heart Rhythm, 2014, 11, 2035-2044.	0.7	42