
## Morten Mau-SÃ, rensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8251224/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Patients in phase 1 cancer trials: psychological distress and understanding of trial information. Acta Oncológica, 2022, 61, 341-348.	1.8	1
2	A Phase II Study of the Efficacy and Safety of Oral Selinexor in Recurrent Glioblastoma. Clinical Cancer Research, 2022, 28, 452-460.	7.0	29
3	First-in-human phase 1 dose-escalation study of CAN04, a first-in-class interleukin-1 receptor accessory protein (IL1RAP) antibody in patients with solid tumours. British Journal of Cancer, 2022, 126, 1010-1017.	6.4	8
4	A first-in-man phase 1 study of the DNA-dependent protein kinase inhibitor peposertib (formerly M3814) in patients with advanced solid tumours. British Journal of Cancer, 2021, 124, 728-735.	6.4	64
5	Effect of ceritinib on the pharmacokinetics of coadministered CYP3A and 2C9 substrates: a phase I, multicenter, drug–drug interaction study in patients with ALK + advanced tumors. Cancer Chemotherapy and Pharmacology, 2021, 87, 475-486.	2.3	6
6	Prevalence of HER2 overexpression and amplification in squamous cell carcinoma of the esophagus: A systematic review and meta-analysis. Critical Reviews in Oncology/Hematology, 2021, 161, 103339.	4.4	9
7	HER2 Positivity in Histological Subtypes of Salivary Gland Carcinoma: A Systematic Review and Meta-Analysis. Frontiers in Oncology, 2021, 11, 693394.	2.8	38
8	Perioperative exercise training for patients with gastrointestinal cancer undergoing surgery: A systematic review and meta-analysis. European Journal of Surgical Oncology, 2021, 47, 3028-3039.	1.0	4
9	Serum IL6 as a Prognostic Biomarker and IL6R as a Therapeutic Target in Biliary Tract Cancers. Clinical Cancer Research, 2020, 26, 5655-5667.	7.0	21
10	Efficacy and Determinants of Response to HER Kinase Inhibition in <i>HER2</i> -Mutant Metastatic Breast Cancer. Cancer Discovery, 2020, 10, 198-213.	9.4	83
11	A phase I study of the PARP inhibitor niraparib in combination with bevacizumab in platinum-sensitive epithelial ovarian cancer: NSGO AVANOVA1/ENGOT-OV24. Cancer Chemotherapy and Pharmacology, 2019, 84, 791-798.	2.3	17
12	High frequency of pathogenic germline variants within homologous recombination repair in patients with advanced cancer. Npj Genomic Medicine, 2019, 4, 13.	3.8	63
13	Pharmacokinetics and Safety of Olaparib in Patients with Advanced Solid Tumours and Renal Impairment. Clinical Pharmacokinetics, 2019, 58, 1165-1174.	3.5	19
14	Copenhagen Prospective Personalized Oncology (CoPPO)—Clinical Utility of Using Molecular Profiling to Select Patients to Phase I Trials. Clinical Cancer Research, 2019, 25, 1239-1247.	7.0	59
15	Application of cell-free DNA for genomic tumor profiling: a feasibility study. Oncotarget, 2019, 10, 1388-1398.	1.8	13
16	Enhanced detection of circulating tumor DNA by fragment size analysis. Science Translational Medicine, 2018, 10, .	12.4	670
17	Safety and efficacy of selinexor in relapsed or refractory multiple myeloma and Waldenstrom macroglobulinemia. Blood, 2018, 131, 855-863.	1.4	105
18	Circulating tumor DNA as a marker of treatment response in BRAF V600E mutated non-melanoma solid tumors. Oncotarget, 2018, 9, 32570-32579.	1.8	15

Morten Mau-SÃ, rensen

#	Article	IF	CITATIONS
19	Clopidogrel–Paclitaxel Drug–Drug Interaction: A Pharmacoepidemiologic Study. Clinical Pharmacology and Therapeutics, 2017, 102, 547-553.	4.7	27
20	Threeâ€year followâ€up of implementation of evidenceâ€based transfusion practice in a tertiary hospital. Vox Sanguinis, 2017, 112, 229-239.	1.5	10
21	Detection of copy number alterations in cell-free tumor DNA from plasma. BBA Clinical, 2017, 7, 120-126.	4.1	9
22	Phase Ib Study of Lumretuzumab Plus Cetuximab or Erlotinib in Solid Tumor Patients and Evaluation of HER3 and Heregulin as Potential Biomarkers of Clinical Activity. Clinical Cancer Research, 2017, 23, 5406-5415.	7.0	29
23	Inhibition of the Nuclear Export Receptor XPO1 as a Therapeutic Target for Platinum-Resistant Ovarian Cancer. Clinical Cancer Research, 2017, 23, 1552-1563.	7.0	65
24	Effect of Itraconazole and Rifampin on the Pharmacokinetics of Olaparib in Patients With Advanced Solid Tumors: Results of Two Phase I Open-label Studies. Clinical Therapeutics, 2016, 38, 2286-2299.	2.5	42
25	Exposure and Tumor Fn14 Expression as Determinants of Pharmacodynamics of the Anti-TWEAK Monoclonal Antibody RG7212 in Patients with Fn14-Positive Solid Tumors. Clinical Cancer Research, 2016, 22, 858-867.	7.0	28
26	Effect of bevacizumab on intracranial meningiomas in patients with neurofibromatosis type 2 – a retrospective case series. International Journal of Neuroscience, 2016, 126, 1002-1006.	1.6	19
27	A Phase I Dose-Escalation Study of Antibody BI-505 in Relapsed/Refractory Multiple Myeloma. Clinical Cancer Research, 2015, 21, 2730-2736.	7.0	41
28	Phase 1 dose-escalation study of the antiplacental growth factor monoclonal antibody RO5323441 combined with bevacizumab in patients with recurrent glioblastoma. Neuro-Oncology, 2015, 17, 1007-1015.	1.2	38
29	TOP1 gene copy numbers are increased in cancers of the bile duct and pancreas. Scandinavian Journal of Gastroenterology, 2015, 50, 485-494.	1.5	15
30	A Phase I Monotherapy Study of RG7212, a First-in-Class Monoclonal Antibody Targeting TWEAK Signaling in Patients with Advanced Cancers. Clinical Cancer Research, 2015, 21, 258-266.	7.0	32
31	Decline in CA19-9 during chemotherapy predicts survival in four independent cohorts of patients with inoperable bile duct cancer. European Journal of Cancer, 2015, 51, 1381-1388.	2.8	19
32	A phase I trial of intravenous catumaxomab: a bispecific monoclonal antibody targeting EpCAM and the T cell coreceptor CD3. Cancer Chemotherapy and Pharmacology, 2015, 75, 1065-1073.	2.3	50
33	The effect of bevacizumab on vestibular schwannoma tumour size and hearing in patients with neurofibromatosis type 2. European Archives of Oto-Rhino-Laryngology, 2015, 272, 3627-3633.	1.6	44
34	Olaparib tablet formulation: effect of food on the pharmacokinetics after oral dosing in patients with advanced solid tumours. Cancer Chemotherapy and Pharmacology, 2015, 76, 723-729.	2.3	46
35	Safety, Efficacy, and Determination of the Recommended Phase 2 Dose for the Oral Selective Inhibitor of Nuclear Export (SINE) Selinexor (KPT-330). Blood, 2015, 126, 258-258.	1.4	13
36	Prognostic significance of circulating intact and cleaved forms of urokinase plasminogen activator receptor in inoperable chemotherapy treated cholangiocarcinoma patients. Clinical Biochemistry, 2014, 47, 599-604.	1.9	7

#	Article	IF	CITATIONS
37	Serum tumor markers in bile duct cancer – a review. Biomarkers, 2014, 19, 437-443.	1.9	36
38	Tissue inhibitor of metalloproteinase 1 (TIMP-1) as a biomarker in gastric cancer: a review. Scandinavian Journal of Gastroenterology, 2013, 48, 899-905.	1.5	55