

Stephan Madersbacher

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8252020/stephan-madersbacher-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

5,889
citations

41
h-index

76
g-index

127
ext. papers

6,755
ext. citations

5.3
avg, IF

5.41
L-index

#	Paper	IF	Citations
115	EAU Guidelines on the Assessment of Non-neurogenic Male Lower Urinary Tract Symptoms including Benign Prostatic Obstruction. <i>European Urology</i> , 2015 , 67, 1099-1109	10.2	541
114	EAU 2004 guidelines on assessment, therapy and follow-up of men with lower urinary tract symptoms suggestive of benign prostatic obstruction (BPH guidelines). <i>European Urology</i> , 2004 , 46, 547-547	10.2	435
113	A Systematic Review and Meta-analysis of Functional Outcomes and Complications Following Transurethral Procedures for Lower Urinary Tract Symptoms Resulting from Benign Prostatic Obstruction: An Update. <i>European Urology</i> , 2015 , 67, 1066-1096	10.2	406
112	Urinary incontinence in both sexes: prevalence rates and impact on quality of life and sexual life. <i>Neurourology and Urodynamics</i> , 2000 , 19, 259-71	2.3	255
111	Prevalence and risk factors for erectile dysfunction in 2869 men using a validated questionnaire. <i>European Urology</i> , 2005 , 47, 80-5; discussion 85-6	10.2	239
110	High-grade prostate cancer is associated with low serum testosterone levels. <i>Prostate</i> , 2001 , 47, 52-8	4.2	237
109	Benign prostatic hyperplasia: age-related tissue-remodeling. <i>Experimental Gerontology</i> , 2005 , 40, 121-8	4.5	204
108	A contemporary assessment of nocturia: definition, epidemiology, pathophysiology, and management--a systematic review and meta-analysis. <i>European Urology</i> , 2012 , 62, 877-90	10.2	173
107	Reoperation, myocardial infarction and mortality after transurethral and open prostatectomy: a nation-wide, long-term analysis of 23,123 cases. <i>European Urology</i> , 2005 , 47, 499-504	10.2	171
106	The aging lower urinary tract: a comparative urodynamic study of men and women. <i>Urology</i> , 1998 , 51, 206-12	1.6	162
105	Contemporary management of lower urinary tract disease with botulinum toxin A: a systematic review of botox (onabotulinumtoxinA) and dysport (abobotulinumtoxinA). <i>European Urology</i> , 2011 , 60, 784-95	10.2	151
104	The association between vascular risk factors and lower urinary tract symptoms in both sexes. <i>European Urology</i> , 2006 , 50, 581-6	10.2	136
103	Cross-sectional study of nocturia in both sexes: analysis of a voluntary health screening project. <i>Urology</i> , 2000 , 56, 71-5	1.6	122
102	Prevalence of the overactive bladder syndrome by applying the International Continence Society definition. <i>European Urology</i> , 2005 , 48, 622-7	10.2	117
101	A polymorphism in the CYP17 gene is associated with prostate cancer risk. <i>International Journal of Cancer</i> , 2000 , 87, 434-7	7.5	98
100	Is the metabolic syndrome an independent risk factor for erectile dysfunction?. <i>Journal of Urology</i> , 2007 , 177, 651-4	2.5	92
99	Association between lower urinary tract symptoms and erectile dysfunction. <i>Urology</i> , 2004 , 64, 772-6	1.6	86

98	The early postoperative morbidity of transurethral resection of the prostate and of 4 minimally invasive treatment alternatives. <i>Journal of Urology</i> , 1997 , 158, 105-10; discussion 110-1	2.5	83
97	Prevalence and correlates for interstitial cystitis symptoms in women participating in a health screening project. <i>European Urology</i> , 2007 , 51, 803-8; discussion 809	10.2	83
96	The long-term outcome of medical therapy for BPH. <i>European Urology</i> , 2007 , 51, 1522-33	10.2	80
95	Polymorphisms of glutathione-S-transferase genes (GSTP1, GSTM1 and GSTT1) and prostate-cancer risk. <i>International Journal of Cancer</i> , 2001 , 95, 152-5	7.5	76
94	Do differences in clinical symptoms and referral patterns contribute to the gender gap in bladder cancer?. <i>BJU International</i> , 2013 , 112, 68-73	5.6	75
93	Age Related Urodynamic Changes in Patients with Benign Prostatic Hyperplasia. <i>Journal of Urology</i> , 1996 , 156, 1662-1667	2.5	75
92	The International Prostate Symptom score in both sexes: a urodynamics-based comparison. <i>Neurourology and Urodynamics</i> , 1999 , 18, 173-82	2.3	72
91	Nocturia is an age-independent risk factor for hip-fractures in men. <i>Neurourology and Urodynamics</i> , 2009 , 28, 949-52	2.3	68
90	Pathophysiology of Benign Prostatic Hyperplasia and Benign Prostatic Enlargement: A Mini-Review. <i>Gerontology</i> , 2019 , 65, 458-464	5.5	66
89	Interrelationships of bladder compliance with age, detrusor instability, and obstruction in elderly men with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 1999 , 18, 3-15	2.3	66
88	Risk factors for lower urinary tract symptoms in elderly men. For the Prostate Study Group of the Austrian Society of Urology. <i>European Urology</i> , 2000 , 37, 413-20	10.2	63
87	The role of intermittent androgen deprivation in prostate cancer. <i>BJU International</i> , 2007 , 100, 738-43	5.6	54
86	Impact of radical prostatectomy and TURP on the hypothalamic-pituitary-gonadal hormone axis. <i>Urology</i> , 2002 , 60, 869-74	1.6	54
85	Prevalence of lower urinary tract symptoms in Austria as assessed by an open survey of 2,096 men. <i>European Urology</i> , 1998 , 34, 136-41	10.2	54
84	Are lower urinary tract symptoms influenced by metabolic syndrome?. <i>Urology</i> , 2009 , 73, 544-8	1.6	48
83	The natural history of lower urinary tract symptoms over five years. <i>European Urology</i> , 2003 , 43, 374-80	10.2	48
82	Lower urinary tract symptoms and urinary incontinence in a geriatric cohort - a population-based analysis. <i>BJU International</i> , 2012 , 110, 1516-21	5.6	46
81	Symptoms suggestive of chronic pelvic pain syndrome in an urban population: prevalence and associations with lower urinary tract symptoms and erectile function. <i>Journal of Urology</i> , 2007 , 177, 1815-9	2.5	45

80	Genetic polymorphisms and prostate cancer risk. <i>World Journal of Urology</i> , 2004 , 21, 414-23	4	45
79	Chronic pelvic pain and lower urinary tract symptoms in both sexes: analysis of 2749 participants of an urban health screening project. <i>European Urology</i> , 2009 , 55, 499-507	10.2	44
78	Transurethral Resection of the Prostate. <i>European Urology Supplements</i> , 2009 , 8, 504-512	0.9	44
77	Regulation of heat shock protein 27 expression of prostatic cells in response to heat treatment. <i>Prostate</i> , 1998 , 37, 174-81	4.2	44
76	Systematic Review of the Performance of Noninvasive Tests in Diagnosing Bladder Outlet Obstruction in Men with Lower Urinary Tract Symptoms. <i>European Urology</i> , 2017 , 71, 391-402	10.2	43
75	Medical Treatment of Nocturia in Men with Lower Urinary Tract Symptoms: Systematic Review by the European Association of Urology Guidelines Panel for Male Lower Urinary Tract Symptoms. <i>European Urology</i> , 2017 , 72, 757-769	10.2	42
74	Association of polymorphisms within androgen receptor, 5alpha-reductase, and PSA genes with prostate volume, clinical parameters, and endocrine status in elderly men. <i>Prostate</i> , 2002 , 52, 130-8	4.2	41
73	The natural history of lower urinary tract symptoms in females: analysis of a health screening project. <i>European Urology</i> , 2007 , 52, 1744-50	10.2	38
72	High-energy shockwaves and extracorporeal high-intensity focused ultrasound. <i>Journal of Endourology</i> , 2003 , 17, 667-72	2.7	38
71	Andrological status before and after liver transplantation. <i>Journal of Urology</i> , 1994 , 151, 1251-4	2.5	35
70	Incidence and remission of female urinary incontinence over 6.5 years: analysis of a health screening project. <i>European Urology</i> , 2006 , 50, 327-32	10.2	33
69	Lower urinary tract symptoms, urinary incontinence, sexual function and quality of life after radical prostatectomy and external beam radiation therapy: real life experience in Austria. <i>World Journal of Urology</i> , 2006 , 24, 325-30	4	33
68	Perioperative complications and 90-day mortality of radical cystectomy in the elderly (75+): a retrospective, multicentre study. <i>Urologia Internationalis</i> , 2014 , 93, 296-302	1.9	31
67	The prevalence of lower urinary tract symptoms in Austrian males and associations with sociodemographic variables. <i>European Journal of Epidemiology</i> , 1999 , 15, 717-22	12.1	30
66	A comparative cross-sectional study of lower urinary tract symptoms in both sexes. <i>European Urology</i> , 2001 , 40, 213-9	10.2	28
65	Is there an association between lower urinary tract symptoms and cardiovascular risk in men? A cross sectional and longitudinal analysis. <i>Urology</i> , 2011 , 78, 1063-7	1.6	26
64	Management of Urinary Retention in Patients with Benign Prostatic Obstruction: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2019 , 75, 788-798	10.2	26
63	Endocrine patterns in patients with benign and malignant prostatic diseases. <i>Prostate</i> , 2000 , 44, 219-24	4.2	23

62	Comparison of complications from radical cystectomy between old-old versus oldest-old patients. <i>Urologia Internationalis</i> , 2015 , 94, 25-30	1.9	22
61	Association of vitamin D receptor and 17 hydroxylase gene polymorphisms with benign prostatic hyperplasia and benign prostatic enlargement. <i>Urology</i> , 2001 , 57, 567-72	1.6	21
60	Insulin-like growth factor 1, chromogranin A and prostate specific antigen serum levels in prostate cancer patients and controls. <i>European Urology</i> , 2005 , 48, 34-9	10.2	20
59	Reoperation Rates and Mortality After Transurethral and Open Prostatectomy in a Long-term Nationwide Analysis: Have We Improved Over a Decade?. <i>Urology</i> , 2018 , 118, 152-157	1.6	19
58	The influence of family history on prostate cancer risk: implications for clinical management. <i>BJU International</i> , 2011 , 107, 716-721	5.6	18
57	The natural history of the overactive bladder syndrome in females: a long-term analysis of a health screening project. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1437-41	2.3	18
56	Impact of the use of bowel for urinary diversion on perioperative complications and 90-day mortality in patients aged 75 years or older. <i>Urologia Internationalis</i> , 2015 , 94, 394-400	1.9	17
55	Plant extracts: sense or nonsense?. <i>Current Opinion in Urology</i> , 2008 , 18, 16-20	2.8	17
54	Comparative analysis of gender-related differences in symptoms and referral patterns prior to initial diagnosis of urothelial carcinoma of the bladder: a prospective cohort study. <i>Urologia Internationalis</i> , 2015 , 94, 37-44	1.9	15
53	Cognitive and mood side effects of lower urinary tract medication. <i>Expert Opinion on Drug Safety</i> , 2019 , 18, 915-923	4.1	14
52	Radical prostatectomy in Austria: a nationwide analysis of 16,524 cases. <i>European Urology</i> , 2007 , 51, 684-8; discussion 689	10.2	14
51	Update of the ICUD-SIU International Consultation on Bladder Cancer 2018: urinary diversion. <i>World Journal of Urology</i> , 2019 , 37, 85-93	4	14
50	Bladder preservation in octogenarians with invasive bladder cancer. <i>Urology</i> , 2010 , 75, 370-5	1.6	13
49	Organ-sparing surgery of penile cancer: higher rate of local recurrence yet no impact on overall survival. <i>World Journal of Urology</i> , 2020 , 38, 417-424	4	13
48	A Relevant Midterm (12 Months) Placebo Effect on Lower Urinary Tract Symptoms and Maximum Flow Rate in Male Lower Urinary Tract Symptom and Benign Prostatic Hyperplasia-A Meta-analysis. <i>Urology</i> , 2017 , 106, 160-166	1.6	11
47	10 years follow-up after mid-urethral sling implantation: high rate of cure yet a re-occurrence of OAB-symptoms. <i>Neurourology and Urodynamics</i> , 2017 , 36, 614-619	2.3	10
46	The Long-Term Effect of Radical Prostatectomy on Erectile Function, Urinary Continence, and Lower Urinary Tract Symptoms: A Comparison to Age-Matched Healthy Controls. <i>BioMed Research International</i> , 2017 , 2017, 9615080	3	10
45	Radical prostatectomy in Austria from 1992 to 2009: an updated nationwide analysis of 33,580 cases. <i>Journal of Urology</i> , 2012 , 187, 1626-31	2.5	10

44	Is eligibility for a chemotherapy protocol a good prognostic factor for invasive bladder cancer after radical cystectomy?. <i>Journal of Clinical Oncology</i> , 2004 , 22, 4103-8	2.2	10
43	Prevalence and risk factors for erectile dysfunction in Austria--analysis of a health screening project. <i>Wiener Klinische Wochenschrift</i> , 2003 , 115, 822-30	2.3	10
42	The relationship between cerebral white matter hyperintensities and lower urinary tract function in a population based, geriatric cohort. <i>Neurourology and Urodynamics</i> , 2014 , 33, 431-6	2.3	9
41	Comparison of radical cystectomy with conservative treatment in geriatric (80) patients with muscle-invasive bladder cancer. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013 , 39, 622-30	2	9
40	Prevalence of lower urinary tract symptoms in Austrian males: update 2009. <i>Urologia Internationalis</i> , 2011 , 87, 385-91	1.9	9
39	The role of novel minimally invasive treatments for lower urinary tract symptoms associated with benign prostatic hyperplasia. <i>BJU International</i> , 2020 , 126, 317-326	5.6	8
38	Impact of gender on tumor stage and survival of upper urinary tract urothelial cancer : A population-based study. <i>Wiener Klinische Wochenschrift</i> , 2017 , 129, 385-390	2.3	7
37	Abiraterone for castration-resistant prostate cancer: adherence, survival and hospitalization : Analysis of a medical claims database. <i>Wiener Klinische Wochenschrift</i> , 2017 , 129, 380-384	2.3	7
36	The Microbiome in Benign Renal Tissue and in Renal Cell Carcinoma. <i>Urologia Internationalis</i> , 2020 , 104, 247-252	1.9	7
35	Re: Tamsulosin and the Risk of Dementia in Older Men with Benign Prostatic Hyperplasia. <i>European Urology</i> , 2018 , 74, 522-523	10.2	6
34	Abiraterone acetate, enzalutamide and their sequence for castration-resistant prostate cancer : Adherence, survival and hospitalization analysis of a medical claims database. <i>Wiener Klinische Wochenschrift</i> , 2018 , 130, 659-664	2.3	6
33	Association of polymorphisms in CYP19A1 and CYP3A4 genes with lower urinary tract symptoms, prostate volume, uroflow and PSA in a population-based sample. <i>World Journal of Urology</i> , 2011 , 29, 143-8	4	5
32	Medical Management of BPH: Role of Plant Extracts. <i>EAU-EBU Update Series</i> , 2007 , 5, 197-205		5
31	Bladder cancer in nonagenarians: a multicentre study of 123 patients. <i>BJU International</i> , 2018 , 122, 1010-1015	5.10	4
30	Re: Comparison of Prostatic Artery Embolization (PAE) Versus Transurethral Resection of the Prostate (TURP) for Benign Prostatic Hyperplasia: Randomised, Open Label, Non-inferiority Trial. <i>European Urology</i> , 2018 , 74, 844	10.2	3
29	Prostate cancer in senior adults: over- or undertreated?. <i>Wiener Medizinische Wochenschrift</i> , 2009 , 159, 521-8	2.9	3
28	Holmium laser-enucleation of the prostate enables early catheter removal. <i>BJU International</i> , 2004 , 94, 931-3	5.6	3
27	Management of lower urinary tract symptoms of elderly men in Austria. <i>European Urology</i> , 2001 , 39, 145-50	10.2	3

26	Phytotherapy Adds to the Therapeutic Armamentarium for the Treatment of Mild-To-Moderate Lower Urinary Tract Symptoms in Men. <i>Urologia Internationalis</i> , 2020 , 104, 333-342	1.9	3
25	The international prostate symptom score in both sexes: A urodynamics-based comparison 1999 , 18, 173		3
24	Words of wisdom. Re: Effect of dutasteride on the risk of prostate cancer. Andriole GL, Bostwick DG, Brawley OW, et al. REDUCE Study Group. <i>N Engl J Med</i> 2010;362:1192-202. <i>European Urology</i> , 2010 , 58, 312	10.2	2
23	Radical prostatectomies in Austria, 1997-2004. <i>BMC Research Notes</i> , 2008 , 1, 48	2.3	2
22	Can a Simple Geriatric Assessment Predict the Outcome of TURP?. <i>Urologia Internationalis</i> , 2020 , 104, 367-372	1.9	2
21	Re: Efficacy and Safety of Tadalafil 5mg Once Daily in the Treatment of Lower Urinary Tract Symptoms Associated with Benign Prostatic Hyperplasia in Men Aged ≥5 years: Integrated Analyses of Pooled Data from Multinational, Randomized, Placebo-controlled Clinical Studies. <i>European Urology</i> , 2017 , 71, 888	10.2	1
20	Re: WATER: A Double-blind, Randomized, Controlled Trial of Aquablation vs Transurethral Resection of the Prostate in Benign Prostatic Hyperplasia. <i>European Urology</i> , 2018 , 74, 233	10.2	1
19	Ideal timing of indwelling catheter removal after robot-assisted radical prostatectomy with a running barbed suture technique: a prospective analysis of 425 consecutive patients. <i>World Journal of Urology</i> , 2020 , 38, 2177-2183	4	1
18	Is there a place for indwelling transurethral catheterization in women with febrile urinary tract infection? A prospective randomized trial. <i>World Journal of Urology</i> , 2019 , 37, 849-852	4	1
17	The future of urology: nonagenarians admitted to a urological ward. <i>World Journal of Urology</i> , 2021 , 39, 3671-3676	4	1
16	Editorial comment on: GreenLight laser vaporization of the prostate: single-center experience and long-term results after 500 procedures. <i>European Urology</i> , 2008 , 54, 901	10.2	0
15	Surgery in renal cell carcinoma: when, whom and how?. <i>Memo - Magazine of European Medical Oncology</i> , 2019 , 12, 347-351	0.3	0
14	Management of nonmetastatic muscle invasive bladder cancer in the elderly. <i>Memo - Magazine of European Medical Oncology</i> , 2019 , 12, 315-318	0.3	0
13	The long-term outcome of urethrotomy for primary urethral strictures: a population-based analysis. <i>BJU International</i> , 2021 , 128, 477-481	5.6	0
12	High-grade prostate cancer is associated with low serum testosterone levels 2001 , 47, 52		0
11	Re: Functional Outcomes After Transurethral Resection of the Prostate in Nursing Home Residents. <i>European Urology</i> , 2017 , 71, 989	10.2	
10	Active surveillance for low-risk prostate cancer in Austria: the online registry of the Qualitätspartnerschaft Urologie (QuapU). <i>Wiener Klinische Wochenschrift</i> , 2017 , 129, 375-379	2.3	
9	Postmicturition Dribble: A Physiological Phenomenon?. <i>Urologia Internationalis</i> , 2019 , 102, 487-491	1.9	

- 8 Words of wisdom: Re: Population based study of long-term rates of surgery for urinary incontinence after radical prostatectomy for prostate cancer. *European Urology*, **2013**, 63, 962-3 10.2
- 7 Re: Fleur I. de Korte, Jochem W. van Werkum, Peter L.M. Vijverberg, Jurriën M. ten Berg. Late coronary stent thrombosis complicating urologic surgery. *Eur Urol* 2008;54:221-5. *European Urology*, **2009**, 55, e27-8 10.2
- 6 Re: Alfuzosin and symptoms of chronic prostatitis-chronic pelvic pain syndrome. *European Urology*, **2009**, 56, 399 10.2
- 5 THE CHIMPANZEE AS A MODEL OF HUMAN BENIGN PROSTATIC HYPERPLASIA. *Journal of Urology*, **1999**, 162, 1245-1245 2.5
- 4 Benignes Prostatasyndrom: Löst sich die Progression verhindern?. *Uro-News*, **2021**, 25, 36-43 0
- 3 Re: Medication Discontinuation Following Transurethral Prostatectomy: An Unrecognized Effectiveness Measure?. *European Urology*, **2021**, 80, 760 10.2
- 2 Aufnahmen von über 90-Jährigen auf einer urologischen Abteilung. *Journal Fur Urologie Und Urogynakologie*, **2021**, 28, 97-102 0
- 1 Re: Water Vapor Thermal Therapy to Alleviate Catheter-dependent Urinary Retention Secondary to Benign Prostatic Hyperplasia. *European Urology*, **2021**, 80, 759 10.2