## Stephan Madersbacher

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8252020/stephan-madersbacher-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115<br/>papers5,889<br/>citations41<br/>h-index76<br/>g-index127<br/>ext. papers6,755<br/>ext. citations5.3<br/>avg, IF5.41<br/>L-index

#	Paper	IF	Citations
115	The long-term outcome of urethrotomy for primary urethral strictures: a population-based analysis. <i>BJU International</i> , <b>2021</b> , 128, 477-481	5.6	O
114	Benignes Prostatasyndrom: L\(\text{B}\)st sich die Progression verhindern?. <i>Uro-News</i> , <b>2021</b> , 25, 36-43	0	
113	The future of urology: nonagenarians admitted to a urological ward. World Journal of Urology, <b>2021</b> , 39, 3671-3676	4	1
112	Re: Medication Discontinuation Following Transurethral Prostatectomy: An Unrecognized Effectiveness Measure?. <i>European Urology</i> , <b>2021</b> , 80, 760	10.2	
111	Aufnahmen von Ber 90-JBrigen auf einer urologischen Abteilung. <i>Journal Fur Urologie Und</i> <i>Urogynakologie</i> , <b>2021</b> , 28, 97-102	0	
110	Re: Water Vapor Thermal Therapy to Alleviate Catheter-dependent Urinary Retention Secondary to Benign Prostatic Hyperplasia. <i>European Urology</i> , <b>2021</b> , 80, 759	10.2	
109	The role of novel minimally invasive treatments for lower urinary tract symptoms associated with benign prostatic hyperplasia. <i>BJU International</i> , <b>2020</b> , 126, 317-326	5.6	8
108	Ideal timing of indwelling catheter removal after robot-assisted radical prostatectomy with a running barbed suture technique: a prospective analysis of 425 consecutive patients. <i>World Journal of Urology</i> , <b>2020</b> , 38, 2177-2183	4	1
107	Phytotherapy Adds to the Therapeutic Armamentarium for the Treatment of Mild-To-Moderate Lower Urinary Tract Symptoms in Men. <i>Urologia Internationalis</i> , <b>2020</b> , 104, 333-342	1.9	3
106	The Microbiome in Benign Renal Tissue and in Renal Cell Carcinoma. <i>Urologia Internationalis</i> , <b>2020</b> , 104, 247-252	1.9	7
105	Organ-sparing surgery of penile cancer: higher rate of local recurrence yet no impact on overall survival. <i>World Journal of Urology</i> , <b>2020</b> , 38, 417-424	4	13
104	Can a Simple Geriatric Assessment Predict the Outcome of TURP?. <i>Urologia Internationalis</i> , <b>2020</b> , 104, 367-372	1.9	2
103	Pathophysiology of Benign Prostatic Hyperplasia and Benign Prostatic Enlargement: A Mini-Review. <i>Gerontology</i> , <b>2019</b> , 65, 458-464	5.5	66
102	Postmicturition Dribble: A Physiological Phenomenon?. <i>Urologia Internationalis</i> , <b>2019</b> , 102, 487-491	1.9	
101	Cognitive and mood side effects of lower urinary tract medication. <i>Expert Opinion on Drug Safety</i> , <b>2019</b> , 18, 915-923	4.1	14
100	Surgery in renal cell carcinomalwhen, whom and how?. <i>Memo - Magazine of European Medical Oncology</i> , <b>2019</b> , 12, 347-351	0.3	0
99	Management of Urinary Retention in Patients with Benign Prostatic Obstruction: A Systematic Review and Meta-analysis. <i>European Urology</i> , <b>2019</b> , 75, 788-798	10.2	26

98	Management of nonmetastatic muscle invasive bladder cancer in the elderly. <i>Memo - Magazine of European Medical Oncology</i> , <b>2019</b> , 12, 315-318	0.3	О
97	Is there a place for indwelling transurethral catheterization in women with febrile urinary tract infection? A prospective randomized trial. <i>World Journal of Urology</i> , <b>2019</b> , 37, 849-852	4	1
96	Update of the ICUD-SIU International Consultation on Bladder Cancer 2018: urinary diversion. <i>World Journal of Urology</i> , <b>2019</b> , 37, 85-93	4	14
95	Re: WATER: A Double-blind, Randomized, Controlled Trial of Aquablation vs Transurethral Resection of the Prostate in Benign Prostatic Hyperplasia. <i>European Urology</i> , <b>2018</b> , 74, 233	10.2	1
94	Re: Tamsulosin and the Risk of Dementia in Older Men with Benign Prostatic Hyperplasia. <i>European Urology</i> , <b>2018</b> , 74, 522-523	10.2	6
93	Re: Comparison of Prostatic Artery Embolization (PAE) Versus Transurethral Resection of the Prostate (TURP) for Benign Prostatic Hyperplasia: Randomised, Open Label, Non-inferiority Trial. <i>European Urology</i> , <b>2018</b> , 74, 844	10.2	3
92	Reoperation Rates and Mortality After Transurethral and Open Prostatectomy in a Long-term Nationwide Analysis: Have We Improved Over a Decade?. <i>Urology</i> , <b>2018</b> , 118, 152-157	1.6	19
91	Bladder cancer in nonagenarians: a multicentre study of 123 patients. <i>BJU International</i> , <b>2018</b> , 122, 10 <sup>-1</sup>	10 <u>5</u> 16015	5 4
90	Abiraterone acetate, enzalutamide and their sequence for castration-resistant prostate cancer: Adherence, survival and hospitalization analysis of almedical claims database. <i>Wiener Klinische Wochenschrift</i> , <b>2018</b> , 130, 659-664	2.3	6
89	10 years follow-up after mid-urethral sling implantation: high rate of cure yet a re-occurrence of OAB-symptoms. <i>Neurourology and Urodynamics</i> , <b>2017</b> , 36, 614-619	2.3	10
88	Re: Functional Outcomes After Transurethral Resection of the Prostate in Nursing Home Residents. <i>European Urology</i> , <b>2017</b> , 71, 989	10.2	
87	Re: Efficacy and Safety of Tadalafil 5mg Once Daily in the Treatment of Lower Urinary Tract Symptoms Associated with Benign Prostatic Hyperplasia in Men Aged 🛭 5 years: Integrated Analyses of Pooled Data from Multinational, Randomized, Placebo-controlled Clinical Studies.	10.2	1
86	A Relevant Midterm (12 Months) Placebo Effect on Lower Urinary Tract Symptoms and Maximum Flow Rate in Male Lower Urinary Tract Symptom and Benign Prostatic Hyperplasia-A Meta-analysis. <i>Urology</i> , <b>2017</b> , 106, 160-166	1.6	11
85	Active surveillance for low-risk prostate cancer in Austria: the online registry of the QualitEspartnerschaft Urologie (QuapU). Wiener Klinische Wochenschrift, <b>2017</b> , 129, 375-379	2.3	
84	Impact of gender on tumor stage and survival of upper urinary tract urothelial cancer : Alpopulation-based study. <i>Wiener Klinische Wochenschrift</i> , <b>2017</b> , 129, 385-390	2.3	7
83	Medical Treatment of Nocturia in Men with Lower Urinary Tract Symptoms: Systematic Review by the European Association of Urology Guidelines Panel for Male Lower Urinary Tract Symptoms. <i>European Urology</i> , <b>2017</b> , 72, 757-769	10.2	42
82	Abiraterone for castration-resistant prostate cancer: adherence, survival and hospitalization: Analysis of almedical claims database. <i>Wiener Klinische Wochenschrift</i> , <b>2017</b> , 129, 380-384	2.3	7
81	Systematic Review of the Performance of Noninvasive Tests in Diagnosing Bladder Outlet Obstruction in Men with Lower Urinary Tract Symptoms. <i>European Urology</i> , <b>2017</b> , 71, 391-402	10.2	43

80	The Long-Term Effect of Radical Prostatectomy on Erectile Function, Urinary Continence, and Lower Urinary Tract Symptoms: A Comparison to Age-Matched Healthy Controls. <i>BioMed Research International</i> , <b>2017</b> , 2017, 9615080	3	10
79	Impact of the use of bowel for urinary diversion on perioperative complications and 90-day mortality in patients aged 75 years or older. <i>Urologia Internationalis</i> , <b>2015</b> , 94, 394-400	1.9	17
78	Comparison of complications from radical cystectomy between old-old versus oldest-old patients. <i>Urologia Internationalis</i> , <b>2015</b> , 94, 25-30	1.9	22
77	A Systematic Review and Meta-analysis of Functional Outcomes and Complications Following Transurethral Procedures for Lower Urinary Tract Symptoms Resulting from Benign Prostatic Obstruction: An Update. <i>European Urology</i> , <b>2015</b> , 67, 1066-1096	10.2	406
76	EAU Guidelines on the Assessment of Non-neurogenic Male Lower Urinary Tract Symptoms including Benign Prostatic Obstruction. <i>European Urology</i> , <b>2015</b> , 67, 1099-1109	10.2	541
75	Comparative analysis of gender-related differences in symptoms and referral patterns prior to initial diagnosis of urothelial carcinoma of the bladder: a prospective cohort study. <i>Urologia Internationalis</i> , <b>2015</b> , 94, 37-44	1.9	15
74	The relationship between cerebral white matter hyperintensities and lower urinary tract function in a population based, geriatric cohort. <i>Neurourology and Urodynamics</i> , <b>2014</b> , 33, 431-6	2.3	9
73	Perioperative complications and 90-day mortality of radical cystectomy in the elderly (75+): a retrospective, multicentre study. <i>Urologia Internationalis</i> , <b>2014</b> , 93, 296-302	1.9	31
72	Words of wisdom: Re: Population based study of long-term rates of surgery for urinary incontinence after radical prostatectomy for prostate cancer. <i>European Urology</i> , <b>2013</b> , 63, 962-3	10.2	
71	Do differences in clinical symptoms and referral patterns contribute to the gender gap in bladder cancer?. <i>BJU International</i> , <b>2013</b> , 112, 68-73	5.6	75
70	Comparison of radical cystectomy with conservative treatment in geriatric (80) patients with muscle-invasive bladder cancer. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2013</b> , 39, 622-30	2	9
69	Lower urinary tract symptoms and urinary incontinence in a geriatric cohort - a population-based analysis. <i>BJU International</i> , <b>2012</b> , 110, 1516-21	5.6	46
68	A contemporary assessment of nocturia: definition, epidemiology, pathophysiology, and managementa systematic review and meta-analysis. <i>European Urology</i> , <b>2012</b> , 62, 877-90	10.2	173
67	Radical prostatectomy in Austria from 1992 to 2009: an updated nationwide analysis of 33,580 cases. <i>Journal of Urology</i> , <b>2012</b> , 187, 1626-31	2.5	10
66	Is there an association between lower urinary tract symptoms and cardiovascular risk in men? A cross sectional and longitudinal analysis. <i>Urology</i> , <b>2011</b> , 78, 1063-7	1.6	26
65	The influence of family history on prostate cancer risk: implications for clinical management. <i>BJU</i> International, <b>2011</b> , 107, 716-721	5.6	18
64	Contemporary management of lower urinary tract disease with botulinum toxin A: a systematic review of botox (onabotulinumtoxinA) and dysport (abobotulinumtoxinA). <i>European Urology</i> , <b>2011</b> , 60, 784-95	10.2	151
63	Association of polymorphisms in CYP19A1 and CYP3A4 genes with lower urinary tract symptoms, prostate volume, uroflow and PSA in a population-based sample. <i>World Journal of Urology</i> , <b>2011</b> , 29, 143-8	4	5

## (2007-2011)

62	The natural history of the overactive bladder syndrome in females: a long-term analysis of a health screening project. <i>Neurourology and Urodynamics</i> , <b>2011</b> , 30, 1437-41	2.3	18
61	Prevalence of lower urinary tract symptoms in Austrian males: update 2009. <i>Urologia Internationalis</i> , <b>2011</b> , 87, 385-91	1.9	9
60	Bladder preservation in octogenarians with invasive bladder cancer. <i>Urology</i> , <b>2010</b> , 75, 370-5	1.6	13
59	Words of wisdom. Re: Effect of dutasteride on the risk of prostate cancer. Andriole GL, Bostwick DG, Brawley OW, et al. REDUCE Study Group. N Engl J Med 2010;362:1192-202. <i>European Urology</i> , <b>2010</b> , 58, 312	10.2	2
58	Chronic pelvic pain and lower urinary tract symptoms in both sexes: analysis of 2749 participants of an urban health screening project. <i>European Urology</i> , <b>2009</b> , 55, 499-507	10.2	44
57	Re: Fleur I. de Korte, Jochem W. van Werkum, Peter L.M. Vijverberg, Jurrill M. ten Berg. Late coronary stent thrombosis complicating urologic surgery. Eur Urol 2008;54:221-5. <i>European Urology</i> , 2009, 55, e27-8	10.2	
56	Re: Alfuzosin and symptoms of chronic prostatitis-chronic pelvic pain syndrome. <i>European Urology</i> , <b>2009</b> , 56, 399	10.2	
55	Nocturia is an age-independent risk factor for hip-fractures in men. <i>Neurourology and Urodynamics</i> , <b>2009</b> , 28, 949-52	2.3	68
54	Prostate cancer in senior adults: over- or undertreated?. <i>Wiener Medizinische Wochenschrift</i> , <b>2009</b> , 159, 521-8	2.9	3
53	Are lower urinary tract symptoms influenced by metabolic syndrome?. <i>Urology</i> , <b>2009</b> , 73, 544-8	1.6	48
52	Transurethral Resection of the Prostate. European Urology Supplements, 2009, 8, 504-512	0.9	44
51	Radical prostatectomies in Austria, 1997-2004. BMC Research Notes, 2008, 1, 48	2.3	2
50	Editorial comment on: GreenLight laser vaporization of the prostate: single-center experience and long-term results after 500 procedures. <i>European Urology</i> , <b>2008</b> , 54, 901	10.2	Ο
49	Plant extracts: sense or nonsense?. Current Opinion in Urology, 2008, 18, 16-20	2.8	17
48	Symptoms suggestive of chronic pelvic pain syndrome in an urban population: prevalence and associations with lower urinary tract symptoms and erectile function. <i>Journal of Urology</i> , <b>2007</b> , 177, 181	15-9	45
47	The role of intermittent androgen deprivation in prostate cancer. <i>BJU International</i> , <b>2007</b> , 100, 738-43	5.6	54
46	Radical prostatectomy in Austria: a nationwide analysis of 16,524 cases. <i>European Urology</i> , <b>2007</b> , 51, 684-8; discussion 689	10.2	14
45	Prevalence and correlates for interstitial cystitis symptoms in women participating in a health screening project. <i>European Urology</i> , <b>2007</b> , 51, 803-8; discussion 809	10.2	83

44	The long-term outcome of medical therapy for BPH. European Urology, 2007, 51, 1522-33	10.2	80
43	The natural history of lower urinary tract symptoms in females: analysis of a health screening project. <i>European Urology</i> , <b>2007</b> , 52, 1744-50	10.2	38
42	Medical Management of BPH: Role of Plant Extracts. <i>EAU-EBU Update Series</i> , <b>2007</b> , 5, 197-205		5
41	Is the metabolic syndrome an independent risk factor for erectile dysfunction?. <i>Journal of Urology</i> , <b>2007</b> , 177, 651-4	2.5	92
40	The association between vascular risk factors and lower urinary tract symptoms in both sexes. <i>European Urology</i> , <b>2006</b> , 50, 581-6	10.2	136
39	Incidence and remission of female urinary incontinence over 6.5 years: analysis of a health screening project. <i>European Urology</i> , <b>2006</b> , 50, 327-32	10.2	33
38	Lower urinary tract symptoms, urinary incontinence, sexual function and quality of life after radical prostatectomy and external beam radiation therapy: real life experience in Austria. <i>World Journal of Urology</i> , <b>2006</b> , 24, 325-30	4	33
37	Prevalence and risk factors for erectile dysfunction in 2869 men using a validated questionnaire. <i>European Urology</i> , <b>2005</b> , 47, 80-5; discussion 85-6	10.2	239
36	Reoperation, myocardial infarction and mortality after transurethral and open prostatectomy: a nation-wide, long-term analysis of 23,123 cases. <i>European Urology</i> , <b>2005</b> , 47, 499-504	10.2	171
35	Insulin-like growth factor 1, chromogranin A and prostate specific antigen serum levels in prostate cancer patients and controls. <i>European Urology</i> , <b>2005</b> , 48, 34-9	10.2	20
34	Prevalence of the overactive bladder syndrome by applying the International Continence Society definition. <i>European Urology</i> , <b>2005</b> , 48, 622-7	10.2	117
33	Benign prostatic hyperplasia: age-related tissue-remodeling. <i>Experimental Gerontology</i> , <b>2005</b> , 40, 121-8	4.5	204
32	Is eligibility for a chemotherapy protocol a good prognostic factor for invasive bladder cancer after radical cystectomy?. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 4103-8	2.2	10
31	Holmium laser-enucleation of the prostate enables early catheter removal. <i>BJU International</i> , <b>2004</b> , 94, 931-3	5.6	3
30	EAU 2004 guidelines on assessment, therapy and follow-up of men with lower urinary tract symptoms suggestive of benign prostatic obstruction (BPH guidelines). <i>European Urology</i> , <b>2004</b> , 46, 547	7-54 <sup>2</sup>	435
29	Genetic polymorphisms and prostate cancer risk. World Journal of Urology, 2004, 21, 414-23	4	45
28	Association between lower urinary tract symptoms and erectile dysfunction. <i>Urology</i> , <b>2004</b> , 64, 772-6	1.6	86
27	Prevalence and risk factors for erectile dysfunction in Austriaanalysis of a health screening project. <i>Wiener Klinische Wochenschrift</i> , <b>2003</b> , 115, 822-30	2.3	10

26	The natural history of lower urinary tract symptoms over five years. European Urology, 2003, 43, 374-80	10.2	48
25	High-energy shockwaves and extracorporeal high-intensity focused ultrasound. <i>Journal of Endourology</i> , <b>2003</b> , 17, 667-72	2.7	38
24	Association of polymorphisms within androgen receptor, 5alpha-reductase, and PSA genes with prostate volume, clinical parameters, and endocrine status in elderly men. <i>Prostate</i> , <b>2002</b> , 52, 130-8	4.2	41
23	Impact of radical prostatectomy and TURP on the hypothalamic-pituitary-gonadal hormone axis. <i>Urology</i> , <b>2002</b> , 60, 869-74	1.6	54
22	A comparative cross-sectional study of lower urinary tract symptoms in both sexes. <i>European Urology</i> , <b>2001</b> , 40, 213-9	10.2	28
21	High-grade prostate cancer is associated with low serum testosterone levels. <i>Prostate</i> , <b>2001</b> , 47, 52-8	4.2	237
20	Polymorphisms of glutathione-S-transferase genes (GSTP1, GSTM1 and GSTT1) and prostate-cancer risk. <i>International Journal of Cancer</i> , <b>2001</b> , 95, 152-5	7.5	76
19	Association of vitamin D receptor and 17 hydroxylase gene polymorphisms with benign prostatic hyperplasia and benign prostatic enlargement. <i>Urology</i> , <b>2001</b> , 57, 567-72	1.6	21
18	Management of lower urinary tract symptoms of elderly men in Austria. <i>European Urology</i> , <b>2001</b> , 39, 145-50	10.2	3
17	High-grade prostate cancer is associated with low serum testosterone levels <b>2001</b> , 47, 52		O
17 16	High-grade prostate cancer is associated with low serum testosterone levels <b>2001</b> , 47, 52  Risk factors for lower urinary tract symptoms in elderly men. For the Prostate Study Group of the Austrian Society of Urology. <i>European Urology</i> , <b>2000</b> , 37, 413-20	10.2	63
	Risk factors for lower urinary tract symptoms in elderly men. For the Prostate Study Group of the	10.2	
16	Risk factors for lower urinary tract symptoms in elderly men. For the Prostate Study Group of the Austrian Society of Urology. <i>European Urology</i> , <b>2000</b> , 37, 413-20  Urinary incontinence in both sexes: prevalence rates and impact on quality of life and sexual life.	2.3	63
16 15	Risk factors for lower urinary tract symptoms in elderly men. For the Prostate Study Group of the Austrian Society of Urology. <i>European Urology</i> , <b>2000</b> , 37, 413-20  Urinary incontinence in both sexes: prevalence rates and impact on quality of life and sexual life. <i>Neurourology and Urodynamics</i> , <b>2000</b> , 19, 259-71	2.3	63 255
16 15 14	Risk factors for lower urinary tract symptoms in elderly men. For the Prostate Study Group of the Austrian Society of Urology. <i>European Urology</i> , <b>2000</b> , 37, 413-20  Urinary incontinence in both sexes: prevalence rates and impact on quality of life and sexual life. <i>Neurourology and Urodynamics</i> , <b>2000</b> , 19, 259-71  Endocrine patterns in patients with benign and malignant prostatic diseases. <i>Prostate</i> , <b>2000</b> , 44, 219-24  A polymorphism in the CYP17 gene is associated with prostate cancer risk. <i>International Journal of</i>	2.3	63 255 23
16 15 14	Risk factors for lower urinary tract symptoms in elderly men. For the Prostate Study Group of the Austrian Society of Urology. <i>European Urology</i> , <b>2000</b> , 37, 413-20  Urinary incontinence in both sexes: prevalence rates and impact on quality of life and sexual life. <i>Neurourology and Urodynamics</i> , <b>2000</b> , 19, 259-71  Endocrine patterns in patients with benign and malignant prostatic diseases. <i>Prostate</i> , <b>2000</b> , 44, 219-24  A polymorphism in the CYP17 gene is associated with prostate cancer risk. <i>International Journal of Cancer</i> , <b>2000</b> , 87, 434-7  Cross-sectional study of nocturia in both sexes: analysis of a voluntary health screening project.	2.3 4.2 7·5	63 255 23 98
16 15 14 13	Risk factors for lower urinary tract symptoms in elderly men. For the Prostate Study Group of the Austrian Society of Urology. <i>European Urology</i> , <b>2000</b> , 37, 413-20  Urinary incontinence in both sexes: prevalence rates and impact on quality of life and sexual life. <i>Neurourology and Urodynamics</i> , <b>2000</b> , 19, 259-71  Endocrine patterns in patients with benign and malignant prostatic diseases. <i>Prostate</i> , <b>2000</b> , 44, 219-24  A polymorphism in the CYP17 gene is associated with prostate cancer risk. <i>International Journal of Cancer</i> , <b>2000</b> , 87, 434-7  Cross-sectional study of nocturia in both sexes: analysis of a voluntary health screening project. <i>Urology</i> , <b>2000</b> , 56, 71-5  The prevalence of lower urinary tract symptoms in Austrian males and associations with	2.3 4.2 7.5	63 255 23 98

8	THE CHIMPANZEE AS A MODEL OF HUMAN BENIGN PROSTATIC HYPERPLASIA. <i>Journal of Urology</i> , <b>1999</b> , 162, 1245-1245	2.5	
7	The international prostate symptom score in both sexes: A urodynamics-based comparison <b>1999</b> , 18, 173		3
6	Regulation of heat shock protein 27 expression of prostatic cells in response to heat treatment. <i>Prostate</i> , <b>1998</b> , 37, 174-81	4.2	44
5	The aging lower urinary tract: a comparative urodynamic study of men and women. <i>Urology</i> , <b>1998</b> , 51, 206-12	1.6	162
4	Prevalence of lower urinary tract symptoms in Austria as assessed by an open survey of 2,096 men. <i>European Urology</i> , <b>1998</b> , 34, 136-41	10.2	54
3	The early postoperative morbidity of transurethral resection of the prostate and of 4 minimally invasive treatment alternatives. <i>Journal of Urology</i> , <b>1997</b> , 158, 105-10; discussion 110-1	2.5	83
2	Age Related Urodynamic Changes in Patients with Benign Prostatic Hyperplasia. <i>Journal of Urology</i> , <b>1996</b> , 156, 1662-1667	2.5	75
1	Andrological status before and after liver transplantation. <i>Journal of Urology</i> , <b>1994</b> , 151, 1251-4	2.5	35