

Roger A Fielding

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8252071/roger-a-fielding-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

6,651
citations

36
h-index

80
g-index

129
ext. papers

8,092
ext. citations

4.9
avg, IF

5.47
L-index

#	Paper	IF	Citations
121	Sarcopenia: an undiagnosed condition in older adults. Current consensus definition: prevalence, etiology, and consequences. International working group on sarcopenia. <i>Journal of the American Medical Directors Association</i> , 2011 , 12, 249-56	5.9	1809
120	Effect of structured physical activity on prevention of major mobility disability in older adults: the LIFE study randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 2387-96	37.4	804
119	Effects of a physical activity intervention on measures of physical performance: Results of the lifestyle interventions and independence for Elders Pilot (LIFE-P) study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 1157-65	6.4	443
118	Randomized trial of progressive resistance training to counteract the myopathy of chronic heart failure. <i>Journal of Applied Physiology</i> , 2001 , 90, 2341-50	3.7	208
117	Biomarkers of sarcopenia in clinical trials-recommendations from the International Working Group on Sarcopenia. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2012 , 3, 181-90	10.3	175
116	The Lifestyle Interventions and Independence for Elders Study: design and methods. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 1226-37	6.4	169
115	Assessment of Muscle Function and Physical Performance in Daily Clinical Practice : A position paper endorsed by the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). <i>Calcified Tissue International</i> , 2019 , 105, 1-14	3.9	156
114	Sarcopenia Definition: The Position Statements of the Sarcopenia Definition and Outcomes Consortium. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1410-1418	5.6	142
113	Gut Microbiota Contribute to Age-Related Changes in Skeletal Muscle Size, Composition, and Function: Biological Basis for a Gut-Muscle Axis. <i>Calcified Tissue International</i> , 2018 , 102, 433-442	3.9	140
112	Effect of tai chi versus aerobic exercise for fibromyalgia: comparative effectiveness randomized controlled trial. <i>BMJ, The</i> , 2018 , 360, k851	5.9	130
111	Longitudinal decline of lower extremity muscle power in healthy and mobility-limited older adults: influence of muscle mass, strength, composition, neuromuscular activation and single fiber contractile properties. <i>European Journal of Applied Physiology</i> , 2014 , 114, 29-39	3.4	128
110	Lower extremity power training in elderly subjects with mobility limitations: a randomized controlled trial. <i>Aging Clinical and Experimental Research</i> , 2008 , 20, 337-43	4.8	98
109	Habitual physical activity levels are associated with performance in measures of physical function and mobility in older men. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1727-33	5.6	96
108	Role and potential mechanisms of anabolic resistance in sarcopenia. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2012 , 3, 157-62	10.3	94
107	Comparative effects of light or heavy resistance power training for improving lower extremity power and physical performance in mobility-limited older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 374-80	6.4	83
106	Nutritional Supplementation With Physical Activity Improves Muscle Composition in Mobility-Limited Older Adults, The VIVE2 Study: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 73, 95-101	6.4	79
105	Light Intensity physical activity and sedentary behavior in relation to body mass index and grip strength in older adults: cross-sectional findings from the Lifestyle Interventions and Independence for Elders (LIFE) study. <i>PLoS ONE</i> , 2015 , 10, e0116058	3.7	73

104	Assessment of lower extremity muscle power in functionally-limited elders. <i>Aging Clinical and Experimental Research</i> , 2007 , 19, 194-9	4.8	69
103	Diminished anabolic signaling response to insulin induced by intramuscular lipid accumulation is associated with inflammation in aging but not obesity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 310, R561-9	3.2	64
102	Body-composition changes in the Comprehensive Assessment of Long-term Effects of Reducing Intake of Energy (CALERIE)-2 study: a 2-y randomized controlled trial of calorie restriction in nonobese humans. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 913-927	7	63
101	Activity adherence and physical function in older adults with functional limitations. <i>Medicine and Science in Sports and Exercise</i> , 2007 , 39, 1997-2004	1.2	62
100	The specific contributions of force and velocity to muscle power in older adults. <i>Experimental Gerontology</i> , 2012 , 47, 608-13	4.5	59
99	Dose of physical activity, physical functioning and disability risk in mobility-limited older adults: Results from the LIFE study randomized trial. <i>PLoS ONE</i> , 2017 , 12, e0182155	3.7	59
98	Establishing the Link Between Lean Mass and Grip Strength Cut Points With Mobility Disability and Other Health Outcomes: Proceedings of the Sarcopenia Definition and Outcomes Consortium Conference. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1317-1323	6.4	56
97	Muscle strength is increased in mice that are colonized with microbiota from high-functioning older adults. <i>Experimental Gerontology</i> , 2019 , 127, 110722	4.5	54
96	Assessment of analytical methods used to measure changes in body composition in the elderly and recommendations for their use in phase II clinical trials. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 368-75	5.2	53
95	Effect of Physical Activity versus Health Education on Physical Function, Grip Strength and Mobility. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1427-1433	5.6	51
94	Putative Cut-Points in Sarcopenia Components and Incident Adverse Health Outcomes: An SDOC Analysis. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1429-1437	5.6	51
93	Branched chain amino acids are associated with muscle mass in functionally limited older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 717-24	6.4	50
92	Relationship between physical functioning and physical activity in the lifestyle interventions and independence for elders pilot. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1918-24	5.6	49
91	Serum glycine is associated with regional body fat and insulin resistance in functionally-limited older adults. <i>PLoS ONE</i> , 2013 , 8, e84034	3.7	45
90	Risk of Knee Osteoarthritis With Obesity, Sarcopenic Obesity, and Sarcopenia. <i>Arthritis and Rheumatology</i> , 2019 , 71, 232-237	9.5	44
89	l-Carnitine Supplementation in Recovery after Exercise. <i>Nutrients</i> , 2018 , 10,	6.7	43
88	Circulating MicroRNA Are Predictive of Aging and Acute Adaptive Response to Resistance Exercise in Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 1319-1326	6.4	42
87	Metabolites related to gut bacterial metabolism, peroxisome proliferator-activated receptor-alpha activation, and insulin sensitivity are associated with physical function in functionally-limited older adults. <i>Aging Cell</i> , 2014 , 13, 918-25	9.9	38

86	Promoting physical activity for elders with compromised function: the lifestyle interventions and independence for elders (LIFE) study physical activity intervention. <i>Clinical Interventions in Aging</i> , 2013 , 8, 1119-31	4	36
85	Analysis and Interpretation of Accelerometry Data in Older Adults: The LIFE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 521-8	6.4	34
84	Effect of Structured Physical Activity and Nutritional Supplementation on Physical Function in Mobility-Limited Older Adults: Results from the VIVE2 Randomized Trial. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 936-942	5.2	34
83	Is There Enough Evidence for Osteosarcopenic Obesity as a Distinct Entity? A Critical Literature Review. <i>Calcified Tissue International</i> , 2019 , 105, 109-124	3.9	31
82	Lower extremity strength and power asymmetry assessment in healthy and mobility-limited populations: reliability and association with physical functioning. <i>Aging Clinical and Experimental Research</i> , 2010 , 22, 324-329	4.8	31
81	Identification of serum analytes and metabolites associated with aerobic capacity. <i>European Journal of Applied Physiology</i> , 2013 , 113, 1311-20	3.4	26
80	Effects of exercise training in the elderly: impact of progressive- resistance training on skeletal muscle and whole-body protein metabolism. <i>Proceedings of the Nutrition Society</i> , 1995 , 54, 665-75	2.9	26
79	Creatine Monohydrate as a Therapeutic Aid in Muscular Dystrophy. <i>Nutrition Reviews</i> , 2006 , 64, 80-88	6.4	25
78	Prolonged Calorie Restriction Downregulates Skeletal Muscle mTORC1 Signaling Independent of Dietary Protein Intake and Associated microRNA Expression. <i>Frontiers in Physiology</i> , 2016 , 7, 445	4.6	25
77	What is a Clinically Meaningful Improvement in Leg-Extensor Power for Mobility-limited Older Adults?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 632-6	6.4	23
76	Effect of 24-month physical activity on cognitive frailty and the role of inflammation: the LIFE randomized clinical trial. <i>BMC Medicine</i> , 2018 , 16, 185	11.4	23
75	Gait Speed and Mobility Disability: Revisiting Meaningful Levels in Diverse Clinical Populations. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 954-961	5.6	20
74	Metabolites Associated With Circulating Interleukin-6 in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 1277-1283	6.4	20
73	The Vitality, Independence, and Vigor in the Elderly 2 Study (VIVE2): Design and methods. <i>Contemporary Clinical Trials</i> , 2015 , 43, 164-71	2.3	19
72	The paradox of overnutrition in aging and cognition. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1287, 31-43	6.5	19
71	Device-Measured Physical Activity As a Predictor of Disability in Mobility-Limited Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2251-2256	5.6	19
70	Predictors of Change in Physical Function in Older Adults in Response to Long-Term, Structured Physical Activity: The LIFE Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 11-24.e3	2.8	19
69	Effect of Losartan and Fish Oil on Plasma IL-6 and Mobility in Older Persons. The ENRGISE Pilot Randomized Clinical Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1612-1619	6.4	18

68	Calorie Restricted High Protein Diets Downregulate Lipogenesis and Lower Intrahepatic Triglyceride Concentrations in Male Rats. <i>Nutrients</i> , 2016 , 8,	6.7	17
67	ENabling Reduction of Low-grade Inflammation in SENiors Pilot Study: Concept, Rationale, and Design. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1961-1968	5.6	16
66	A novel comparative effectiveness study of Tai Chi versus aerobic exercise for fibromyalgia: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 34	2.8	16
65	Update on the ESCEO recommendation for the conduct of clinical trials for drugs aiming at the treatment of sarcopenia in older adults. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 3-17	4.8	16
64	Preserving older adultsUoutine outdoor activities in contrasting neighborhood environments through a physical activity intervention. <i>Preventive Medicine</i> , 2017 , 96, 87-93	4.3	14
63	The MAT-sf: identifying risk for major mobility disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 641-6	6.4	14
62	Self-Reported Function More Informative than Frailty Phenotype in Predicting Adverse Postoperative Course in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2522-2528	5.6	14
61	Promoting safe walking among older people: the effects of a physical and cognitive training intervention vs. physical training alone on mobility and falls among older community-dwelling men and women (the PASSWORD study): design and methods of a randomized controlled trial. <i>BMC Geriatrics</i> , 2018 , 18, 215	4.1	14
60	Dynapenia and Metabolic Health in Obese and Nonobese Adults Aged 70Years and Older: The LIFE Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 312-319	5.9	13
59	Sarcopenia Definition & Outcomes Consortium Defined Low Grip Strength in Two Cross-Sectional, Population-Based Cohorts. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1438-1444	5.6	13
58	Associations of physical activity in detailed intensity ranges with body composition and physical function. a cross-sectional study among sedentary older adults. <i>European Review of Aging and Physical Activity</i> , 2020 , 17, 4	6.5	13
57	Recruitment of Mobility Limited Older Adults Into a Facility-Led Exercise-Nutrition Study: The Effect of Social Involvement. <i>Gerontologist</i> , 2016 , 56, 669-76	5	12
56	Upregulation of circulating myomiR following short-term energy restriction is inversely associated with whole body protein synthesis. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017 , 313, R298-R304	3.2	12
55	Effect of exercise and nutritional supplementation on health-related quality of life and mood in older adults: the VIVE2 randomized controlled trial. <i>BMC Geriatrics</i> , 2018 , 18, 286	4.1	12
54	Long-term rates of change in musculoskeletal aging and body composition: findings from the Health, Aging and Body Composition Study. <i>Calcified Tissue International</i> , 2020 , 106, 616-624	3.9	11
53	Impact and Lessons From the Lifestyle Interventions and Independence for Elders (LIFE) Clinical Trials of Physical Activity to Prevent Mobility Disability. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 872-881	5.6	11
52	Social Participation Modifies the Effect of a Structured Physical Activity Program on Major Mobility Disability Among Older Adults: Results From the LIFE Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018 , 73, 1501-1513	4.6	11
51	Application of Cut-Points for Low Muscle Strength and Lean Mass in Mobility-Limited Older Adults. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1445-1453	5.6	11

50	The effect of intervening hospitalizations on the benefit of structured physical activity in promoting independent mobility among community-living older persons: secondary analysis of a randomized controlled trial. <i>BMC Medicine</i> , 2017 , 15, 65	11.4	10
49	Collaborative Evaluation of the Healthy Habits Program: An Effective Community Intervention to Improve Mobility and Cognition of Chinese Older Adults Living in the U.S. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 391-7	5.2	10
48	Metabolites related to renal function, immune activation, and carbamylation are associated with muscle composition in older adults. <i>Experimental Gerontology</i> , 2017 , 100, 1-10	4.5	9
47	Community-Based Activity and Sedentary Patterns Are Associated With Cognitive Performance in Mobility-Limited Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 341	5.3	9
46	A Case for Promoting Movement Medicine: Preventing Disability in the LIFE Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1821-1827 ⁸	6.4	8
45	Evaluating Accelerometry Thresholds for Detecting Changes in Levels of Moderate Physical Activity and Resulting Major Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 660-667	6.4	8
44	Healthy Aging-Nutrition Matters: Start Early and Screen Often. <i>Advances in Nutrition</i> , 2021 , 12, 1438-1448	8.0	8
43	Hospitalizations During a Physical Activity Intervention in Older Adults at Risk of Mobility Disability: Analyses from the Lifestyle Interventions and Independence for Elders Randomized Clinical Trial. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 933-43	5.6	8
42	Application of Selected Muscle Strength and Body Mass Cut Points for the Diagnosis of Sarcopenia in Men and Women With or at Risk for HIV Infection. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1338-1345	6.4	8
41	Self-Reported Physical Function As a Predictor of Hospitalization in the Lifestyle Interventions and Independence for Elders Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1927-1933	5.6	8
40	The relationship between interleukin-6 levels and physical performance in mobility-limited older adults with chronic low-grade inflammation: The ENRGISE Pilot study. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 90, 104131	4	7
39	Application of SDOC Cut Points for Low Muscle Strength for Recovery of Walking Speed After Hip Fracture. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1379-1385	6.4	7
38	What Cut-Point in Gait Speed Best Discriminates Community-Dwelling Older Adults With Mobility Complaints From Those Without? A Pooled Analysis From the Sarcopenia Definitions and Outcomes Consortium. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e321-e327	6.4	7
37	The Enabling Reduction of Low-Grade Inflammation in Seniors (ENRGISE) Pilot Study: Screening Methods and Recruitment Results. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1296-1302	6.4	7
36	Progressive Resistance Training Improves Torque Capacity and Strength in Mobility-Limited Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1316-1321	6.4	6
35	AGS and NIA Bench-to Bedside Conference Summary: Osteoporosis and Soft Tissue (Muscle and Fat) Disorders. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 31-38	5.6	6
34	Effect of Hospitalizations on Physical Activity Patterns in Mobility-Limited Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 261-268	5.6	6
33	Total carotenoid intake is associated with reduced loss of grip strength and gait speed over time in adults: The Framingham Offspring Study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 437-445	7	6

32	Comparative Effects of Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers on Response to a Physical Activity Intervention in Older Adults: Results From the Lifestyle Interventions and Independence for Elders Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1010-1016	6.4	5
31	Meta-analysis identifies mitochondrial DNA sequence variants associated with walking speed. <i>GeroScience</i> , 2018 , 40, 497-511	8.9	5
30	Effects of physical and cognitive training on gait speed and cognition in older adults: A randomized controlled trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 1518-1533	4.6	4
29	Translating the Lifestyle Interventions and Independence for Elders Clinical Trial to Older Adults in a Real-World Community-Based Setting. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 924-928	6.4	3
28	Relationships Between Level and Change in Sarcopenia and Other Body Composition Components and Adverse Health Outcomes: Findings from the Health, Aging, and Body Composition Study. <i>Calcified Tissue International</i> , 2021 , 108, 302-313	3.9	3
27	Association between Pre-Intervention Physical Activity Level and Treatment Response to Exercise Therapy in Persons with Knee Osteoarthritis - An Exploratory Study. <i>ACR Open Rheumatology</i> , 2019 , 1, 104-112	3.5	2
26	Imputation of Gait Speed for Noncompleters in the 400-Meter Walk: Application to the Lifestyle Interventions for Elders Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2566-2571	5.6	2
25	Effects of Potassium Bicarbonate Supplements on Circulating microRNA Expression. <i>Journal of the Endocrine Society</i> , 2017 , 1, 1015-1026	0.4	2
24	An observational study identifying obese subgroups among older adults at increased risk of mobility disability: do perceptions of the neighborhood environment matter?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 157	8.4	2
23	Nutritional supplementation with physical activity improves muscle composition in mobility-limited older adults, the VIVE2 study: a randomized, double-blind, placebo-controlled trial. <i>FASEB Journal</i> , 2017 , 31, 460.3	0.9	2
22	Impact of Baseline Fatigue on a Physical Activity Intervention to Prevent Mobility Disability. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 619-624	5.6	2
21	Pilot Study Examining the Influence of Potassium Bicarbonate Supplementation on Nitrogen Balance and Whole-Body Ammonia and Urea Turnover Following Short-Term Energy Restriction in Older Men. <i>Nutrients</i> , 2018 , 10,	6.7	1
20	Increased intramuscular triglycerides are associated with increased AMPK alpha1 and cleaved SREBP1 in aged skeletal muscle. <i>FASEB Journal</i> , 2010 , 24, lb677	0.9	1
19	Nutritional Mediators of Cellular Decline and Mitochondrial Dysfunction in Older Adults. <i>Geriatrics (Switzerland)</i> , 2021 , 6,	2.2	1
18	Functional improvements to 6 months of physical activity are not related to changes in size or density of multiple lower-extremity muscles in mobility-limited older individuals. <i>Experimental Gerontology</i> , 2021 , 157, 111631	4.5	0
17	The effects of a physical and cognitive training intervention vs. physical training alone on older adults physical activity: A randomized controlled trial with extended follow-up during COVID-19. <i>PLoS ONE</i> , 2021 , 16, e0258559	3.7	0
16	Function Promoting Therapies Come of Age. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1595-1597	6.4	
15	Relative importance of aerobic versus resistance training for healthy aging. <i>Current Cardiovascular Risk Reports</i> , 2008 , 2, 311-317	0.9	

- 14 Slow rate of neuromuscular activation contributes to impaired movement acceleration and peak power in mobility-limited older adults. *FASEB Journal*, **2008**, 22, 1163.9 0.9
- 13 Lipid-Induced Anabolic Resistance in Skeletal Muscle is Associated with Inflammation in Aging, but Not Obesity. *FASEB Journal*, **2015**, 29, 825.5 0.9
- 12 Circulating Branched Chain Amino Acids are Associated with Body Composition and Physical Function in Older Adults. *FASEB Journal*, **2015**, 29, 1038.3 0.9
- 11 Chronic Calorie Restriction Downregulates Skeletal Muscle mTORC1 Signaling Independent of Dietary Protein Level and Associated microRNA Expression in Male Rats. *FASEB Journal*, **2016**, 30, 1244.4^{0.9} 0.9
- 10 Energy restriction upregulates circulating myomiR expression in vivo and in vitro. *FASEB Journal*, **2017**, 31, 311.6 0.9
- 9 Influence of gender on muscle strength, power and body composition in healthy subjects and mobility-limited older adults. *FASEB Journal*, **2009**, 23, 954.9 0.9
- 8 Leucine supplementation during endurance exercise enhances post-exercise muscle protein synthesis. *FASEB Journal*, **2011**, 25, 233.5 0.9
- 7 Moderate endurance exercise affects hepcidin and IL-6 levels in healthy young men. *FASEB Journal*, **2011**, 25, 607.4 0.9
- 6 Molecular adaptation of skeletal muscle to high-intensity resistance exercise in aged males. *FASEB Journal*, **2013**, 27, 712.14 0.9
- 5 Metabolite Predictors of HOMA in At-Risk for Mobility Disability Elderly Subjects. *FASEB Journal*, **2013**, 27, 1010.12 0.9
- 4 Skeletal muscle vitamin D receptor associated with serum 25-hydroxyvitamin D. *FASEB Journal*, **2013**, 27, 644.3 0.9
- 3 Differential response of anabolic signaling with high-fat feeding and aging in skeletal muscle after insulin stimulation. *FASEB Journal*, **2013**, 27, 244.1 0.9
- 2 Impact of whey protein supplementation in a weight-loss intervention in rural dwelling adults: A feasibility study. *Clinical Nutrition ESPEN*, **2021**, 45, 426-432 1.3
- 1 Examining New Preoperative Assessment Tools. *Journal of the American Geriatrics Society*, **2016**, 64, e103-104 0.9