

Paola Grimaldi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/825231/paola-grimaldi-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

1,373
citations

19
h-index

37
g-index

40
ext. papers

1,519
ext. citations

4.3
avg, IF

3.79
L-index

#	Paper	IF	Citations
38	Testicular Germ Cell Tumors Acquire Cisplatin Resistance by Rebalancing the Usage of DNA Repair Pathways. <i>Cancers</i> , 2021 , 13,	6.6	8
37	Non-Coding RNAs and Splicing Activity in Testicular Germ Cell Tumors. <i>Life</i> , 2021 , 11,	3	1
36	Sempervirine inhibits RNA polymerase I transcription independently from p53 in tumor cells. <i>Cell Death Discovery</i> , 2020 , 6, 111	6.9	5
35	Regulation of PDE5 expression in normal prostate, benign prostatic hyperplasia, and adenocarcinoma. <i>Andrology</i> , 2020 , 8, 427-433	4.2	2
34	Cannabinoid Receptors Signaling in the Development, Epigenetics, and Tumours of Male Germ Cells. <i>International Journal of Molecular Sciences</i> , 2019 , 21,	6.3	10
33	Paternal activation of CB cannabinoid receptor impairs placental and embryonic growth via an epigenetic mechanism. <i>Scientific Reports</i> , 2019 , 9, 17034	4.9	19
32	Effect Of Microgravity On Aromatase Expression In Sertoli Cells. <i>Scientific Reports</i> , 2017 , 7, 3469	4.9	3
31	Overactive type 2 cannabinoid receptor induces meiosis in fetal gonads and impairs ovarian reserve. <i>Cell Death and Disease</i> , 2017 , 8, e3085	9.8	18
30	Modulation of GDF11 expression and synaptic plasticity by age and training. <i>Oncotarget</i> , 2017 , 8, 57991-58002	3.9	10
29	Type 2 cannabinoid receptor contributes to the physiological regulation of spermatogenesis. <i>FASEB Journal</i> , 2016 , 30, 1453-63	0.9	20
28	The endocannabinoid system and spermatogenesis. <i>Frontiers in Endocrinology</i> , 2013 , 4, 192	5.7	33
27	Type-1 (CB1) cannabinoid receptor promotes neuronal differentiation and maturation of neural stem cells. <i>PLoS ONE</i> , 2013 , 8, e54271	3.7	58
26	The faah gene is the first direct target of estrogen in the testis: role of histone demethylase LSD1. <i>Cellular and Molecular Life Sciences</i> , 2012 , 69, 4177-90	10.3	47
25	Microgravity promotes differentiation and meiotic entry of postnatal mouse male germ cells. <i>PLoS ONE</i> , 2010 , 5, e9064	3.7	21
24	The endocannabinoid system and pivotal role of the CB2 receptor in mouse spermatogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 11131-6	11.5	98
23	Modulation of the endocannabinoid-degrading enzyme fatty acid amide hydrolase by follicle-stimulating hormone. <i>Vitamins and Hormones</i> , 2009 , 81, 231-61	2.5	15
22	Transcriptome analysis of differentiating spermatogonia stimulated with kit ligand. <i>Gene Expression Patterns</i> , 2008 , 8, 58-70	1.5	36

21	Potential role of Nanos3 in maintaining the undifferentiated spermatogonia population. <i>Developmental Biology</i> , 2008 , 313, 725-38	3.1	64
20	ATRA and KL promote differentiation toward the meiotic program of male germ cells. <i>Cell Cycle</i> , 2008 , 7, 3878-88	4.7	87
19	An uncommon large deletion in the androgen-receptor gene in a XY female with complete androgen insensitivity syndrome. <i>Journal of Endocrinological Investigation</i> , 2006 , 29, 457-61	5.2	
18	Analysis of the gene expression profile of mouse male meiotic germ cells. <i>Gene Expression Patterns</i> , 2004 , 4, 267-81	1.5	38
17	Cyclic adenosine monophosphate (cAMP) stimulation of the kit ligand promoter in sertoli cells requires an Sp1-binding region, a canonical TATA box, and a cAMP-induced factor binding to an immediately downstream GC-rich element. <i>Biology of Reproduction</i> , 2003 , 69, 1979-88	3.9	16
16	Developmental expression of BMP4/ALK3/SMAD5 signaling pathway in the mouse testis: a potential role of BMP4 in spermatogonia differentiation. <i>Journal of Cell Science</i> , 2003 , 116, 3363-72	5.3	169
15	Molecular genetics of male infertility: stem cell factor/c-kit system. <i>American Journal of Reproductive Immunology</i> , 2002 , 48, 27-33	3.8	21
14	An SRY-negative XX male with Hurler syndrome. <i>Clinical Genetics</i> , 2000 , 57, 61-6	4	34
13	Novel point mutation in the splice donor site of exon-intron junction 6 of the androgen receptor gene in a patient with partial androgen insensitivity syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 3256-61	5.6	11
12	Novel Point Mutation in the Splice Donor Site of Exon-Intron Junction 6 of the Androgen Receptor Gene in a Patient with Partial Androgen Insensitivity Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 3256-3261	5.6	6
11	Analysis of Yq microdeletions in infertile males by PCR and DNA hybridization techniques. <i>Molecular Human Reproduction</i> , 1998 , 4, 1116-21	4.4	30
10	Identification of a promoter region generating Sry circular transcripts both in germ cells from male adult mice and in male mouse embryonal gonads. <i>Biology of Reproduction</i> , 1997 , 57, 1128-35	3.9	34
9	The same sequence mediates activation of the human urokinase promoter by cAMP in mouse Sertoli cells and by SV40 large T antigen in COS cells. <i>Molecular and Cellular Endocrinology</i> , 1996 , 117, 167-73	4.4	8
8	Alternative Forms and Functions of the c-kit Receptor and Its Ligand During Spermatogenesis 1996 , 99-110		
7	Follicle-stimulating hormone induction of steel factor (SLF) mRNA in mouse Sertoli cells and stimulation of DNA synthesis in spermatogonia by soluble SLF. <i>Developmental Biology</i> , 1993 , 155, 68-74	3.1	193
6	Identification of 3'5'cyclic adenosine monophosphate-inducible nuclear factors binding to the human urokinase promoter in mouse Sertoli cells. <i>Molecular Endocrinology</i> , 1993 , 7, 1217-25		30
5	Direct evidence that the mouse sex-determining gene Sry is expressed in the somatic cells of male fetal gonads and in the germ cell line in the adult testis. <i>Molecular Reproduction and Development</i> , 1993 , 34, 369-73	2.6	78
4	Identification of 3'5'cyclic adenosine monophosphate-inducible nuclear factors binding to the human urokinase promoter in mouse Sertoli cells. <i>Molecular Endocrinology</i> , 1993 , 7, 1217-1225		15

- 3 Expression of the mRNA for the ligand of c-kit in mouse Sertoli cells. *Biochemical and Biophysical Research Communications*, **1991**, 176, 910-4 3-4 114
- 2 Follicle-stimulating hormone and cyclic AMP induce transcription from the human urokinase promoter in primary cultures of mouse Sertoli cells. *Molecular Endocrinology*, **1990**, 4, 940-6 19
- 1 Thermal properties of young red blood cells are indicative of an age-dependent regulation of membrane-skeleton interaction. *Journal of Cellular Biochemistry*, **1989**, 41, 25-35 4-7 2