

Konstantin N Semenov

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8253230/konstantin-n-semenov-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

1,402
citations

19
h-index

31
g-index

139
ext. papers

1,611
ext. citations

2.9
avg, IF

4.64
L-index

#	Paper	IF	Citations
133	Solubility of Light Fullerenes in Organic Solvents. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 13-36	2.8	165
132	Fullerenol Synthesis and Identification. Properties of the Fullerenol Water Solutions. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 230-239	2.8	86
131	Fullerenols: Physicochemical properties and applications. <i>Progress in Solid State Chemistry</i> , 2016 , 44, 59-74	8	52
130	Fabrication and characterization of polyamide-fullerenol thin film nanocomposite hollow fiber membranes with enhanced antifouling performance. <i>Journal of Membrane Science</i> , 2018 , 551, 20-36	9.6	49
129	Transport properties of cross-linked fullerenol/PVA membranes. <i>Carbon</i> , 2014 , 76, 446-450	10.4	44
128	Impact of polyhydroxy fullerene (fullerol or fullerenol) on growth and biophysical characteristics of barley seedlings in favourable and stressful conditions. <i>Plant Growth Regulation</i> , 2016 , 79, 309-317	3.2	35
127	Fullerene derivatives with amino acids, peptides and proteins: From synthesis to biomedical application. <i>Progress in Solid State Chemistry</i> , 2020 , 57, 100255	8	32
126	Nanostructured materials obtained under conditions of hierarchical self-assembly and modified by derivative forms of fullerenes. <i>Journal of Non-Crystalline Solids</i> , 2012 , 358, 433-439	3.9	32
125	Novel mixed-matrix membranes based on polyvinyl alcohol modified by carboxyfullerene for pervaporation dehydration. <i>Separation and Purification Technology</i> , 2018 , 204, 1-12	8.3	28
124	Physico-chemical properties of the C60-tris-malonic derivative water solutions. <i>Journal of Molecular Liquids</i> , 2015 , 201, 50-58	6	27
123	Carboxylated fullerenes: Physico-chemical properties and potential applications. <i>Progress in Solid State Chemistry</i> , 2017 , 47-48, 19-36	8	26
122	Physico-chemical properties of the C60-arginine water solutions. <i>Journal of Molecular Liquids</i> , 2015 , 211, 301-307	6	26
121	Physico-chemical properties of the fullerenol-70 water solutions. <i>Journal of Molecular Liquids</i> , 2015 , 202, 1-8	6	26
120	Impact Resistance of Cement and Gypsum Plaster Nanomodified by Water-Soluble Fullerenols. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 14583-14591	3.9	26
119	Physico-chemical and biological properties of C60-L-hydroxyproline water solutions. <i>RSC Advances</i> , 2017 , 7, 15189-15200	3.7	24
118	MWCNT in PEG-400 nanofluids for thermal applications: A chemical, physical and thermal approach. <i>Journal of Molecular Liquids</i> , 2019 , 294, 111616	6	23
117	Physico-chemical properties of C60(OH)22O4 water solutions: Density, viscosity, refraction index, isobaric heat capacity and antioxidant activity. <i>Journal of Molecular Liquids</i> , 2019 , 278, 342-355	6	22

116	Temperature Dependence of Solubility of Individual Light Fullerenes and Industrial Fullerene Mixture in 1-Chloronaphthalene and 1-Bromonaphthalene. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 2373-2378	2.8	20
115	Physico-chemical properties of the water-soluble C70-tris-malonic solutions. <i>Journal of Molecular Liquids</i> , 2015 , 211, 487-493	6	19
114	Phase equilibria in fullerene-containing systems as a basis for development of manufacture and application processes for nanocarbon materials. <i>Russian Chemical Reviews</i> , 2016 , 85, 38-59	6.8	19
113	Fullerenol-d Solubility in Fullerenol-dInorganic SaltWater Ternary Systems at 25 °C. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 16095-16100	3.9	17
112	Physico-chemical properties of the C 60 - l-lysine water solutions. <i>Journal of Molecular Liquids</i> , 2017 , 225, 767-777	6	17
111	Temperature Dependence of the Light Fullerenes Solubility in Natural Oils and Animal Fats. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2009 , 17, 230-248	1.8	15
110	Synthesis and identification of fullereneol prepared by the direct oxidation route. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 2076-2080	0.8	15
109	Dynamic surface properties of C60-arginine and C60-l-lysine aqueous solutions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 529, 1-6	5.1	14
108	Excess thermodynamic functions in aqueous systems containing soluble fullerene derivatives. <i>Journal of Molecular Liquids</i> , 2018 , 256, 305-311	6	14
107	Thermodynamic and thermal properties of the C 60 - l-lysine derivative. <i>Journal of Chemical Thermodynamics</i> , 2017 , 115, 7-11	2.9	14
106	The solubility of fullerenes in n-alkanols-1. <i>Russian Journal of Physical Chemistry A</i> , 2008 , 82, 1318-1326	0.7	14
105	Physico-chemical properties of C70-l-threonine bisadduct (C70(C4H9NO2)2) aqueous solutions. <i>Journal of Molecular Liquids</i> , 2019 , 279, 687-699	6	12
104	Physico-chemical properties of the C70-l-lysine aqueous solutions. <i>Journal of Molecular Liquids</i> , 2018 , 256, 507-518	6	12
103	Physico-chemical properties of the C 60 - l-threonine water solutions. <i>Journal of Molecular Liquids</i> , 2017 , 242, 940-950	6	12
102	Solubility of fullerenes in n-alkanoic acids C219. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 456-460	0.8	12
101	Biological evaluation and molecular dynamics simulation of water-soluble fullerene derivative C[C(COOH)]. <i>Toxicology in Vitro</i> , 2020 , 62, 104683	3.6	12
100	Synthesis, characterisation and biocompatibility of graphene-methionine nanomaterial. <i>Journal of Molecular Liquids</i> , 2020 , 314, 113605	6	11
99	Solubility of Light Fullerenes in Styrene. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 756-761	2.8	11

98	Extraction equilibria in the fullerene-containing system C60-C70-1,2,4-trichlorobenzene-ethanol-H2O. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 201-204	0.8	11
97	Thermodynamic Properties from Calorimetry and Density Functional Theory and the Thermogravimetric Analysis of the Fullerene Derivative C60(OH)40. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1480-1487	2.8	10
96	Thermodynamic and thermal properties of the C60-l-Arg derivative. <i>Journal of Chemical Thermodynamics</i> , 2018 , 127, 39-44	2.9	10
95	The synthesis and identification of mixed fulleranol prepared by the direct one-stage oxidation of fullerene black. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 1009-1015	0.7	10
94	Polythermal study of the solubility of fullerenes in pelargonic and caprylic acids. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 557-561	0.8	10
93	Biologically active water-soluble fullerene adducts: Das Glasperlenspiel (by H. Hesse)?. <i>Journal of Molecular Liquids</i> , 2021 , 323, 114990	6	10
92	Density, speed of sound, viscosity, refractive index, surface tension and solubility of $C_{60}[C(COOH)_2]_3$. <i>Journal of Molecular Liquids</i> , 2019 , 291, 111256	6	9
91	Thermodynamics of arsenates, selenites, and sulfates in the oxidation zone of sulfide ores: VI. Solubility of synthetic analogs of ahlfeldite and cobaltomenite at 25°C. <i>Geology of Ore Deposits</i> , 2012 , 54, 638-646	0.7	9
90	Solubility Diagram of a Fulleranol-d-NaCl-H2O System at 25°C. <i>Russian Journal of Physical Chemistry A</i> , 2012 , 86, 1636-1638	0.7	9
89	Solubility and some properties of aqueous solutions of fulleranol-d and composition of crystal hydrates. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 44-49	0.8	9
88	The solubility of C70 in n-alkanols-1 C1-C11 over the temperature range 20-80°C. <i>Russian Journal of Physical Chemistry A</i> , 2008 , 82, 753-757	0.7	9
87	Reduction and functionalization of graphene oxide with L-cysteine: Synthesis, characterization and biocompatibility. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2020 , 29, 102284	6	9
86	Fullerenol can Ameliorate Iron Deficiency in Cucumber Grown Hydroponically. <i>Journal of Plant Growth Regulation</i> , 2021 , 40, 1017-1031	4.7	9
85	Fullerenol increases effectiveness of foliar iron fertilization in iron-deficient cucumber. <i>PLoS ONE</i> , 2020 , 15, e0232765	3.7	8
84	Physicochemical study of water-soluble C60(OH)24 fulleranol. <i>Journal of Molecular Liquids</i> , 2020 , 311, 113360	6	8
83	The solubility of fullerenes in butyric and enanthic acids at 20-80 °C. <i>Russian Journal of Physical Chemistry A</i> , 2008 , 82, 728-731	0.7	8
82	The solubility of fullerene C70 in monocarboxylic acids $C_n H_{2n} O_2 COOH$ (n = 1-9) over the temperature range 20-80°C. <i>Russian Journal of Physical Chemistry A</i> , 2008 , 82, 1045-1047	0.7	8
81	Caprolons modified with fullerenes and fulleroid materials. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 306-309	0.8	8

80	Solid-liquid phase equilibria in the fullereneol-d-CuCl ₂ -H ₂ O system at 25°C. <i>Russian Journal of Physical Chemistry A</i> , 2014 , 88, 1073-1075	0.7	7
79	Synthesis and protection effect of fullereneol-d. II. Modification of water-soluble priming enamel with fullereneol-d. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2012 , 48, 334-339	0.9	7
78	Synthesis of fullereneol-70-d by direct oxidation and its identification. <i>Russian Journal of General Chemistry</i> , 2013 , 83, 674-678	0.7	7
77	Extraction of fullerene mixture from fullerene soot with organic solvents. <i>Russian Journal of General Chemistry</i> , 2011 , 81, 920-926	0.7	7
76	Electrochemical properties of aqueous solutions of fullereneol-d. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 79-83	0.8	7
75	Graphene oxide enriched with oxygen-containing groups: on the way to an increase of antioxidant activity and biocompatibility. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021 , 112232	6	7
74	Novel Membranes Based on Hydroxyethyl Cellulose/Sodium Alginate for Pervaporation Dehydration of Isopropanol. <i>Polymers</i> , 2021 , 13,	4.5	7
73	Bioactivity Study of the C ₆₀ -L-Threonine Derivative for Potential Application in Agriculture. <i>Journal of Nanomaterials</i> , 2019 , 2019, 1-13	3.2	6
72	Surface properties of fullereneol C ₆₀ (OH) ₂₀ solutions. <i>Journal of Molecular Liquids</i> , 2020 , 306, 112904	6	6
71	Solubility in the ternary system fullereneol-d-uranyl sulfate-water at 25°C. <i>Radiochemistry</i> , 2014 , 56, 493-495	6	6
70	The solubility of C ₆₀ Br _n (n = 6, 8, 24) in organic solvents. <i>Russian Journal of Physical Chemistry A</i> , 2009 , 83, 1935-1939	0.7	6
69	Polythermal solubility of fullerenes in higher isomeric carboxylic acids. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 38-41	0.8	6
68	Polythermal density and viscosity, nanoparticle size distribution, binding with human serum albumin and radical scavenging activity of the C ₆₀ -l-arginine (C ₆₀ (C ₆ H ₁₃ N ₄ O ₂) ₈ H ₈) aqueous solutions. <i>Journal of Molecular Liquids</i> , 2020 , 297, 111915	6	6
67	Volume properties and refraction of aqueous solutions of bisadducts of light fullerene C ₆₀ and essential amino acids lysine, threonine, and oxyproline (C ₆₀ (C ₆ H ₁₃ N ₂ O ₂) ₂ , C ₆₀ (C ₄ H ₈ NO ₃) ₂ , and C ₆₀ (C ₅ H ₉ NO ₂) ₂) at 25°C. <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 315-322	0.7	5
66	Phase equilibria in a ternary fullereneol-d(C ₆₀ (OH) ₂₂) ₄ BrCl ₃ H ₂ O system at 25°C. <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 797-799	0.7	5
65	Electronic Structure of Fullerene Derivatives with Malonic Acid Fragments. <i>Russian Journal of General Chemistry</i> , 2018 , 88, 610-612	0.7	5
64	Study of aqueous solutions of fullereneol-d by the dynamic light scattering method. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 50-53	0.8	5
63	Synthesis and protection effect of fullereneol-d. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2011 , 47, 307-312	0.9	5

62	The solubility of light fullerenes in styrene over the temperature range 20-80°C. <i>Russian Journal of Physical Chemistry A</i> , 2008 , 82, 1975-1978	0.7	5
61	Modification of Natural Shungites To Obtain a Mixed Nanocarbon Material (MNS). <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 865-869	0.8	5
60	Influence of molecular mass of PEG on rheological behaviour of MWCNT-based nanofluids for thermal energy storage. <i>Journal of Molecular Liquids</i> , 2020 , 318, 113965	6	5
59	Multiphase Open Phase Processes Differential Equations. <i>Processes</i> , 2019 , 7, 148	2.9	4
58	Dissociation of fullereneol-70-d in aqueous solutions and their electric conductivity. <i>Russian Journal of Physical Chemistry A</i> , 2015 , 89, 771-775	0.7	4
57	Nafion-based composite solid electrolytes containing water-soluble fullerene C60 derivatives. <i>Russian Journal of General Chemistry</i> , 2016 , 86, 894-896	0.7	4
56	Modeling of systems with aqueous solutions of UO ₂ salts. Asymmetric model of excess thermodynamic functions, based on virial expansion of the Gibbs free energy of the solution, VD-AS. <i>Radiochemistry</i> , 2017 , 59, 134-142	0.9	4
55	Solubility of [C ₆₀ (=C(COOH) ₂) ₃] in the [C ₆₀ (=C(COOH) ₂) ₃]-SmCl ₃ -H ₂ O ternary system at 25°C. <i>Russian Journal of Physical Chemistry A</i> , 2015 , 89, 998-1000	0.7	4
54	Temperature Dependence of Solubility of Light Fullerenes in Some Essential Oils. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2011 , 19, 225-236	1.8	4
53	Solubility of Bromoderivatives C ₆₀ Br _n (n = 6, 8, 24) in 1-Chloronaphthalene and 1-Bromonaphthalene in the Temperature Range (10 to 60) °C. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3662-3666	2.8	4
52	Carbon nanostructures in the industrial production of alkali metals by electrolysis. <i>Technical Physics</i> , 2006 , 51, 278-280	0.5	4
51	Sorption of light fullerenes C ₆₀ and C ₇₀ on NORIT-AZO carbon. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 1627-1630	0.8	4
50	Formation of Carbon Nanostructures in Electrolytic Production of Alkali Metals. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 1944-1947	0.8	4
49	Thermodynamic properties of the C ₇₀ (OH) ₁₂ fullereneol in the temperature range T = 9.2 K to 304.5 K. <i>Journal of Chemical Thermodynamics</i> , 2020 , 144, 106029	2.9	4
48	Physicochemical properties, biological activity and biocompatibility of water-soluble C-Hyp adduct. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 196, 111338	6	4
47	Thermodynamic and quantum chemical investigation of the monocarboxylated fullerene C ₆₀ CHCOOH. <i>Journal of Chemical Thermodynamics</i> , 2020 , 140, 105898	2.9	4
46	Novel Mixed Matrix Membranes Based on Polyphenylene Oxide Modified with Graphene Oxide for Enhanced Pervaporation Dehydration of Ethylene Glycol.. <i>Polymers</i> , 2022 , 14,	4.5	4
45	Pressure dependence of the solubility of light fullerenes in n-nonane. <i>Journal of Chemical Thermodynamics</i> , 2017 , 112, 259-266	2.9	3

44	Temperature dependence of the solubility of fullerenes C60 derivatives with piperidine, pyrrolidine, and morpholine and fullerenes C70 with pyrrolidine in benzene, toluene, and o-xylene at 2080°C. <i>Russian Journal of Physical Chemistry A</i> , 2015 , 89, 1206-1210	0.7	3
43	Thermodynamics of arsenates, selenites, and sulfates in the oxidation zone of sulfide Ores: Part VII. Solubility of synthetic analogs of erythrite and annabergite at 25°C. <i>Geology of Ore Deposits</i> , 2013 , 55, 525-531	0.7	3
42	Conductivity of aqueous solutions of fullerol synthesized by direct oxidation. <i>Russian Journal of Physical Chemistry A</i> , 2012 , 86, 1808-1815	0.7	3
41	The solubility of fullerene C60-fullerene C70 mixtures in styrene at 25°C. <i>Russian Journal of Physical Chemistry A</i> , 2009 , 83, 59-62	0.7	3
40	Temperature Dependence of Light Fullerenes Solubility in Oleic, Linoleic and Linolenic Acids. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2011 , 19, 300-308	1.8	3
39	Activation of the carbon component of shungite-III and the sorption capacity of the material for hydrogen. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1423-1427	0.8	3
38	FULLERENE DERIVATIVES INFLUENCE PRODUCTION PROCESS, GROWTH AND RESISTANCE TO OXIDATIVE STRESS IN BARLEY AND WHEAT PLANTS. <i>Sel'skokhozyaistvennaya Biologiya</i> , 2018 , 53, 38-49	1.3	3
37	Functionalisation of graphene as a tool for developing nanomaterials with predefined properties. <i>Journal of Molecular Liquids</i> , 2022 , 348, 118368	6	3
36	A comprehensive study of biocompatibility of detonation nanodiamonds. <i>Journal of Molecular Liquids</i> , 2021 , 332, 115763	6	3
35	Thermochemistry of Solution, Solvation and Hydrogen Bonding of Chloroform in Linear and Cyclic Ethers. <i>Journal of Solution Chemistry</i> , 2021 , 50, 290-298	1.8	3
34	Biocompatibility and bioactivity study of a cytostatic drug belonging to the group of alkylating agents of the triazine derivative class. <i>Journal of Molecular Liquids</i> , 2021 , 343, 117630	6	3
33	Heat capacity and standard thermodynamic functions of the fulleranol C60(OH)24. <i>Journal of Chemical Thermodynamics</i> , 2020 , 149, 106192	2.9	2
32	Pressure dependence of the solubility of light fullerenes in 1-hexanol from 298.15K to 363.15K. <i>Journal of Molecular Liquids</i> , 2015 , 209, 71-76	6	2
31	Solubility of light fullerenes in oleic, linoleic, and linolenic acids at 2080°C. <i>Russian Journal of General Chemistry</i> , 2011 , 81, 569-572	0.7	2
30	Solubility of light fullerenes in vegetable oils. <i>Russian Journal of General Chemistry</i> , 2009 , 79, 1683-1690	0.7	2
29	Solubility of bromofullerenes C60Br _n (n = 6, 8, 24) in aqueous-ethanolic mixtures at 25°C. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 997-1000	0.8	2
28	Production of carbon nanotubes by self-propagating high-temperature synthesis. <i>Technical Physics</i> , 2006 , 51, 231-235	0.5	2
27	Sorption of Light Fullerenes (C60 and C70) on Materials Prepared by Sublimation of Graphite Rods. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 340-341	0.8	2

26	Biocompatibility of a nanocomposite based on Aerosil 380 and carboxylated fullerene C[C(COOH)]. <i>Journal of Biotechnology</i> , 2021 , 331, 83-98	3.7	2
25	Fullerenol changes metabolite responses differently depending on the iron status of cucumber plants. <i>PLoS ONE</i> , 2021 , 16, e0251396	3.7	2
24	Fractal analyses of porous sol-gel nanocomposites modified by fullerenol C60(OH) _n (n= 22-24). <i>Journal of Physics: Conference Series</i> , 2016 , 741, 012185	0.3	2
23	and Investigation of Water-Soluble Fullerenol C(OH): Bioactivity and Biocompatibility. <i>Journal of Physical Chemistry B</i> , 2021 , 125, 9197-9212	3.4	2
22	Formation of a new adduct based on fullerene tris-malonate samarium salt $C_{60}[C_{60}(=C(COO)_2)_3]Sm_2$. <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 549-554	0.7	1
21	Charges of Hydrogen Atoms in a Nanodiamond Modified with Proton-Donor Groups. <i>Russian Journal of General Chemistry</i> , 2020 , 90, 927-928	0.7	1
20	Pressure and temperature dependence of light fullerenes solubility in n-heptane. <i>Journal of Molecular Liquids</i> , 2018 , 268, 569-577	6	1
19	Synthesis, identification, and benzene solubility of the piperidine, pyrrolidine, and morpholine derivatives of fullerene C60. <i>Russian Journal of Physical Chemistry A</i> , 2013 , 87, 54-57	0.7	1
18	Synthesis and identification of bromofullerenes C70Br8 and C70Br10 and their solubility in some aromatic solvents. <i>Russian Journal of General Chemistry</i> , 2013 , 83, 670-673	0.7	1
17	Fullerene Bromides C70Br _n (n = 8, 10, 14) Synthesis and Identification and Phase Equilibria in the C70Br _n (n = 8, 10, 14)/Solvent Systems. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 570-575	2.8	1
16	Solubility of bromine derivatives of C60Br _n fullerene in chloro- and bromonaphthalene in the temperature range 10-30°C. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 62-67	0.7	1
15	Fullerenes as passivating agents of the surfaces of semiconductor photo- and light-emitting diodes. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 1411-1415	0.7	1
14	Nonlinear optical properties of solutions of heavy fullerenes in the near-ultraviolet region. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 1603-1608	0.7	1
13	Isothermal solubility of individual light fullerenes in the homologous series of n-alkanes, n-alkanols, n-alkylcarboxylic acids, and arenes. <i>Russian Journal of General Chemistry</i> , 2010 , 80, 2443-2449	0.7	1
12	Single-stage plasma-arc synthesis of metallo-endofullerenes. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 1888-1893	0.8	1
11	Graphene Oxide of Extra High Oxidation: A Wafer for Loading Guest Molecules. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 10015-10024	6.4	1
10	Physicochemical investigation of water-soluble C60(C2NH4O2)4H4 (C60-Gly) adduct. <i>Journal of Molecular Liquids</i> , 2021 , 344, 117658	6	1
9	Plant impact properties of carboxylated fullerene C60[C(COOH)2]3. <i>Journal of Molecular Structure</i> , 2021 , 1235, 130163	3.4	1

8	Solubility of Rare Earth Chlorides in Ternary Water-Salt Systems in the Presence of a Fullerenol $C_{60}(OH)_{24}$ Nanoclusters at 25 °C. Models of Nonelectrolyte Solubility in Electrolyte Solutions. <i>Processes</i> , 2021 , 9, 349	2.9	1
7	Graphene oxide conjugated with doxorubicin: synthesis, bioactivity, and biosafety. <i>Journal of Molecular Liquids</i> , 2022 , 119156	6	1
6	Synthesis, Identification, and Solubility of Adducts of Aldonitrone to Light Fullerenes in Toluene and O-xylene. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2015 , 23, 355-360	1.8	0
5	Biocompatibility, antioxidant activity and collagen photoprotection properties of C fullerene adduct with L-methionine. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2021 , 102500	6	0
4	A cytostatic drug from the class of triazine derivatives: Its properties in aqueous solutions, cytotoxicity, and therapeutic activity. <i>Journal of Molecular Liquids</i> , 2022 , 356, 119043	6	0
3	Heavy fullerenes for semiconducting photodiodes operating at 1.5B.0 μ m wavelengths. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 1016-1020	0.7	
2	Heavy Fullerene for Semi-Conducting Infrared Photo Diodes (1.5B.0 μ m). <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2012 , 20, 648-655	1.8	
1	Evaluation of the C biodistribution in mice in a micellar ExtraOx form and in an oil solution. <i>Scientific Reports</i> , 2021 , 11, 8362	4.9	