

# Min Wu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8253497/min-wu-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117  
papers

1,608  
citations

23  
h-index

34  
g-index

122  
ext. papers

2,380  
ext. citations

2.4  
avg, IF

4.33  
L-index

#	Paper	IF	Citations
117	Halomonas saccharevitans sp. nov., Halomonas arcis sp. nov. and Halomonas subterranea sp. nov., halophilic bacteria isolated from hypersaline environments of China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2007</b> , 57, 1619-1624	2.2	98
116	Isolation and Complete Genome Sequence of Algibacter alginolytica sp. nov., a Novel Seaweed-Degrading Bacteroidetes Bacterium with Diverse Putative Polysaccharide Utilization Loci. <i>Applied and Environmental Microbiology</i> , <b>2016</b> , 82, 2975-2987	4.8	61
115	Parabacteroides chartae sp. nov., an obligately anaerobic species from wastewater of a paper mill. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 2613-2617	2.2	60
114	Pelagibacterium halotolerans gen. nov., sp. nov. and Pelagibacterium luteolum sp. nov., novel members of the family Hyphomicrobiaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2011</b> , 61, 1817-1822	2.2	59
113	Haloferax larsenii sp. nov., an extremely halophilic archaeon from a solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2007</b> , 57, 717-720	2.2	59
112	Identification and characterization of novel esterases from a deep-sea sediment metagenome. <i>Archives of Microbiology</i> , <b>2012</b> , 194, 207-14	3	44
111	Brassicibacter mesophilus gen. nov., sp. nov., a strictly anaerobic bacterium isolated from food industry wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 3018-3023	2.2	40
110	Natrinema altunense sp. nov., an extremely halophilic archaeon isolated from a salt lake in Altun Mountain in Xinjiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2005</b> , 55, 1311-1314	2.2	40
109	Cloning, expression and characterization of a halotolerant esterase from a marine bacterium Pelagibacterium halotolerans B2T. <i>Extremophiles</i> , <b>2012</b> , 16, 427-35	3	38
108	Amphibacillus jilinensis sp. nov., a facultatively anaerobic, alkaliphilic bacillus from a soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2010</b> , 60, 2540-2543	2.2	36
107	Thermus arciformis sp. nov., a thermophilic species from a geothermal area. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2010</b> , 60, 834-839	2.2	35
106	Gracilibacillus ureilyticus sp. nov., a halotolerant bacterium from a saline-alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2010</b> , 60, 1383-1386	2.2	34
105	Paracoccus sediminis sp. nov., isolated from Pacific Ocean marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2014</b> , 64, 2512-2516	2.2	31
104	Halolamina salifodinae sp. nov. and Halolamina salina sp. nov., two extremely halophilic archaea isolated from a salt mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 4380-4385	2.2	30
103	Muricauda antarctica sp. nov., a marine member of the Flavobacteriaceae isolated from Antarctic seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 3451-3456	2.2	26
102	Pseudoroseovarius zhejiangensis gen. nov., sp. nov., a novel alpha-proteobacterium isolated from the chemical wastewater, and reclassification of Roseovarius crassostreae as Pseudoroseovarius crassostreae comb. nov., Roseovarius sediminilitoris as Pseudoroseovarius sediminilitoris comb. nov. and Roseovarius halocynthiae as Pseudoroseovarius halocynthiae comb. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2012</b> , 102, 101-107	2.1	25
101	Kordiimonas lacus sp. nov., isolated from a ballast water tank, and emended description of the genus Kordiimonas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2011</b> , 61, 422-426	2.2	25

100	Ruegeria marina sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2011</b> , 61, 347-350	2.2	25
99	Characterization of alcohol dehydrogenase from the haloalkaliphilic archaeon Natronomonas pharaonis. <i>Extremophiles</i> , <b>2008</b> , 12, 471-6	3	25
98	Haloterrigena saccharevitans sp. nov., an extremely halophilic archaeon from Xin-Jiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2005</b> , 55, 2539-2542	2.2	25
97	Maribacter thermophilus sp. nov., isolated from an algal bloom in an intertidal zone, and emended description of the genus Maribacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 36-41	2.2	24
96	Halorubrum arcis sp. nov., an extremely halophilic archaeon isolated from a saline lake on the Qinghai-Tibet Plateau, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2007</b> , 57, 1069-1072	2.2	24
95	Thalassomonas eurytherma sp. nov., a marine proteobacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2014</b> , 64, 2079-2083	2.2	24
94	Pseudoalteromonas lipolytica sp. nov., isolated from the Yangtze River estuary. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2010</b> , 60, 2176-2181	2.2	23
93	Oceanobacillus neutriphilus sp. nov., isolated from activated sludge in a bioreactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2010</b> , 60, 2409-2414	2.2	23
92	Bacterial and archaeal communities in the surface sediment from the northern slope of the South China Sea. <i>Journal of Zhejiang University: Science B</i> , <b>2009</b> , 10, 890-901	4.5	22
91	Halobiforma lacisalsi sp. nov., isolated from a salt lake in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2005</b> , 55, 1949-1952	2.2	22
90	Maripseudobacter aurantiacus gen. nov., sp. nov., a novel member of the family Flavobacteriaceae isolated from a sedimentation basin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2017</b> , 67, 778-783	2.2	22
89	Sinimaribacterium flocculans gen. nov., sp. nov., a gammaproteobacterium from offshore surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 3541-3546	2.2	21
88	Gemmobacter megaterium sp. nov., isolated from coastal planktonic seaweeds. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2014</b> , 64, 66-71	2.2	20
87	Aequorivita viscosa sp. nov., isolated from an intertidal zone, and emended descriptions of Aequorivita antarctica and Aequorivita capsosiphonis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 3192-3196	2.2	18
86	Devosia pacifica sp. nov., isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2014</b> , 64, 2637-2641	2.2	17
85	Parvularcula flava sp. nov., an alphaproteobacterium isolated from surface seawater of the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 3498-3502	2.2	17
84	Cloning, expression and characterization of a new enantioselective esterase from a marine bacterium Pelagibacterium halotolerans B2T. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2013</b> , 97, 270-277		16
83	Microbulbifer marinus sp. nov. and Microbulbifer yueqingensis sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 505-510	2.2	16

82	Meiothermus cateniformans sp. nov., a slightly thermophilic species from north-eastern China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2010</b> , 60, 840-844	2.2	16
81	Pseudoceanicola lipolyticus sp. nov., a marine alphaproteobacterium, reclassification of Oceanicola flagellatus as Pseudoceanicola flagellatus comb. nov. and emended description of the genus Pseudoceanicola. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 70, 100-117	2.2	16
80	Ecological functions of uncultured microorganisms in the cobalt-rich ferromanganese crust of a seamount in the central Pacific are elucidated by fosmid sequencing. <i>Acta Oceanologica Sinica</i> , <b>2015</b> , 34, 92-113	1	15
79	Image-based promoter prediction: a promoter prediction method based on evolutionarily generated patterns. <i>Scientific Reports</i> , <b>2018</b> , 8, 17695	4.9	15
78	Draft Genome Sequence of Microbacterium profundum Shh49T, an Actinobacterium Isolated from Deep-Sea Sediment of a Polymetallic Nodule Environment. <i>Genome Announcements</i> , <b>2015</b> , 3,		14
77	Draft genome sequence of Microbulbifer elongatus strain HZ11, a brown seaweed-degrading bacterium with potential ability to produce bioethanol from alginate. <i>Marine Genomics</i> , <b>2014</b> , 18 Pt B, 83-5	1.9	14
76	Roseivivax pacificus sp. nov., isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 4574-4579	2.2	14
75	Terasakiella brassicae sp. nov., isolated from the wastewater of a pickle-processing factory, and emended descriptions of Terasakiella pusilla and the genus Terasakiella. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 1807-1812	2.2	14
74	Pseudohongiellanitratireducens sp. nov., isolated from seawater, and emended description of the genus Pseudohongiella. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 5155-5160 <sup>14</sup>	2.2	14
73	Extensimonas vulgaris gen. nov., sp. nov., a member of the family Comamonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 2062-2068	2.2	13
72	Pectinatus brassicae sp. nov., a Gram-negative, anaerobic bacterium isolated from salty wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 2145-2149	2.2	13
71	Anoxybacillus vitaminiphilus sp. nov., a strictly aerobic and moderately thermophilic bacterium isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 4064-4071	2.2	12
70	Aldehyde dehydrogenase of the haloalkaliphilic archaeon Natronomonas pharaonis and its function in ethanol metabolism. <i>Extremophiles</i> , <b>2008</b> , 12, 849-54	3	12
69	sp. nov. Is a Novel Actinobacterium Isolated From Mangrove Soil and Exerts a Potent Antitumor Activity. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 1587	5.7	11
68	Alkaliphilus halophilus sp. nov., a strictly anaerobic and halophilic bacterium isolated from a saline lake, and emended description of the genus Alkaliphilus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2010</b> , 60, 2898-2902	2.2	11
67	Citricoccus zhacaiensis sp. nov., isolated from a bioreactor for saline wastewater treatment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2010</b> , 60, 495-499	2.2	11
66	Tepidibacter mesophilus sp. nov., a mesophilic fermentative anaerobe isolated from soil polluted by crude oil, and emended description of the genus Tepidibacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2012</b> , 62, 66-70	2.2	11
65	Luteolibacter flavescens sp. nov., isolated from deep seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2017</b> , 67, 729-735	2.2	11

64	Mesorhizobium oceanicum sp. nov., isolated from deep seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2017</b> , 67, 2739-2745	2.2	11
63	Sphingomonas rubra sp. nov., isolated from bioreactor wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2011</b> , 61, 1028-1032	2.2	10
62	Gilvimarinus polysaccharolyticus sp. nov., an agar-digesting bacterium isolated from seaweed, and emended description of the genus Gilvimarinus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 562-569	2.2	9
61	Salimesophilobacter vulgaris gen. nov., sp. nov., an anaerobic bacterium isolated from paper-mill wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 1317-1322	2.2	9
60	Culturable halophilic archaeal diversity of Ayakekumu salt lake located in Xinjiang, China. <i>Acta Ecologica Sinica</i> , <b>2007</b> , 27, 3119-3123	2.7	9
59	gen. nov., sp. nov., an anaerobic bacterium isolated from paper-mill wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 628-632	2.2	9
58	Halomonas endophytica sp. nov., isolated from liquid in the stems of Populus euphratica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 1633-1638	2.2	9
57	Three New Isoflavonoid Glycosides from the Mangrove-Derived Actinomycete 110B. <i>Marine Drugs</i> , <b>2019</b> , 17,	6	8
56	Microbial community structure and nitrogenase gene diversity of sediment from a deep-sea hydrothermal vent field on the Southwest Indian Ridge. <i>Acta Oceanologica Sinica</i> , <b>2014</b> , 33, 94-104	1	8
55	Halopiger salifodinae sp. nov., an extremely halophilic archaeon isolated from a salt mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 3563-3567	2.2	8
54	Oceanirhabdus sediminicola gen. nov., sp. nov., an anaerobic bacterium isolated from sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 4277-4283	2.2	8
53	Marinobacterium zhoushanense sp. nov., isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 3437-3442	2.2	8
52	Roseivirga marina sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 4239-4243	2.2	7
51	Saccharospirillum mangrovi sp. nov., a bacterium isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 2813-2818	2.2	7
50	Algicoccus marinus gen. nov. sp. nov., a marine bacterium isolated from the surface of brown seaweed Laminaria japonica. <i>Archives of Microbiology</i> , <b>2019</b> , 201, 943-950	3	6
49	Gallaecimonas mangrovi sp. nov., a novel bacterium isolated from mangrove sediment. <i>Antonie Van Leeuwenhoek</i> , <b>2018</b> , 111, 1855-1862	2.1	6
48	Halopelagius longus sp. nov., a member of the family Halobacteriaceae isolated from a salt mine, and emended description of the genus Halopelagius. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2013</b> , 63, 3585-3590	2.2	6
47	Pseudomonas mangrovi sp. nov., isolated from mangrove soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2019</b> , 69, 377-383	2.2	6

46	Description of <i>Erythrobacter mangrovi</i> sp. nov., an aerobic bacterium from rhizosphere soil of mangrove plant ( <i>Kandelia candel</i> ). <i>Antonie Van Leeuwenhoek</i> , <b>2020</b> , 113, 1425-1435	2.1	6
45	Polyphasic taxonomic characterisation of a novel strain as <i>Pararhizobium haloflavum</i> sp. nov., isolated from soil samples near a sewage treatment tank. <i>Antonie Van Leeuwenhoek</i> , <b>2018</b> , 111, 485-491	2.1	6
44	<i>Muriicola marianensis</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2015</b> , 65, 407-411	2.2	5
43	<i>Aquibacillus salifodinae</i> sp. nov., a novel bacterium isolated from a salt mine in Xinjiang province, China. <i>Antonie Van Leeuwenhoek</i> , <b>2015</b> , 107, 367-74	2.1	5
42	<i>Thalassobaculum fulvum</i> sp. nov., isolated from deep seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 2186-2191	2.2	5
41	<i>Actibacterium pelagium</i> sp. nov., a novel alphaproteobacterium, and emended description of the genus <i>Actibacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2017</b> , 67, 5080-5086	2.2	5
40	<i>Aestuarium zhoushanense</i> gen. nov., sp. nov., Isolated from the Tidal Flat. <i>Current Microbiology</i> , <b>2017</b> , 74, 1469-1476	2.4	4
39	<i>Bacillus salitolerans</i> sp. nov., a novel bacterium isolated from a salt mine in Xinjiang province, China. <i>Antonie Van Leeuwenhoek</i> , <b>2015</b> , 108, 443-51	2.1	4
38	<i>Pseudomonas pharmafabricae</i> sp. nov., Isolated From Pharmaceutical Wastewater. <i>Current Microbiology</i> , <b>2018</b> , 75, 1119-1125	2.4	4
37	<i>Chryseobacterium lineare</i> sp. nov., isolated from a limpid stream. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2017</b> , 67, 800-805	2.2	4
36	<i>Kordiimonas pumila</i> sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 1743-1748	2.2	4
35	<i>Rhodohalobacter barkolensis</i> sp. nov., isolated from a saline lake and emended description of the genus <i>Rhodohalobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 1949-1954	2.2	4
34	<i>Marinicaulis flavus</i> gen. nov., sp. nov., a novel stalked bacterium of the family Parvularculaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 2061-2067	2.2	4
33	<i>Micromonospora zhangzhouensis</i> sp. nov., a Novel Actinobacterium Isolated from Mangrove Soil, Exerts a Cytotoxic Activity in vitro. <i>Scientific Reports</i> , <b>2020</b> , 10, 3889	4.9	3
32	<i>Agromyces mangrovi</i> sp. nov., a Novel Actinobacterium Isolated from Mangrove Soil. <i>Current Microbiology</i> , <b>2018</b> , 75, 1055-1061	2.4	3
31	<i>Marinibaculum pumilum</i> gen. nov., sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 4844-4849	2.2	3
30	sp. nov., a halotolerant bacterium isolated from a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 1204-1209	2.2	3
29	<i>Meridianimarinicoccus roseus</i> gen. nov., sp. nov., a novel genus of the family Rhodobacteraceae isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2019</b> , 69, 504-510	2.2	3

28	Complete genome sequence of <i>Salinigranum rubrum</i> GX10T, an extremely halophilic archaeon isolated from a marine solar saltern. <i>Marine Genomics</i> , <b>2019</b> , 44, 57-60	1.9	3
27	Chemical Oxygen Demand Removal in Na <sub>2</sub> SO <sub>4</sub> Saturated Wastewater by Cultivable Halotolerant Bacterial Community. <i>Clean - Soil, Air, Water</i> , <b>2016</b> , 44, 593-598	1.6	2
26	Draft genome sequence of <i>Halopiger salifodinae</i> KCY07-B2(T), an extremely halophilic archaeon isolated from a salt mine. <i>Standards in Genomic Sciences</i> , <b>2015</b> , 10, 124		2
25	Isolation and Phylogenetic Analysis of Halophilic Archaeon AJ6. <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , <b>2006</b> , 1, 29-34		2
24	<i>Emcibacter congregatus</i> sp. nov., isolated from sediment cultured in situ. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2018</b> , 68, 2846-2850	2.2	2
23	<i>Alkalilacustris brevis</i> gen. nov., sp. nov., isolated from a soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2019</b> , 69, 1669-1675	2.2	2
22	sp. nov., sp. nov. and sp. nov., three marine bacteria isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2020</b> , 70, 6240-6250	2.2	2
21	Description of <i>Wenzhouxiangella salilacus</i> sp. nov., a moderate halophilic bacterium isolated from a salt lake in Xinjiang Province, China. <i>Antonie Van Leeuwenhoek</i> , <b>2019</b> , 112, 847-855	2.1	2
20	<i>Marinobacter caseinilyticus</i> sp. nov., Isolated from Saline Soil. <i>Current Microbiology</i> , <b>2021</b> , 78, 1045-1052	2.4	2
19	<i>Nitratireductor mangrovi</i> sp. nov., a Nitrate-Reducing Bacterium Isolated from Mangrove Soil. <i>Current Microbiology</i> , <b>2020</b> , 77, 1334-1340	2.4	1
18	High quality draft genome sequence of an extremely halophilic archaeon strain AJ2. <i>Standards in Genomic Sciences</i> , <b>2017</b> , 12, 25		1
17	Draft genomic DNA sequence of strain <i>Halomonas</i> sp. FS-N4 exhibiting high catalase activity. <i>Marine Genomics</i> , <b>2014</b> , 18 Pt B, 119-21	1.9	1
16	sp. nov., a novel actinobacterium isolated from sap of. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2020</b> , 70, 1888-1894	2.2	1
15	<i>Idiomarina mangrovi</i> sp. nov., isolated from rhizosphere soil of a mangrove <i>Avicennia marina</i> forest. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2019</b> , 69, 1662-1668	2.2	1
14	<i>Seohaecicola zhoushanensis</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2016</b> , 66, 3029-3033	2.2	1
13	Discovery of Three 22-Membered Macrolides by Deciphering the Streamlined Genome of Mangrove-Derived sp. HM190. <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 1464	5.7	1
12	The Complete Genome of <i>Emcibacter congregatus</i> ZYL, a Marine Bacterium Encoding a CRISPR-Cas 9 Immune System. <i>Current Microbiology</i> , <b>2020</b> , 77, 762-768	2.4	0
11	Draft Genome Sequence of <i>Amphibacillus jilinensis</i> Y1(T), a Facultatively Anaerobic, Alkaliphilic and Halotolerant Bacterium. <i>Standards in Genomic Sciences</i> , <b>2013</b> , 8, 491-9		0

10	sp. nov., isolated from rhizosphere soil of in a mangrove. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2020</b> , 70, 5861-5867	2.2	○
9	<i>Marortus luteolus</i> gen. nov., sp. nov., isolated from surface seawater of the East Sea in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2019</b> , 69, 1490-1495	2.2	○
8	<i>Anaerophilus nitritogenes</i> gen. nov., sp. nov., isolated from salt lake sediment in Xinjiang Province, China. <i>Antonie Van Leeuwenhoek</i> , <b>2020</b> , 113, 417-425	2.1	○
7	Complete genome sequence of marine Roseobacter lineage member <i>Monaibacterium</i> sp. ALG8 with six plasmids isolated from seawater around brown algae. <i>Marine Genomics</i> , <b>2021</b> , 60, 100878	1.9	○
6	<i>Pseudomonas lopnurensis</i> sp. nov., an endophytic bacterium isolated from <i>Populus euphratica</i> at the ancient Ugan river. <i>Antonie Van Leeuwenhoek</i> , <b>2021</b> , 114, 399-410	2.1	○
5	<i>Nesterenkonia ebinurensis</i> sp. nov., a Novel Actinobacterium Isolated From <i>Populus euphratica</i> . <i>Current Microbiology</i> , <b>2021</b> , 78, 3804-3810	2.4	○
4	<i>Halomonas populi</i> sp. nov. isolated from <i>Populus euphratica</i> .. <i>Archives of Microbiology</i> , <b>2021</b> , 204, 86	3	○
3	<i>Confluentibacter flavum</i> sp. nov., Isolated from the Saline Lake. <i>Current Microbiology</i> , <b>2018</b> , 75, 1447-1452	4	○
2	Genome sequence of facultatively anaerobic marine bacterium <i>Maribacter thermophilus</i> strain HT7-2(T). <i>Marine Genomics</i> , <b>2015</b> , 24 Pt 3, 265-8	1.9	○
1	<i>Halopelagius</i> <b>2016</b> , 1-8		