
Hai-Bo Han

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8253877/publications.pdf Version: 2024-02-01



HAL-RO HAN

#	Article	IF	CITATIONS
1	PBX3 is targeted by multiple miRNAs and is essential for liver tumour-initiating cells. Nature Communications, 2015, 6, 8271.	5.8	61
2	PBX3 promotes migration and invasion of colorectal cancer cells <i>via</i> activation of MAPK/ERK signaling pathway. World Journal of Gastroenterology, 2014, 20, 18260.	1.4	59
3	Downregulation of miR-193a-5p correlates with lymph node metastasis and poor prognosis in colorectal cancer. World Journal of Gastroenterology, 2014, 20, 12241.	1.4	52
4	MicroRNA-200b is downregulated and suppresses metastasis by targeting LAMA4 in renal cell carcinoma. EBioMedicine, 2019, 44, 439-451.	2.7	47
5	MicroRNAâ€130aâ€3p suppresses cell migration and invasion by inhibition of TBL1XR1â€mediated EMT in human gastric carcinoma. Molecular Carcinogenesis, 2018, 57, 383-392.	1.3	42
6	MicroRNA-33a-3p suppresses cell migration and invasion by directly targeting PBX3 in human hepatocellular carcinoma. Oncotarget, 0, 7, 42461-42473.	0.8	39
7	Silencing Snail suppresses tumor cell proliferation and invasion by reversing epithelial-to-mesenchymal transition and arresting G2/M phase in non-small cell lung cancer. International Journal of Oncology, 2017, 50, 1251-1260.	1.4	38
8	CD44 promotes cell proliferation in non-small cell lung cancer. Oncology Letters, 2018, 15, 5627-5633.	0.8	38
9	ISL1 predicts poor outcomes for patients with gastric cancer and drives tumor progression through binding to the ZEB1 promoter together with SETD7. Cell Death and Disease, 2019, 10, 33.	2.7	32
10	Long noncoding RNA PART1 restrains aggressive gastric cancer through the epigenetic silencing of PDGFB via the PLZF-mediated recruitment of EZH2. Oncogene, 2020, 39, 6513-6528.	2.6	25
11	Let-7d inhibits intratumoral macrophage M2 polarization and subsequent tumor angiogenesis by targeting IL-13 and IL-10. Cancer Immunology, Immunotherapy, 2021, 70, 1619-1634.	2.0	22
12	Inhibiting CBX4 efficiently protects hepatocellular carcinoma cells against sorafenib resistance. British Journal of Cancer, 2021, 124, 1237-1248.	2.9	20
13	Does Thermosensitive Liposomal Vinorelbine Improve End-Point Survival after Percutaneous Radiofrequency Ablation of Liver Tumors in a Mouse Model?. Radiology, 2016, 279, 762-772.	3.6	19
14	Tumor-penetrating Peptide-integrated Thermally Sensitive Liposomal Doxorubicin Enhances Efficacy of Radiofrequency Ablation in Liver Tumors. Radiology, 2017, 285, 462-471.	3.6	19
15	Insulin gene enhancer protein 1 mediates glycolysis and tumorigenesis of gastric cancer through regulating glucose transporter 4. Cancer Communications, 2021, 41, 258-272.	3.7	19
16	<i>Marsdenia tenacissima</i> extract overcomes Axl- and Met-mediated erlotinib and gefitinib cross-resistance in non-small cell lung cancer cells. Oncotarget, 2017, 8, 56893-56905.	0.8	17
17	iASPP facilitates tumor growth by promoting mTOR-dependent autophagy in human non-small-cell lung cancer. Cell Death and Disease, 2017, 8, e3150-e3150.	2.7	15
18	MiR-21 promotes calcium oxalate-induced renal tubular cell injury by targeting PPARA. American Journal of Physiology - Renal Physiology, 2020, 319, F202-F214.	1.3	15

Hai-Bo Han

#	Article	IF	CITATIONS
19	MTBP promotes migration and invasion by regulation of ZEB2-mediated epithelial–mesenchymal transition in lung cancer cells. OncoTargets and Therapy, 2018, Volume 11, 6741-6756.	1.0	12
20	AZGP1 inhibits soft tissue sarcoma cells invasion and migration. BMC Cancer, 2018, 18, 89.	1.1	12
21	Influence of Freeze-Thaw Cycles on RNA Integrity of Gastrointestinal Cancer and Matched Adjacent Tissues. Biopreservation and Biobanking, 2017, 15, 241-247.	0.5	9
22	High levels of immunoglobulin expression predict shorter overall survival in patients with acute myeloid leukemia. European Journal of Haematology, 2020, 105, 449-459.	1.1	9
23	Monoclonal antibody 3H11 chimeric antigen receptors enhance T cell effector function and exhibit efficacy against gastric cancer. Oncology Letters, 2018, 15, 6887-6894.	0.8	6
24	The combination of circRNA-UMAD1 and Galectin-3 in peripheral circulation is a co-biomarker for predicting lymph node metastasis of thyroid carcinoma. American Journal of Translational Research (discontinued), 2020, 12, 5399-5415.	0.0	4
25	MiR-224 promotes lymphatic metastasis by targeting ANGPTL1 in non-small-cell lung carcinoma. Cancer Biomarkers, 2022, 34, 431-441.	0.8	4
26	MicroRNA-31 suppresses the self-renewal capability of α2δ1+ liver tumor-initiating cells by targeting <i>ISL1</i> . Oncotarget, 2017, 8, 87647-87657.	0.8	3
27	All-trans retinoic acid (ATRA) inhibits insufficient radiofrequency ablation (IRFA)-induced enrichment of tumor-initiating cells in hepatocellular carcinoma. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2021, 33, 694-707.	0.7	3
28	A Novel Germline Deletion of p.C630 in <i>RET</i> Causes MTC and Promotes Cell Proliferation and Sensitivity to Pralsetinib. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 2636-2643.	1.8	3
29	High expression of the long noncoding RNA SH3PXD2A-AS1 is associated with poor prognosis in patients with esophageal squamous cell carcinoma. Journal of International Medical Research, 2020, 48, 030006052094905.	0.4	1