

Marcel Alexander Mller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8254772/marcel-alexander-muller-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137 papers	30,616 citations	65 h-index	147 g-index
147 ext. papers	38,517 ext. citations	12 avg, IF	7.59 L-index

#	Paper	IF	Citations
137	Cutting Edge: Serum but Not Mucosal Antibody Responses Are Associated with Pre-Existing SARS-CoV-2 Spike Cross-Reactive CD4 T Cells following BNT162b2 Vaccination in the Elderly.. <i>Journal of Immunology</i> , 2022 ,	5.3	4
136	Reduced IFN- γ inhibitory activity of Lagos bat virus phosphoproteins in human compared to Eidolon helvum bat cells.. <i>PLoS ONE</i> , 2022 , 17, e0264450	3.7	1
135	Antiviral and Immunomodulatory Effects of Root Extract EPs 7630 in SARS-CoV-2-Infected Human Lung Cells. <i>Frontiers in Pharmacology</i> , 2021 , 12, 757666	5.6	3
134	Transcriptomic profiling of SARS-CoV-2 infected human cell lines identifies HSP90 as target for COVID-19 therapy. <i>iScience</i> , 2021 , 24, 102151	6.1	72
133	Comparison of seven commercial SARS-CoV-2 rapid point-of-care antigen tests: a single-centre laboratory evaluation study. <i>Lancet Microbe</i> , 2021 , 2, e311-e319	22.2	119
132	Seroprevalence and correlates of SARS-CoV-2 neutralizing antibodies from a population-based study in Bonn, Germany. <i>Nature Communications</i> , 2021 , 12, 2117	17.4	34
131	Interferon antagonism by SARS-CoV-2: a functional study using reverse genetics. <i>Lancet Microbe</i> , 2021 , 2, e210-e218	22.2	18
130	Impaired performance of SARS-CoV-2 antigen-detecting rapid diagnostic tests at elevated and low temperatures. <i>Journal of Clinical Virology</i> , 2021 , 138, 104796	14.5	15
129	Impact of dexamethasone on SARS-CoV-2 concentration kinetics and antibody response in hospitalized COVID-19 patients: results from a prospective observational study. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 1520.e7-1520.e10	9.5	2
128	SARS-CoV-2-mediated dysregulation of metabolism and autophagy uncovers host-targeting antivirals. <i>Nature Communications</i> , 2021 , 12, 3818	17.4	53
127	SARS-CoV-2 Proteome-Wide Analysis Revealed Significant Epitope Signatures in COVID-19 Patients. <i>Frontiers in Immunology</i> , 2021 , 12, 629185	8.4	11
126	Cross-reactive CD4 T cells enhance SARS-CoV-2 immune responses upon infection and vaccination. <i>Science</i> , 2021 , 374, eabh1823	33.3	53
125	Functional comparison of MERS-coronavirus lineages reveals increased replicative fitness of the recombinant lineage 5. <i>Nature Communications</i> , 2021 , 12, 5324	17.4	0
124	Rapid reconstruction of SARS-CoV-2 using a synthetic genomics platform. <i>Nature</i> , 2020 , 582, 561-565	50.4	205
123	Severe Acute Respiratory Syndrome Coronavirus 2-Specific Antibody Responses in Coronavirus Disease Patients. <i>Emerging Infectious Diseases</i> , 2020 , 26, 1478-1488	10.2	1055
122	SARS-CoV-2 Cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor. <i>Cell</i> , 2020 , 181, 271-280.e8	56.2	10629
121	Polymorphisms in dipeptidyl peptidase 4 reduce host cell entry of Middle East respiratory syndrome coronavirus. <i>Emerging Microbes and Infections</i> , 2020 , 9, 155-168	18.9	53

120	Accelerated viral dynamics in bat cell lines, with implications for zoonotic emergence. <i>ELife</i> , 2020 , 9,	8.9	64
119	Author response: Accelerated viral dynamics in bat cell lines, with implications for zoonotic emergence 2020 ,		3
118	Virological assessment of hospitalized patients with COVID-2019. <i>Nature</i> , 2020 , 581, 465-469	50.4	4168
117	SARS-CoV-2-reactive T cells in healthy donors and patients with COVID-19. <i>Nature</i> , 2020 , 587, 270-274	50.4	688
116	A SARS-CoV-2 neutralizing antibody protects from lung pathology in a COVID-19 hamster model 2020 ,		15
115	A Therapeutic Non-self-reactive SARS-CoV-2 Antibody Protects from Lung Pathology in a COVID-19 Hamster Model. <i>Cell</i> , 2020 , 183, 1058-1069.e19	56.2	182
114	Mammalian deltavirus without hepadnavirus coinfection in the neotropical rodent. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 17977-17983	11.5	18
113	Chloroquine does not inhibit infection of human lung cells with SARS-CoV-2. <i>Nature</i> , 2020 , 585, 588-590	50.4	243
112	Nafamostat Mesylate Blocks Activation of SARS-CoV-2: New Treatment Option for COVID-19. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	281
111	Disease Severity, Fever, Age, and Sex Correlate With SARS-CoV-2 Neutralizing Antibody Responses. <i>Frontiers in Immunology</i> , 2020 , 11, 628971	8.4	21
110	Fusogenicity of the Ghana Virus (:) Fusion Protein is Controlled by the Cytoplasmic Domain of the Attachment Glycoprotein. <i>Viruses</i> , 2019 , 11,	6.2	5
109	Virus- and Interferon Alpha-Induced Transcriptomes of Cells from the Microbat <i>Myotis daubentonii</i> . <i>iScience</i> , 2019 , 19, 647-661	6.1	17
108	Comparison of Serologic Assays for Middle East Respiratory Syndrome Coronavirus. <i>Emerging Infectious Diseases</i> , 2019 , 25, 1878-1883	10.2	12
107	A metaanalysis of bat phylogenetics and positive selection based on genomes and transcriptomes from 18 species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 11351-11360	11.5	33
106	Comparative Serological Study for the Prevalence of Anti-MERS Coronavirus Antibodies in High- and Low-Risk Groups in Qatar. <i>Journal of Immunology Research</i> , 2019 , 2019, 1386740	4.5	32
105	Shared Common Ancestry of Rodent Alphacoronaviruses Sampled Globally. <i>Viruses</i> , 2019 , 11,	6.2	16
104	SKP2 attenuates autophagy through Beclin1-ubiquitination and its inhibition reduces MERS-Coronavirus infection. <i>Nature Communications</i> , 2019 , 10, 5770	17.4	192
103	Enzootic patterns of Middle East respiratory syndrome coronavirus in imported African and local Arabian dromedary camels: a prospective genomic study. <i>Lancet Planetary Health</i> , <i>The</i> , 2019 , 3, e521-e528	9.8	31

102	Mutations in the Spike Protein of Middle East Respiratory Syndrome Coronavirus Transmitted in Korea Increase Resistance to Antibody-Mediated Neutralization. <i>Journal of Virology</i> , 2019 , 93,	6.6	84
101	Detection of distinct MERS-Coronavirus strains in dromedary camels from Kenya, 2017. <i>Emerging Microbes and Infections</i> , 2018 , 7, 195	18.9	16
100	The papain-like protease determines a virulence trait that varies among members of the SARS-coronavirus species. <i>PLoS Pathogens</i> , 2018 , 14, e1007296	7.6	49
99	Entry, Replication, Immune Evasion, and Neurotoxicity of Synthetically Engineered Bat-Borne Mumps Virus. <i>Cell Reports</i> , 2018 , 25, 312-320.e7	10.6	9
98	Attenuation of replication by a 29 nucleotide deletion in SARS-coronavirus acquired during the early stages of human-to-human transmission. <i>Scientific Reports</i> , 2018 , 8, 15177	4.9	130
97	Challenges of convalescent plasma infusion therapy in Middle East respiratory coronavirus infection: a single centre experience. <i>Antiviral Therapy</i> , 2018 , 23, 617-622	1.6	216
96	Evolution and Antiviral Specificities of Interferon-Induced Mx Proteins of Bats against Ebola, Influenza, and Other RNA Viruses. <i>Journal of Virology</i> , 2017 , 91,	6.6	34
95	Factors determining human-to-human transmissibility of zoonotic pathogens via contact. <i>Current Opinion in Virology</i> , 2017 , 22, 7-12	7.5	10
94	Transcriptome profile of lung dendritic cells after in vitro porcine reproductive and respiratory syndrome virus (PRRSV) infection. <i>PLoS ONE</i> , 2017 , 12, e0187735	3.7	12
93	Serologic Evidence for MERS-CoV Infection in Dromedary Camels, Punjab, Pakistan, 2012-2015. <i>Emerging Infectious Diseases</i> , 2017 , 23, 550-551	10.2	31
92	Serologic responses of 42 MERS-coronavirus-infected patients according to the disease severity. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017 , 89, 106-111	2.9	62
91	Suggested new breakpoints of anti-MERS-CoV antibody ELISA titers: performance analysis of serologic tests. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017 , 36, 2179-2186	5.3	14
90	Serologic Evaluation of MERS Screening Strategy for Healthcare Personnel During a Hospital-Associated Outbreak. <i>Infection Control and Hospital Epidemiology</i> , 2017 , 38, 234-238	2	12
89	Transgene expression in the genome of Middle East respiratory syndrome coronavirus based on a novel reverse genetics system utilizing Red-mediated recombination cloning. <i>Journal of General Virology</i> , 2017 , 98, 2461-2469	4.9	13
88	No Serologic Evidence of Middle East Respiratory Syndrome Coronavirus Infection Among Camel Farmers Exposed to Highly Seropositive Camel Herds: A Household Linked Study, Kenya, 2013. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017 , 96, 1318-1324	3.2	28
87	Time Course of MERS-CoV Infection and Immunity in Dromedary Camels. <i>Emerging Infectious Diseases</i> , 2016 , 22, 2171-2173	10.2	31
86	Link of a ubiquitous human coronavirus to dromedary camels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 9864-9	11.5	84
85	Human Adaptation of Ebola Virus during the West African Outbreak. <i>Cell</i> , 2016 , 167, 1079-1087.e5	56.2	134

84	Epithelial cell lines of the cotton rat (<i>Sigmodon hispidus</i>) are highly susceptible in vitro models to zoonotic Bunya-, Rhabdo-, and Flaviviruses. <i>Virology Journal</i> , 2016 , 13, 74	6.1	6
83	Broad and Temperature Independent Replication Potential of Filoviruses on Cells Derived From Old and New World Bat Species. <i>Journal of Infectious Diseases</i> , 2016 , 214, S297-S302	7	18
82	Viral Shedding and Antibody Response in 37 Patients With Middle East Respiratory Syndrome Coronavirus Infection. <i>Clinical Infectious Diseases</i> , 2016 , 62, 477-483	11.6	259
81	MERS-CoV Antibodies in Humans, Africa, 2013-2014. <i>Emerging Infectious Diseases</i> , 2016 , 22, 1086-9	10.2	43
80	Evidence for widespread infection of African bats with Crimean-Congo hemorrhagic fever-like viruses. <i>Scientific Reports</i> , 2016 , 6, 26637	4.9	22
79	An RNA-dependent RNA polymerase gene in bat genomes derived from an ancient negative-strand RNA virus. <i>Scientific Reports</i> , 2016 , 6, 25873	4.9	22
78	p53 down-regulates SARS coronavirus replication and is targeted by the SARS-unique domain and PLpro via E3 ubiquitin ligase RCHY1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E5192-201	11.5	104
77	Infectious Middle East Respiratory Syndrome Coronavirus Excretion and Serotype Variability Based on Live Virus Isolates from Patients in Saudi Arabia. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 2951-5	9.7	43
76	Presence of Middle East respiratory syndrome coronavirus antibodies in Saudi Arabia: a nationwide, cross-sectional, serological study. <i>Lancet Infectious Diseases</i> , 2015 , 15, 559-64	25.5	227
75	Functional properties and genetic relatedness of the fusion and hemagglutinin-neuraminidase proteins of a mumps virus-like bat virus. <i>Journal of Virology</i> , 2015 , 89, 4539-48	6.6	14
74	Serologic assessment of possibility for MERS-CoV infection in equids. <i>Emerging Infectious Diseases</i> , 2015 , 21, 181-2	10.2	40
73	Inhibition of proprotein convertases abrogates processing of the middle eastern respiratory syndrome coronavirus spike protein in infected cells but does not reduce viral infectivity. <i>Journal of Infectious Diseases</i> , 2015 , 211, 889-97	7	33
72	Occupational Exposure to Dromedaries and Risk for MERS-CoV Infection, Qatar, 2013-2014. <i>Emerging Infectious Diseases</i> , 2015 , 21, 1422-5	10.2	63
71	Serological evidence of influenza A viruses in frugivorous bats from Africa. <i>PLoS ONE</i> , 2015 , 10, e0127035	5.7	34
70	A novel rhabdovirus isolated from the straw-colored fruit bat <i>Eidolon helvum</i> , with signs of antibodies in swine and humans. <i>Journal of Virology</i> , 2015 , 89, 4588-97	6.6	20
69	Filovirus receptor NPC1 contributes to species-specific patterns of ebolavirus susceptibility in bats. <i>ELife</i> , 2015 , 4,	8.9	76
68	Attachment protein G of an African bat henipavirus is differentially restricted in chiropteran and nonchiropteran cells. <i>Journal of Virology</i> , 2014 , 88, 11973-80	6.6	9
67	Transmission of MERS-coronavirus in household contacts. <i>New England Journal of Medicine</i> , 2014 , 371, 828-35	59.2	288

66	Influenza A virus polymerase is a site for adaptive changes during experimental evolution in bat cells. <i>Journal of Virology</i> , 2014 , 88, 12572-85	6.6	22
65	Characterization of a novel betacoronavirus related to middle East respiratory syndrome coronavirus in European hedgehogs. <i>Journal of Virology</i> , 2014 , 88, 717-24	6.6	83
64	Rapid point of care diagnostic tests for viral and bacterial respiratory tract infections--needs, advances, and future prospects. <i>Lancet Infectious Diseases, The</i> , 2014 , 14, 1123-1135	25.5	105
63	Surface glycoproteins of the recently identified African Henipavirus promote viral entry and cell fusion in a range of human, simian and bat cell lines. <i>Virus Research</i> , 2014 , 181, 77-80	6.4	13
62	Serological assays for emerging coronaviruses: challenges and pitfalls. <i>Virus Research</i> , 2014 , 194, 175-83	6.4	270
61	Bat airway epithelial cells: a novel tool for the study of zoonotic viruses. <i>PLoS ONE</i> , 2014 , 9, e84679	3.7	19
60	Investigation of anti-middle East respiratory syndrome antibodies in blood donors and slaughterhouse workers in Jeddah and Makkah, Saudi Arabia, fall 2012. <i>Journal of Infectious Diseases</i> , 2014 , 209, 243-6	7	72
59	Targeting membrane-bound viral RNA synthesis reveals potent inhibition of diverse coronaviruses including the middle East respiratory syndrome virus. <i>PLoS Pathogens</i> , 2014 , 10, e1004166	7.6	113
58	Replicative Capacity of MERS Coronavirus in Livestock Cell Lines. <i>Emerging Infectious Diseases</i> , 2014 , 20, 276-9	10.2	75
57	Antibodies against MERS coronavirus in dromedary camels, United Arab Emirates, 2003 and 2013. <i>Emerging Infectious Diseases</i> , 2014 , 20, 552-9	10.2	187
56	Human infection with MERS coronavirus after exposure to infected camels, Saudi Arabia, 2013. <i>Emerging Infectious Diseases</i> , 2014 , 20, 1012-5	10.2	260
55	Antibodies against MERS coronavirus in dromedary camels, Kenya, 1992-2013. <i>Emerging Infectious Diseases</i> , 2014 , 20, 1319-22	10.2	156
54	MERS coronavirus neutralizing antibodies in camels, Eastern Africa, 1983-1997. <i>Emerging Infectious Diseases</i> , 2014 , 20, 2093-5	10.2	206
53	A patient with severe respiratory failure caused by novel human coronavirus. <i>Infection</i> , 2014 , 42, 203-6	5.8	10
52	CD26/DPP4 cell-surface expression in bat cells correlates with bat cell susceptibility to Middle East respiratory syndrome coronavirus (MERS-CoV) infection and evolution of persistent infection. <i>PLoS ONE</i> , 2014 , 9, e112060	3.7	27
51	Middle East respiratory syndrome coronavirus neutralising serum antibodies in dromedary camels: a comparative serological study. <i>Lancet Infectious Diseases, The</i> , 2013 , 13, 859-66	25.5	523
50	Provenance and geographic spread of St. Louis encephalitis virus. <i>MBio</i> , 2013 , 4, e00322-13	7.8	40
49	In-vitro renal epithelial cell infection reveals a viral kidney tropism as a potential mechanism for acute renal failure during Middle East Respiratory Syndrome (MERS) Coronavirus infection. <i>Virology Journal</i> , 2013 , 10, 359	6.1	96

48	Dipeptidyl peptidase 4 is a functional receptor for the emerging human coronavirus-EMC. <i>Nature</i> , 2013 , 495, 251-4	50.4	1362
47	Clinical features and virological analysis of a case of Middle East respiratory syndrome coronavirus infection. <i>Lancet Infectious Diseases</i> , 2013 , 13, 745-51	25.5	288
46	Efficient replication of the novel human betacoronavirus EMC on primary human epithelium highlights its zoonotic potential. <i>MBio</i> , 2013 , 4, e00611-12	7.8	151
45	Evidence for novel hepaciviruses in rodents. <i>PLoS Pathogens</i> , 2013 , 9, e1003438	7.6	148
44	Nonhuman transferrin receptor 1 is an efficient cell entry receptor for Ocozocautla de Espinosa virus. <i>Journal of Virology</i> , 2013 , 87, 13930-5	6.6	5
43	The spike protein of the emerging betacoronavirus EMC uses a novel coronavirus receptor for entry, can be activated by TMPRSS2, and is targeted by neutralizing antibodies. <i>Journal of Virology</i> , 2013 , 87, 5502-11	6.6	251
42	Bats carry pathogenic hepadnaviruses antigenically related to hepatitis B virus and capable of infecting human hepatocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 16151-6	11.5	133
41	Middle East respiratory syndrome coronavirus accessory protein 4a is a type I interferon antagonist. <i>Journal of Virology</i> , 2013 , 87, 12489-95	6.6	143
40	Surface glycoproteins of an African henipavirus induce syncytium formation in a cell line derived from an African fruit bat, <i>Hypsignathus monstrosus</i> . <i>Journal of Virology</i> , 2013 , 87, 13889-91	6.6	19
39	Middle East Respiratory Syndrome coronavirus (MERS-CoV) serology in major livestock species in an affected region in Jordan, June to September 2013. <i>Eurosurveillance</i> , 2013 , 18, 20662	19.8	154
38	Differential sensitivity of bat cells to infection by enveloped RNA viruses: coronaviruses, paramyxoviruses, filoviruses, and influenza viruses. <i>PLoS ONE</i> , 2013 , 8, e72942	3.7	87
37	Specific serology for emerging human coronaviruses by protein microarray. <i>Eurosurveillance</i> , 2013 , 18, 20441	19.8	76
36	Bats host major mammalian paramyxoviruses. <i>Nature Communications</i> , 2012 , 3, 796	17.4	435
35	Replication of human coronaviruses SARS-CoV, HCoV-NL63 and HCoV-229E is inhibited by the drug FK506. <i>Virus Research</i> , 2012 , 165, 112-7	6.4	155
34	Bats worldwide carry hepatitis E virus-related viruses that form a putative novel genus within the family Hepeviridae. <i>Journal of Virology</i> , 2012 , 86, 9134-47	6.6	189
33	Combined action of type I and type III interferon restricts initial replication of severe acute respiratory syndrome coronavirus in the lung but fails to inhibit systemic virus spread. <i>Journal of General Virology</i> , 2012 , 93, 2601-2605	4.9	43
32	Human coronavirus EMC does not require the SARS-coronavirus receptor and maintains broad replicative capability in mammalian cell lines. <i>MBio</i> , 2012 , 3,	7.8	154
31	Assays for laboratory confirmation of novel human coronavirus (hCoV-EMC) infections. <i>Eurosurveillance</i> , 2012 , 17,	19.8	273

30	Type I interferon reaction to viral infection in interferon-competent, immortalized cell lines from the African fruit bat <i>Eidolon helvum</i> . <i>PLoS ONE</i> , 2011 , 6, e28131	3.7	56
29	Two novel parvoviruses in frugivorous New and Old World bats. <i>PLoS ONE</i> , 2011 , 6, e29140	3.7	52
28	Amplification of emerging viruses in a bat colony. <i>Emerging Infectious Diseases</i> , 2011 , 17, 449-56	10.2	138
27	Cleavage and activation of the severe acute respiratory syndrome coronavirus spike protein by human airway trypsin-like protease. <i>Journal of Virology</i> , 2011 , 85, 13363-72	6.6	219
26	Evidence that TMPRSS2 activates the severe acute respiratory syndrome coronavirus spike protein for membrane fusion and reduces viral control by the humoral immune response. <i>Journal of Virology</i> , 2011 , 85, 4122-34	6.6	711
25	Comparative analysis of Ebola virus glycoprotein interactions with human and bat cells. <i>Journal of Infectious Diseases</i> , 2011 , 204 Suppl 3, S840-9	7	54
24	The SARS-coronavirus-host interactome: identification of cyclophilins as target for pan-coronavirus inhibitors. <i>PLoS Pathogens</i> , 2011 , 7, e1002331	7.6	292
23	Genomic characterization of severe acute respiratory syndrome-related coronavirus in European bats and classification of coronaviruses based on partial RNA-dependent RNA polymerase gene sequences. <i>Journal of Virology</i> , 2010 , 84, 11336-49	6.6	244
22	Human coronavirus NL63 open reading frame 3 encodes a virion-incorporated N-glycosylated membrane protein. <i>Virology Journal</i> , 2010 , 7, 6	6.1	31
21	Poor clinical sensitivity of rapid antigen test for influenza A pandemic (H1N1) 2009 virus. <i>Emerging Infectious Diseases</i> , 2009 , 15, 1662-4	10.2	142
20	Distant relatives of severe acute respiratory syndrome coronavirus and close relatives of human coronavirus 229E in bats, Ghana. <i>Emerging Infectious Diseases</i> , 2009 , 15, 1377-84	10.2	170
19	Henipavirus RNA in African bats. <i>PLoS ONE</i> , 2009 , 4, e6367	3.7	150
18	Plaque assay for human coronavirus NL63 using human colon carcinoma cells. <i>Virology Journal</i> , 2008 , 5, 138	6.1	51
17	Human coronavirus NL63 and 229E seroconversion in children. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 2368-73	9.7	119
16	Detection and prevalence patterns of group I coronaviruses in bats, northern Germany. <i>Emerging Infectious Diseases</i> , 2008 , 14, 626-31	10.2	124
15	Coronavirus antibodies in African bat species. <i>Emerging Infectious Diseases</i> , 2007 , 13, 1367-70	10.2	55
14	Reference gene selection for quantitative real-time PCR analysis in virus infected cells: SARS corona virus, Yellow fever virus, Human Herpesvirus-6, Camelpox virus and Cytomegalovirus infections. <i>Virology Journal</i> , 2005 , 2, 7	6.1	77
13	Susceptibility of different eukaryotic cell lines to SARS-coronavirus. <i>Archives of Virology</i> , 2005 , 150, 1023-31	3.1	34

12	A Sars-Cov-2 Neutralizing Antibody Protects from Lung Pathology in a Covid-19 Hamster Model. <i>SSRN Electronic Journal</i> ,	1	2
11	Human Lungs Show Limited Permissiveness for SARS-CoV-2 Due to Scarce ACE2 Levels But Strong Virus-Induced Immune Activation in Alveolar Macrophages. <i>SSRN Electronic Journal</i> ,	1	2
10	Serum but not mucosal antibody responses are predicted by pre-existing SARS-CoV-2 spike cross-reactive CD4+ T cells following BNT162b2 vaccination in the elderly		1
9	The novel coronavirus 2019 (2019-nCoV) uses the SARS-coronavirus receptor ACE2 and the cellular protease TMPRSS2 for entry into target cells		284
8	Rapid reconstruction of SARS-CoV-2 using a synthetic genomics platform		7
7	Virological assessment of hospitalized cases of coronavirus disease 2019		158
6	SARS-CoV-2 specific antibody responses in COVID-19 patients		88
5	Analysis of SARS-CoV-2-controlled autophagy reveals spermidine, MK-2206, and niclosamide as putative antiviral therapeutics		53
4	Presence of SARS-CoV-2-reactive T cells in COVID-19 patients and healthy donors		88
3	Comparison of seven commercial SARS-CoV-2 rapid Point-of-Care Antigen tests		38
2	Cross-reactive CD4+ T cells enhance SARS-CoV-2 immune responses upon infection and vaccination		3
1	Impaired performance of SARS-CoV-2 antigen-detecting rapid tests at elevated temperatures		3