

Chang-fu Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8255576/chang-fu-wu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

3,762
citations

28
h-index

61
g-index

87
ext. papers

4,570
ext. citations

6.8
avg, IF

4.72
L-index

#	Paper	IF	Citations
79	Mortality risk attributable to high and low ambient temperature: a multicountry observational study. <i>Lancet, The</i> , 2015 , 386, 369-75	4.0	1099
78	Global variation in the effects of ambient temperature on mortality: a systematic evaluation. <i>Epidemiology</i> , 2014 , 25, 781-9	3.1	340
77	Projections of temperature-related excess mortality under climate change scenarios. <i>Lancet Planetary Health, The</i> , 2017 , 1, e360-e367	9.8	272
76	Heat Wave and Mortality: A Multicountry, Multicommunity Study. <i>Environmental Health Perspectives</i> , 2017 , 125, 087006	8.4	191
75	Association of FEV1 in asthmatic children with personal and microenvironmental exposure to airborne particulate matter. <i>Environmental Health Perspectives</i> , 2004 , 112, 932-41	8.4	176
74	Temperature Variability and Mortality: A Multi-Country Study. <i>Environmental Health Perspectives</i> , 2016 , 124, 1554-1559	8.4	133
73	A land use regression model for estimating the NO ₂ concentration in Shanghai, China. <i>Environmental Research</i> , 2015 , 137, 308-15	7.9	92
72	Short-term exposure to fine and coarse particles and mortality: A multicity time-series study in East Asia. <i>Environmental Pollution</i> , 2015 , 207, 43-51	9.3	82
71	Land use regression models for estimating individual NO _x and NO ₂ exposures in a metropolis with a high density of traffic roads and population. <i>Science of the Total Environment</i> , 2014 , 472, 1163-71	10.2	82
70	Source apportionment of PM _{2.5} and selected hazardous air pollutants in Seattle. <i>Science of the Total Environment</i> , 2007 , 386, 42-52	10.2	70
69	Temperature-related mortality impacts under and beyond Paris Agreement climate change scenarios. <i>Climatic Change</i> , 2018 , 150, 391-402	4.5	67
68	Ambient air pollution and risk of tuberculosis: a cohort study. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 56-61	2.1	59
67	Source and risk apportionment of selected VOCs and PM _{2.5} species using partially constrained receptor models with multiple time resolution data. <i>Environmental Pollution</i> , 2015 , 205, 121-30	9.3	57
66	Associations between Long-Term Air Pollutant Exposures and Blood Pressure in Elderly Residents of Taipei City: A Cross-Sectional Study. <i>Environmental Health Perspectives</i> , 2015 , 123, 779-84	8.4	55
65	Effects of personal exposure to particulate matter and ozone on arterial stiffness and heart rate variability in healthy adults. <i>American Journal of Epidemiology</i> , 2010 , 171, 1299-309	3.8	55
64	Cancer risk assessment of selected hazardous air pollutants in Seattle. <i>Environment International</i> , 2009 , 35, 516-22	12.9	54
63	Agricultural burning smoke in eastern Washington—part I: Atmospheric characterization. <i>Atmospheric Environment</i> , 2006 , 40, 639-650	5.3	47

62	Association of short-term exposure to fine particulate matter and nitrogen dioxide with acute cardiovascular effects. <i>Science of the Total Environment</i> , 2016 , 569-570, 300-305	10.2	44
61	Computed tomography of air pollutants using radial scanning path-integrated optical remote sensing. <i>Atmospheric Environment</i> , 1999 , 33, 267-274	5.3	42
60	Source apportionment of particulate matter and selected volatile organic compounds with multiple time resolution data. <i>Science of the Total Environment</i> , 2014 , 472, 880-7	10.2	41
59	LUR models for particulate matters in the Taipei metropolis with high densities of roads and strong activities of industry, commerce and construction. <i>Science of the Total Environment</i> , 2015 , 514, 178-84	10.2	39
58	Greenhouse gas emission reductions from domestic anaerobic digesters linked with sustainable sanitation in rural China. <i>Environmental Science & Technology</i> , 2011 , 45, 2345-52	10.3	39
57	Exposure assessment and modeling of particulate matter for asthmatic children using personal nephelometers. <i>Atmospheric Environment</i> , 2005 , 39, 3457-3469	5.3	37
56	Land use regression modeling with vertical distribution measurements for fine particulate matter and elements in an urban area. <i>Atmospheric Environment</i> , 2015 , 104, 256-263	5.3	36
55	Longer-Term Impact of High and Low Temperature on Mortality: An International Study to Clarify Length of Mortality Displacement. <i>Environmental Health Perspectives</i> , 2017 , 125, 107009	8.4	35
54	Analysis of polycyclic aromatic hydrocarbons by liquid chromatography/tandem mass spectrometry using atmospheric pressure chemical ionization or electrospray ionization with tropylium post-column derivatization. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 3694-700	2.2	29
53	Evaluation and quality control of personal nephelometers in indoor, outdoor and personal environments. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005 , 15, 99-110	6.7	29
52	Modeling horizontal and vertical variation in intraurban exposure to PM2.5 concentrations and compositions. <i>Environmental Research</i> , 2014 , 133, 96-102	7.9	28
51	High ambient Cladosporium spores were associated with reduced lung function in schoolchildren in a longitudinal study. <i>Science of the Total Environment</i> , 2014 , 481, 370-6	10.2	25
50	Investigating the association of cardiovascular effects with personal exposure to particle components and sources. <i>Science of the Total Environment</i> , 2012 , 431, 176-82	10.2	23
49	Spatial-temporal and cancer risk assessment of selected hazardous air pollutants in Seattle. <i>Environment International</i> , 2011 , 37, 11-7	12.9	23
48	Experimental evaluation of a radial beam geometry for mapping air pollutants using optical remote sensing and computed tomography. <i>Atmospheric Environment</i> , 1999 , 33, 4709-4716	5.3	23
47	Health effects of a forest environment on natural killer cells in humans: an observational pilot study. <i>Oncotarget</i> , 2018 , 9, 16501-16511	3.3	23
46	Measurement of fugitive volatile organic compound emissions from a petrochemical tank farm using open-path Fourier transform infrared spectrometry. <i>Atmospheric Environment</i> , 2014 , 82, 335-342	5.3	22
45	Spatiotemporal modeling with temporal-invariant variogram subgroups to estimate fine particulate matter PM2.5 concentrations. <i>Atmospheric Environment</i> , 2012 , 54, 1-8	5.3	22

44	The health effects of a forest environment on subclinical cardiovascular disease and health-related quality of life. <i>PLoS ONE</i> , 2014 , 9, e103231	3.7	21
43	Source apportionment of urban air pollutants using constrained receptor models with a priori profile information. <i>Environmental Pollution</i> , 2017 , 227, 323-333	9.3	19
42	Association of urban particle numbers and sources with lung function among children with asthma or allergies. <i>Science of the Total Environment</i> , 2016 , 542, 841-4	10.2	17
41	Different Severity and Severity Predictors in Early-Onset and Late-Onset Asthma: A Taiwanese Population-Based Study. <i>Respiration</i> , 2015 , 90, 384-92	3.7	17
40	Asthma incidence, remission, relapse and persistence: a population-based study in southern Taiwan. <i>Respiratory Research</i> , 2014 , 15, 135	7.3	15
39	Evaluation of a Modified Receptor Model for Solving Multiple Time Resolution Equations: A Simulation Study. <i>Aerosol and Air Quality Research</i> , 2013 , 13, 1253-1262	4.6	15
38	Regulation of fine particulate matter (PM _{2.5}) in the Pacific Rim: perspectives from the APRU Global Health Program. <i>Air Quality, Atmosphere and Health</i> , 2017 , 10, 1039-1049	5.6	12
37	Source apportionment of mass concentration and inhalation risk with long-term ambient PCDD/Fs measurements in an urban area. <i>Journal of Hazardous Materials</i> , 2016 , 317, 180-187	12.8	11
36	Application of land-use regression models to estimate sound pressure levels and frequency components of road traffic noise in Taichung, Taiwan. <i>Environment International</i> , 2019 , 131, 104959	12.9	11
35	Characterizing and locating air pollution sources in a complex industrial district using optical remote sensing technology and multivariate statistical modeling. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 10852-66	5.1	10
34	Line profile reconstruction: validation and comparison of reconstruction methods. <i>Atmospheric Environment</i> , 2001 , 35, 4791-4799	5.3	10
33	Seasonal variation of chemical characteristics of fine particulate matter at a high-elevation subtropical forest in East Asia. <i>Environmental Pollution</i> , 2019 , 246, 668-677	9.3	9
32	Efficacy of using multiple open-path Fourier transform infrared (OP-FTIR) spectrometers in an odor emission episode investigation at a semiconductor manufacturing plant. <i>Science of the Total Environment</i> , 2011 , 409, 3158-65	10.2	8
31	Path concentration profile reconstruction of optical remote sensing measurements using polynomial curve fitting procedures. <i>Atmospheric Environment</i> , 2003 , 37, 1879-1888	5.3	8
30	Neuropathology changed by 3- and 6-months low-level PM inhalation exposure in spontaneously hypertensive rats. <i>Particle and Fibre Toxicology</i> , 2020 , 17, 59	8.4	7
29	Source apportionment of PM 2.5 size distribution and composition data from multiple stationary sites using a mobile platform. <i>Atmospheric Research</i> , 2017 , 190, 21-28	5.4	6
28	Incorporating satellite-derived data with annual and monthly land use regression models for estimating spatial distribution of air pollution. <i>Environmental Modelling and Software</i> , 2019 , 114, 181-187	5.2	6
27	Ambient gaseous leak detection using radial scanning computed tomography and optical remote sensing 1999 ,		6

26	Comparisons of radial plume mapping algorithms for locating gaseous emission sources. <i>Atmospheric Environment</i> , 2011 , 45, 1476-1482	5.3	5
25	Applying open-path Fourier transform infrared spectroscopy for measuring aerosols. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2007 , 42, 1131-40	2.3	5
24	Rapid method for determining dermal exposures to pesticides by use of tape stripping and FTIR spectroscopy: a pilot study. <i>Journal of Occupational and Environmental Hygiene</i> , 2007 , 4, 952-8	2.9	5
23	Estimating monthly PM concentrations from satellite remote sensing data, meteorological variables, and land use data using ensemble statistical modeling and a random forest approach. <i>Environmental Pollution</i> , 2021 , 291, 118159	9.3	5
22	Large-scale search method for locating and identifying fugitive emission sources in petrochemical processing areas. <i>Chemical Engineering Research and Design</i> , 2016 , 104, 382-394	5.5	4
21	Age of asthma onset and vulnerability to ambient air pollution: an observational population-based study of adults from Southern Taiwan. <i>BMC Pulmonary Medicine</i> , 2016 , 16, 54	3.5	4
20	Evaluating the performance of the horizontal radial plume mapping technique for locating multiple plumes. <i>Journal of the Air and Waste Management Association</i> , 2012 , 62, 1249-56	2.4	4
19	Developing and Evaluating Techniques for Localizing Pollutant Emission Sources with Open-Path Fourier Transform Infrared Measurements and Wind Data. <i>Journal of the Air and Waste Management Association</i> , 2008 , 58, 1360-1369	2.4	4
18	Applying open-path FTIR with computed tomography to evaluate personal exposures. Part 2: experimental studies. <i>Annals of Occupational Hygiene</i> , 2005 , 49, 73-83		4
17	Outpatient Visits for Allergic Diseases are Associated with Exposure to Ambient Fungal Spores in the Greater Taipei Area. <i>Aerosol and Air Quality Research</i> , 2018 , 18, 2077-2085	4.6	4
16	Locating pollutant emission sources with optical remote sensing measurements and an improved one-dimensional radial plume mapping technique. <i>Journal of Environmental Monitoring</i> , 2012 , 14, 1203-10		2
15	Applying open-path FTIR with a bi-beam strategy to evaluate personal exposure in indoor environments: experimental results of a validation study. <i>AIHA Journal: A Journal for the Science of Occupational and Environmental Health and Safety</i> , 2003 , 64, 181-8		2
14	Identifying low-PM exposure commuting routes for cyclists through modeling with the random forest algorithm based on low-cost sensor measurements in three Asian cities. <i>Environmental Pollution</i> , 2021 , 294, 118597	9.3	2
13	Development of land-use regression models to estimate particle mass and number concentrations in Taichung, Taiwan. <i>Atmospheric Environment</i> , 2021 , 252, 118303	5.3	2
12	Vertical distribution of source apportioned PM using particulate-bound elements and polycyclic aromatic hydrocarbons in an urban area. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020 , 30, 659-669	6.7	2
11	Exposures and health impact for bicycle and electric scooter commuters in Taipei. <i>Transportation Research, Part D: Transport and Environment</i> , 2021 , 91, 102696	6.4	2
10	Investigation of source locations and contributions using an integrated trajectory-source apportionment method with multiple time resolution data. <i>International Journal of Environmental Science and Technology</i> , 2017 , 14, 1781-1786	3.3	1
9	Trajectory-Assisted Source Apportionment of Winter-Time Aerosol Using Semi-continuous Measurements. <i>Archives of Environmental Contamination and Toxicology</i> , 2020 , 78, 430-438	3.2	1

8	Applying open-path FTIR with computed tomography to evaluate personal exposures. Part 1: simulation studies. <i>Annals of Occupational Hygiene</i> , 2005 , 49, 61-71		1
7	Application of factor and cluster analyses to determine source-receptor relationships of industrial volatile organic odor species in a dual-optical sensing system. <i>Atmospheric Measurement Techniques</i> , 2019 , 12, 5347-5362	4	1
6	Evaluation of Using Satellite-Derived Aerosol Optical Depth in Land Use Regression Models for Fine Particulate Matter and Its Elemental Composition. <i>Atmosphere</i> , 2021 , 12, 1018	2.7	1
5	Developing and evaluating techniques for localizing pollutant emission sources with open-path Fourier transform infrared measurements and wind data. <i>Journal of the Air and Waste Management Association</i> , 2008 , 58, 1360-9	2.4	1
4	Simulating nitrate formation mechanisms during PM2.5 events in Taiwan and their implications for the controlling direction. <i>Atmospheric Environment</i> , 2022 , 269, 118856	5.3	0
3	Quantifying spatial heterogeneity of vulnerability to short-term PM exposure with data fusion framework. <i>Environmental Pollution</i> , 2021 , 285, 117266	9.3	0
2	Development and evaluation of an integrated method using distance- and probability-based profile matching approaches in receptor modeling. <i>Atmospheric Pollution Research</i> , 2022 , 13, 101423	4.5	0
1	Laboratory simulation study on quantifying tape-stripping samples of multifunctional acrylates with Fourier transform infrared spectroscopy. <i>Applied Spectroscopy</i> , 2008 , 62, 1280-4	3.1	