

J-Gonzalo Ocejo-Vinyals

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8256185/publications.pdf>

Version: 2024-02-01

22
papers

176
citations

1307594

7
h-index

1199594

12
g-index

25
all docs

25
docs citations

25
times ranked

322
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of HLA-B*41:02 with Henoch-Schönlein Purpura (IgA Vasculitis) in Spanish individuals irrespective of the HLA-DRB1 status. <i>Arthritis Research and Therapy</i> , 2015, 17, 102.	3.5	33
2	High-resolution characterization of allelic and haplotypic HLA frequency distribution in a Spanish population using high-throughput next-generation sequencing. <i>Human Immunology</i> , 2019, 80, 429-436.	2.4	23
3	High prevalence of cryofibrinogenemia in patients with chilblains during the COVID-19 outbreak. <i>International Journal of Dermatology</i> , 2020, 59, 1475-1484.	1.0	17
4	The presence of both HLA-DRB1[*]04:01 and HLA-B[*]15:01 increases the susceptibility to cranial and extracranial giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 21-26.	0.8	13
5	Influence of coronary artery disease and subclinical atherosclerosis related polymorphisms on the risk of atherosclerosis in rheumatoid arthritis. <i>Scientific Reports</i> , 2017, 7, 40303.	3.3	12
6	Mannose-Binding Lectin Promoter Polymorphisms and Gene Variants in Pulmonary Tuberculosis Patients from Cantabria (Northern Spain). <i>Pulmonary Medicine</i> , 2012, 2012, 1-6.	1.9	11
7	Role of PTPN22 and CSK gene polymorphisms as predictors of susceptibility and clinical heterogeneity in patients with Henoch-Schönlein purpura (IgA vasculitis). <i>Arthritis Research and Therapy</i> , 2015, 17, 286.	3.5	11
8	Atherogenic index of plasma is associated with the severity of Hidradenitis Suppurativa: a case-control study. <i>Lipids in Health and Disease</i> , 2020, 19, 200.	3.0	8
9	HLA association with the susceptibility to anti-synthetase syndrome. <i>Joint Bone Spine</i> , 2021, 88, 105115.	1.6	8
10	Cranial and extracranial giant cell arteritis share similar HLA-DRB1 association. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 897-901.	3.4	7
11	Gold Glyconanoparticles Combined with 91â€“99 Peptide of the Bacterial Toxin, Listeriolysin O, Are Efficient Immunotherapies in Experimental Bladder Tumors. <i>Cancers</i> , 2022, 14, 2413.	3.7	6
12	Immune Assessment of BNT162b2 m-RNA-Spike Based Vaccine Response in Adults. <i>Biomedicines</i> , 2021, 9, 868.	3.2	5
13	Role of MUC1 rs4072037 polymorphism and serum KL-6 levels in patients with antisynthetase syndrome. <i>Scientific Reports</i> , 2021, 11, 22574.	3.3	4
14	First computational design using lambda-superstrings and in vivo validation of SARS-CoV-2 vaccine. <i>Scientific Reports</i> , 2022, 12, 6410.	3.3	4
15	Whole-Genome Sequence of <i>Serratia liquefaciens</i> HUMV-21, a Cytotoxic, Quorum-Sensing, and Biofilm-Producing Clinical Isolate. <i>Genome Announcements</i> , 2015, 3, .	0.8	3
16	The presence of both HLA-DRB1*04:01 and HLA-B*15:01 increases the susceptibility to cranial and extracranial giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 129, 21-26.	0.8	3
17	Identification of the novel <i><sc>HLAâ€“</sc> *08:243 </i> allele in a Spanish bone marrow donor.. <i>Hla</i> , 2022, , .	0.6	3
18	Allogeneic hematopoietic stem cell transplant recipients in Spain: Human leukocyte antigen characteristics and diversity by highâ€“resolution analysis. <i>Hla</i> , 2021, 97, 198-213.	0.6	2

#	ARTICLE	IF	CITATIONS
19	Analysis of Serum Proteome after Treatment of Osteoporosis with Anabolic or Antiresorptive Drugs. <i>Metabolites</i> , 2022, 12, 399.	2.9	2
20	Vascular endothelial growth factor haplotypes are associated with severe ischaemic complications in giant cell arteritis regardless of the disease phenotype. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.8	1
21	Whole-Genome Sequence of <i>Acinetobacter baumannii</i> HUMV-3743, Isolated from a Human Wound Exudate. <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.6	0
22	Vascular endothelial growth factor haplotypes are associated with severe ischaemic complications in giant cell arteritis regardless of the disease phenotype.. <i>Clinical and Experimental Rheumatology</i> , 2022, , .	0.8	0