

Chenghai Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8256507/publications.pdf>

Version: 2024-02-01

23
papers

753
citations

567281

15
h-index

677142

22
g-index

24
all docs

24
docs citations

24
times ranked

1105
citing authors

#	ARTICLE	IF	CITATIONS
1	<sc>CD</sc>155, an onco-immunologic molecule in human tumors. Cancer Science, 2017, 108, 1934-1938.	3.9	147
2	Wnt signaling in human and mouse breast cancer: Focusing on Wnt ligands, receptors and antagonists. Cancer Science, 2018, 109, 3368-3375.	3.9	89
3	<sc>CD</sc>155 knockdown promotes apoptosis <i>via</i> <sc>AKT</sc>/Bcl-2/Bax in colon cancer cells. Journal of Cellular and Molecular Medicine, 2018, 22, 131-140.	3.6	58
4	Involvement of tumor necrosis factor- α in the upregulation of CXCR4 expression in gastric cancer induced by Helicobacter pylori. BMC Cancer, 2010, 10, 419.	2.6	56
5	Biological functions of macrophage-derived Wnt5a, and its roles in human diseases. Oncotarget, 2016, 7, 67674-67684.	1.8	47
6	YTHDF1 promotes breast cancer cell growth, DNA damage repair and chemoresistance. Cell Death and Disease, 2022, 13, 230.	6.3	44
7	Caspase-11 deficiency impairs neutrophil recruitment and bacterial clearance in the early stage of pulmonary Klebsiella pneumoniae infection. International Journal of Medical Microbiology, 2017, 307, 490-496.	3.6	32
8	IL-1 β mediates MCP-1 induction by Wnt5a in gastric cancer cells. BMC Cancer, 2014, 14, 480.	2.6	28
9	SFRP5 inhibits gastric epithelial cell migration induced by macrophage-derived Wnt5a. Carcinogenesis, 2013, 34, 146-152.	2.8	26
10	GEC-derived SFRP5 Inhibits Wnt5a-Induced Macrophage Chemotaxis and Activation. PLoS ONE, 2014, 9, e85058.	2.5	26
11	FZD5 contributes to TNBC proliferation, DNA damage repair and stemness. Cell Death and Disease, 2020, 11, 1060.	6.3	25
12	Caspase-11 Plays a Protective Role in Pulmonary Acinetobacter baumannii Infection. Infection and Immunity, 2017, 85, .	2.2	24
13	Fzd2 Contributes to Breast Cancer Cell Mesenchymal-Like Stemness and Drug Resistance. Oncology Research, 2020, 28, 273-284.	1.5	21
14	CD155 contributes to the mesenchymal phenotype of triple-negative breast cancer. Cancer Science, 2020, 111, 383-394.	3.9	19
15	CD155 downregulation synergizes with adriamycin to induce breast cancer cell apoptosis. Apoptosis: an International Journal on Programmed Cell Death, 2018, 23, 512-520.	4.9	17
16	Roles of Wnt7a in embryo development, tissue homeostasis, and human diseases. Journal of Cellular Biochemistry, 2019, 120, 18588-18598.	2.6	17
17	Non-canonical Fzd7 signaling contributes to breast cancer mesenchymal-like stemness involving Col6a1. Cell Communication and Signaling, 2020, 18, 143.	6.5	14
18	Frizzled Receptors in Tumors, Focusing on Signaling, Roles, Modulation Mechanisms, and Targeted Therapies. Oncology Research, 2020, 28, 661-674.	1.5	14

#	ARTICLE	IF	CITATIONS
19	FZD5 prevents epithelial-mesenchymal transition in gastric cancer. <i>Cell Communication and Signaling</i> , 2021, 19, 21.	6.5	13
20	EMP3 negatively modulates breast cancer cell DNA replication, DNA damage repair, and stem-like properties. <i>Cell Death and Disease</i> , 2021, 12, 844.	6.3	13
21	LGR4 maintains HGSOc cell epithelial phenotype and stem-like traits. <i>Gynecologic Oncology</i> , 2020, 159, 839-849.	1.4	11
22	WNT7B represses epithelial-mesenchymal transition and stem-like properties in bladder urothelial carcinoma. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022, 1868, 166271.	3.8	11
23	Live kinase B1 maintains CD34+CD38 ⁺ AML cell proliferation and self-renewal. <i>Molecular and Cellular Biochemistry</i> , 2017, 434, 25-32.	3.1	1