

Won-Sik Ham

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8256867/won-sik-ham-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

1,552
citations

21
h-index

32
g-index

147
ext. papers

1,911
ext. citations

3.3
avg, IF

4.49
L-index

#	Paper	IF	Citations
137	Evaluation of the Surgical Margin Threshold for Avoiding Recurrence after Partial Nephrectomy in Patients with Renal Cell Carcinoma.. <i>Yonsei Medical Journal</i> , 2022 , 63, 173-178	3	0
136	Gender-related outcomes in robot-assisted radical cystectomy: A multi-institutional study.. <i>Investigative and Clinical Urology</i> , 2022 , 63, 53-62	1.9	
135	Ferroportin and FBXL5 as Prognostic Markers in Advanced Stage Clear Cell Renal Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2021 , 53, 1174-1183	5.2	1
134	Prostate epithelial genes define therapy-relevant prostate cancer molecular subtype. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 1080-1092	6.2	1
133	Association between visceral adiposity and DDX11 as a predictor of aggressiveness of small clear-cell renal-cell carcinoma: a prospective clinical trial. <i>Cancer & Metabolism</i> , 2021 , 9, 15	5.4	0
132	The DEAD/DEAH Box Helicase, DDX11, Is Essential for the Survival of Advanced Clear Cell Renal Cell Carcinoma and Is a Determinant of PARP Inhibitor Sensitivity. <i>Cancers</i> , 2021 , 13,	6.6	2
131	Effect of intraoperative fluid volume on postoperative ileus after robot-assisted radical cystectomy. <i>Scientific Reports</i> , 2021 , 11, 10522	4.9	0
130	Oncologic Outcomes of Intracorporeal Extracorporeal Urinary Diversion After Robot-Assisted Radical Cystectomy: A Multi-Institutional Korean Study. <i>Journal of Endourology</i> , 2021 , 35, 1490-1497	2.7	1
129	Oncological outcome according to attainment of pentafecta after robot-assisted radical cystectomy in patients with bladder cancer included in the multicentre KORARC database. <i>BJU International</i> , 2021 , 127, 182-189	5.6	8
128	Clinical Outcomes After Urinary Diversion for Malignant Ureteral Obstruction Secondary to Non-urologic Cancer: An Analysis of 778 Cases. <i>Annals of Surgical Oncology</i> , 2021 , 28, 2367-2373	3.1	2
127	Revisiting extraprostatic extension based on invasion depth and number for new algorithm for substaging of pT3a prostate cancer. <i>Scientific Reports</i> , 2021 , 11, 13952	4.9	0
126	Prognostic value of prostate volume in non-muscle invasive bladder cancer. <i>Scientific Reports</i> , 2021 , 11, 18784	4.9	0
125	Patterns of Locoregional Recurrence after Radical Cystectomy for Stage T3-4 Bladder Cancer: A Radiation Oncologist's Point of View. <i>Yonsei Medical Journal</i> , 2021 , 62, 569-576	3	0
124	Metabolic tumour volume on F-FDG PET/CT predicts extended pathological T stages in patients with renal cell carcinoma at staging. <i>Scientific Reports</i> , 2021 , 11, 23486	4.9	0
123	Prediction of High-Grade Clear Cell Renal Cell Carcinoma Based on Plasma mRNA Profiles in Patients with Localized Pathologic T1N0M0 Stage Disease. <i>Cancers</i> , 2020 , 12,	6.6	3
122	Gene Expression Analysis of Aggressive Clinical T1 Stage Clear Cell Renal Cell Carcinoma for Identifying Potential Diagnostic and Prognostic Biomarkers. <i>Cancers</i> , 2020 , 12,	6.6	11
121	Perioperative immunotherapy in muscle-invasive bladder cancer.. <i>Translational Cancer Research</i> , 2020 , 9, 6546-6553	0.3	1

120	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020 , 10,	3.8	4
119	Muscle Characteristics Obtained Using Computed Tomography as Prognosticators in Patients with Castration-Resistant Prostate Cancer. <i>Cancers</i> , 2020 , 12,	6.6	3
118	Programmed Cell Death-Ligand 1 Expression Status in Urothelial Carcinoma According to Clinical and Pathological Factors: A Multi-Institutional Retrospective Study. <i>Frontiers in Oncology</i> , 2020 , 10, 5688-709	5.3	1
117	Postoperative biochemical recurrence of pathologically localized high-grade prostate cancer in adjuvant treatment-naïve patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 221-227	4.9	
116	Lessons learned from clinical outcome and tumor features of patients underwent selective artery embolization due to postoperative bleeding following 2076 partial nephrectomies: propensity scoring matched study. <i>World Journal of Urology</i> , 2020 , 38, 1235-1242	4	2
115	Risk Prediction Tool for Aggressive Tumors in Clinical T1 Stage Clear Cell Renal Cell Carcinoma Using Molecular Biomarkers. <i>Computational and Structural Biotechnology Journal</i> , 2019 , 17, 371-377	6.8	18
114	The prognostic impact of downgrading and upgrading from biopsy to radical prostatectomy among men with Gleason score 7 prostate cancer. <i>Prostate</i> , 2019 , 79, 1805-1810	4.2	5
113	Neutrophil-to-Lymphocyte Ratio Predicts Pathological Renal Sinus Fat Invasion in Renal Cell Carcinomas of 7 cm with Presumed Renal Sinus Fat Invasion. <i>Yonsei Medical Journal</i> , 2019 , 60, 1021-1027	3	4
112	The association of depression with lower urinary tract symptoms: data from the National Health and Nutrition Examination Survey, 2005-2008. <i>PeerJ</i> , 2019 , 7, e7795	3.1	1
111	Preoperative controlling nutritional status (CONUT) score as a novel immune-nutritional predictor of survival in non-metastatic clear cell renal cell carcinoma of 7 cm on preoperative imaging. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 957-965	4.9	21
110	Outcomes of pathologically localized high-grade prostate cancer treated with radical prostatectomy. <i>Medicine (United States)</i> , 2019 , 98, e17627	1.8	1
109	Is the extirpative surgery for primary tumor helpful for the patients with metastatic urothelial cancer at the time of diagnosis?. <i>Medicine (United States)</i> , 2019 , 98, e15930	1.8	3
108	Robot-Assisted Partial Nephrectomy for Totally Endophytic Renal Tumors: Step by Step Standardized Surgical Technique and Long-Term Outcomes with a Median 59-Month Follow-Up. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2019 , 29, 1-11	2.1	6
107	Prediction of organ-confined disease after robot-assisted radical prostatectomy in patients with clinically locally-advanced prostate cancer. <i>Asian Journal of Surgery</i> , 2019 , 42, 120-125	1.6	
106	Functional and oncological outcomes of open, laparoscopic and robot-assisted partial nephrectomy: a multicentre comparative matched-pair analyses with a median of 5 yearsP follow-up. <i>BJU International</i> , 2018 , 122, 618-626	5.6	38
105	Does robot-assisted radical prostatectomy benefit patients with prostate cancer and bone oligometastases?. <i>BJU International</i> , 2018 , 121, 225-231	5.6	29
104	Predictive factors and treatment outcomes of Steinstrasse following shock wave lithotripsy for ureteral calculi: A Bayesian regression model analysis. <i>Investigative and Clinical Urology</i> , 2018 , 59, 112-118	1.9	1
103	Impact of Early Salvage Androgen Deprivation Therapy in Localized Prostate Cancer after Radical Prostatectomy: A Propensity Score Matched Analysis. <i>Yonsei Medical Journal</i> , 2018 , 59, 580-587	3	7

102	Predictors of adverse pathologic features after radical prostatectomy in low-risk prostate cancer. <i>BMC Cancer</i> , 2018 , 18, 545	4.8	4
101	Age-adjusted Charlson Comorbidity Index as a prognostic factor for radical prostatectomy outcomes of very high-risk prostate cancer patients. <i>PLoS ONE</i> , 2018 , 13, e0199365	3.7	9
100	Recent global trends in testicular cancer incidence and mortality. <i>Medicine (United States)</i> , 2018 , 97, e12390	7.5	75
99	Predictive value of preoperative monocyte-lymphocyte ratio among patients with localized clear renal cell carcinoma of ≥ 7 cm on preoperative imaging. <i>Medicine (United States)</i> , 2018 , 97, e13433	1.8	2
98	Management of postoperative ileus after robot-assisted laparoscopic prostatectomy. <i>Medicine (United States)</i> , 2018 , 97, e13036	1.8	3
97	Predictors of biochemical recurrence after Retzius-sparing robot-assisted radical prostatectomy: Analysis of 359 cases with a median follow-up period of 26 months. <i>International Journal of Urology</i> , 2018 , 25, 1006-1014	2.3	8
96	The Within-Group Discrimination Ability of the Cancer of the Prostate Risk Assessment Score for Men with Intermediate-Risk Prostate Cancer. <i>Journal of Korean Medical Science</i> , 2018 , 33, e36	4.7	1
95	Efficacy and Safety of Robotic Procedures Performed Using the da Vinci Robotic Surgical System at a Single Institute in Korea: Experience with 10000 Cases. <i>Yonsei Medical Journal</i> , 2018 , 59, 975-981	3	18
94	Yonsei nomogram: A predictive model of new-onset chronic kidney disease after on-clamp partial nephrectomy in patients with T1 renal tumors. <i>International Journal of Urology</i> , 2018 , 25, 690-697	2.3	5
93	Daily use of sildenafil 50mg at night effectively ameliorates nocturia in patients with lower urinary tract symptoms associated with benign prostatic hyperplasia: an exploratory multicenter, double-blind, randomized, placebo-controlled study. <i>Aging Male</i> , 2017 , 20, 81-88	2.1	9
92	Prognostic Significance of Vas Deferens Invasion After Radical Prostatectomy in Patients with Pathological Stage T3b Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1143-1149	3.1	3
91	Intraoperative and postoperative feasibility and safety of total tubeless, tubeless, small-bore tube, and standard percutaneous nephrolithotomy: a systematic review and network meta-analysis of 16 randomized controlled trials. <i>BMC Urology</i> , 2017 , 17, 48	2.2	10
90	Impact of lymphovascular invasion on lymph node metastasis for patients undergoing radical prostatectomy with negative resection margin. <i>BMC Cancer</i> , 2017 , 17, 321	4.8	11
89	The Impact of Downgrading from Biopsy Gleason 7 to Prostatectomy Gleason 6 on Biochemical Recurrence and Prostate Cancer Specific Mortality. <i>Journal of Urology</i> , 2017 , 197, 1060-1067	2.5	9
88	New Prostate Cancer Grading System Predicts Long-term Survival Following Surgery for Gleason Score 8-10 Prostate Cancer. <i>European Urology</i> , 2017 , 71, 907-912	10.2	28
87	Impact of metformin on serum prostate-specific antigen levels: Data from the national health and nutrition examination survey 2007 to 2008. <i>Medicine (United States)</i> , 2017 , 96, e9427	1.8	7
86	Intermediate PSA half-life after neoadjuvant hormone therapy predicts reduced risk of castration-resistant prostate cancer development after radical prostatectomy. <i>BMC Cancer</i> , 2017 , 17, 789	4.8	0
85	The role of metastasis-directed therapy and local therapy of the primary tumor in the management of oligometastatic prostate cancer. <i>Investigative and Clinical Urology</i> , 2017 , 58, 307-316	1.9	9

84	The prognostic significance of postoperative neutrophil-to-lymphocyte ratio after radical prostatectomy for localized prostate cancer. <i>Oncotarget</i> , 2017 , 8, 11778-11787	3.3	19
83	Inherent characteristics of metachronous metastatic renal cell carcinoma in the era of targeted agents. <i>Oncotarget</i> , 2017 , 8, 78825-78837	3.3	4
82	Comparison of High, Intermediate, and Low Frequency Shock Wave Lithotripsy for Urinary Tract Stone Disease: Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0158661	3.7	22
81	Association of Anterior and Lateral Extraprostatic Extensions with Base-Positive Resection Margins in Prostate Cancer. <i>PLoS ONE</i> , 2016 , 11, e0158922	3.7	5
80	Effect of Preoperative Risk Group Stratification on Oncologic Outcomes of Patients with Adverse Pathologic Findings at Radical Prostatectomy. <i>PLoS ONE</i> , 2016 , 11, e0164497	3.7	6
79	FOXC2 and CLIP4 : a potential biomarker for synchronous metastasis of 7-cm clear cell renal cell carcinomas. <i>Oncotarget</i> , 2016 , 7, 51423-51434	3.3	14
78	Prostate-specific antigen density predicts favorable pathology and biochemical recurrence in patients with intermediate-risk prostate cancer. <i>Asian Journal of Andrology</i> , 2016 , 18, 480-4	2.8	7
77	Ureteral stenting can be a negative predictor for successful outcome following shock wave lithotripsy in patients with ureteral stones. <i>Investigative and Clinical Urology</i> , 2016 , 57, 408-416	1.9	9
76	Does Radiotherapy for the Primary Tumor Benefit Prostate Cancer Patients with Distant Metastasis at Initial Diagnosis?. <i>PLoS ONE</i> , 2016 , 11, e0147191	3.7	35
75	A Systematic Review and Meta-Analysis of Functional Outcomes and Complications Following the Photoselective Vaporization of the Prostate and Monopolar Transurethral Resection of the Prostate. <i>World Journal of Men's Health</i> , 2016 , 34, 110-22	6.8	10
74	Oncological outcomes after partial vs radical nephrectomy in renal cell carcinomas of 7 cm with presumed renal sinus fat invasion on preoperative imaging. <i>BJU International</i> , 2016 , 117, 87-93	5.6	11
73	Early Application of Permanent Metallic Mesh Stent in Substitution for Temporary Polymeric Ureteral Stent Reduces Unnecessary Ureteral Procedures in Patients With Malignant Ureteral Obstruction. <i>Urology</i> , 2015 , 86, 459-64	1.6	14
72	A network meta-analysis of therapeutic outcomes after new image technology-assisted transurethral resection for non-muscle invasive bladder cancer: 5-aminolaevulinic acid fluorescence vs hexylaminolevulinate fluorescence vs narrow band imaging. <i>BMC Cancer</i> , 2015 , 15, 566	4.8	49
71	The beneficial effect of alpha-blockers for ureteral stent-related discomfort: systematic review and network meta-analysis for alfuzosin versus tamsulosin versus placebo. <i>BMC Urology</i> , 2015 , 15, 55	2.2	27
70	Pathologic Outcomes in Men with Low-risk Prostate Cancer Who Are Potential Candidates for Contemporary, Active Surveillance Protocols. <i>Journal of Korean Medical Science</i> , 2015 , 30, 932-6	4.7	2
69	Impact of colic pain as a significant factor for predicting the stone free rate of one-session shock wave lithotripsy for treating ureter stones: a Bayesian logistic regression model analysis. <i>PLoS ONE</i> , 2015 , 10, e0123800	3.7	14
68	Accuracy of Urinary Neutrophil Gelatinase-Associated Lipocalin in Quantifying Acute Kidney Injury after Partial Nephrectomy in Patients with Normal Contralateral Kidney. <i>PLoS ONE</i> , 2015 , 10, e0133675	3.7	8
67	Optimal Skin-to-Stone Distance Is a Positive Predictor for Successful Outcomes in Upper Ureter Calculi following Extracorporeal Shock Wave Lithotripsy: A Bayesian Model Averaging Approach. <i>PLoS ONE</i> , 2015 , 10, e0144912	3.7	20

66	External validation of the RENAL nephrometry score nomogram for predicting high-grade renal cell carcinoma in solid, enhancing, and small renal masses. <i>World Journal of Urology</i> , 2014 , 32, 249-55	4	19
65	A competing risk analysis of cancer-specific mortality of initial treatment with radical prostatectomy versus radiation therapy in clinically localized high-risk prostate cancer. <i>Annals of Surgical Oncology</i> , 2014 , 21, 4026-33	3.1	27
64	Microsurgical intermediate subinguinal varicocelectomy. <i>International Surgery</i> , 2014 , 99, 398-403	0.1	1
63	Assessing the anatomical characteristics of renal masses has a limited effect on the prediction of pathological outcomes in solid, enhancing, small renal masses: results using the PADUA classification system. <i>BJU International</i> , 2014 , 113, 754-61	5.6	8
62	Prognostic factors for urachal cancer: a bayesian model-averaging approach. <i>Korean Journal of Urology</i> , 2014 , 55, 574-80		18
61	Renal pelvic urothelial carcinoma with vena caval thrombus mimicking renal cell carcinoma. <i>Korean Journal of Urology</i> , 2014 , 55, 624-7		6
60	Clinical features of superevoiders who suffer from lower urinary tract symptoms: a propensity score-matching study. <i>World Journal of Urology</i> , 2013 , 31, 1463-8	4	1
59	Impact of bent distortion on accuracy of measurement during transrectal ultrasonography for prostatic imaging: a preliminary study. <i>Urology</i> , 2013 , 81, 915-9	1.6	4
58	Efficacy and safety of photodynamic therapy for recurrent, high grade nonmuscle invasive bladder cancer refractory or intolerant to bacille Calmette-Guérin immunotherapy. <i>Journal of Urology</i> , 2013 , 190, 1192-9	2.5	50
57	Laparoendoscopic single site varicocele ligation: comparison of testicular artery and lymphatic preservation versus complete testicular vessel ligation. <i>Journal of Urology</i> , 2013 , 189, 243-9	2.5	17
56	Lymphocele after extraperitoneal robot-assisted radical prostatectomy: a propensity score-matching study. <i>International Journal of Urology</i> , 2013 , 20, 1169-76	2.3	34
55	Transmesocolic approach for left side laparoscopic pyeloplasty: comparison with laterocolic approach in the initial learning period. <i>Yonsei Medical Journal</i> , 2013 , 54, 197-203	3	2
54	A comparative study of laparoendoscopic single-site surgery versus conventional laparoscopy for upper urinary tract malignancies. <i>Korean Journal of Urology</i> , 2013 , 54, 244-8		6
53	Prostatic urethral angulation associated with urinary flow rate and urinary symptom scores in men with lower urinary tract symptoms. <i>Urology</i> , 2012 , 80, 1333-7	1.6	29
52	Clinical Outcomes of Bosniak Category IIF Complex Renal Cysts in Korean Patients. <i>Korean Journal of Urology</i> , 2012 , 53, 386-90		27
51	Efficacy and safety of solifenacin to treat overactive bladder symptoms in patients with idiopathic normal pressure hydrocephalus: an open-label, multicenter, prospective study. <i>Neurourology and Urodynamics</i> , 2012 , 31, 1175-80	2.3	2
50	Initial experience with laparoendoscopic single-site nephrectomy and nephroureterectomy in children. <i>Urology</i> , 2011 , 77, 1204-8	1.6	25
49	Simple, safe, and successful evacuation of severe organized clot retention using a catheter connected with wall suction: suction and fishing method. <i>Urology</i> , 2011 , 78, 1199-202	1.6	7

48	Laparoendoscopic single-site nephrectomy using a modified umbilical incision and a home-made transumbilical port. <i>Yonsei Medical Journal</i> , 2011 , 52, 307-13	3	6
47	Laparoendoscopic single-site surgeries: a single-center experience of 171 consecutive cases. <i>Korean Journal of Urology</i> , 2011 , 52, 31-8		55
46	Clinical experiences of pheochromocytoma in Korea. <i>Yonsei Medical Journal</i> , 2011 , 52, 45-50	3	8
45	Retroperitoneoscopic partial nephrectomy in a horseshoe kidney. <i>Korean Journal of Urology</i> , 2011 , 52, 795-7		9
44	Comparison of oncological results, functional outcomes, and complications for transperitoneal versus extraperitoneal robot-assisted radical prostatectomy: a single surgeon's experience. <i>Journal of Endourology</i> , 2011 , 25, 787-92	2.7	51
43	Trends of presentation and clinical outcome of treated renal angiomyolipoma. <i>Yonsei Medical Journal</i> , 2010 , 51, 728-34	3	46
42	A unique instrumental malfunction during robotic prostatectomy. <i>Yonsei Medical Journal</i> , 2010 , 51, 148-50		11
41	Efficacy of octreotide for management of lymphorrhea after pelvic lymph node dissection in radical prostatectomy. <i>Urology</i> , 2010 , 76, 398-401	1.6	18
40	Efficacy and Safety of Red Ginseng Extract Powder in Patients with Erectile Dysfunction: Multicenter, Randomized, Double-Blind, Placebo-Controlled Study. <i>Korean Journal of Urology</i> , 2009 , 50, 159		14
39	Clinical experience of single-session percutaneous aspiration and OK-432 sclerotherapy for treatment of simple renal cysts: 1-year follow-up. <i>Journal of Endourology</i> , 2009 , 23, 1001-6	2.7	16
38	Robotic radical prostatectomy for patients with locally advanced prostate cancer is feasible: results of a single-institution study. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2009 , 19, 329-32	2.1	51
37	Robotic prostatectomy in patient with an abdominoperineal resection. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2009 , 19, 383-7	2.1	2
36	The "halo effect" in Korea: change in practice patterns since the introduction of robot-assisted laparoscopic radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2009 , 3, 57-60	2.9	4
35	Initial experience of robotic nephroureterectomy: a hybrid-port technique. <i>BJU International</i> , 2009 , 104, 1718-21	5.6	70
34	Malfunction of da Vinci robotic system--disassembled surgeon's console hand piece: case report and review of the literature. <i>Urology</i> , 2009 , 73, 209.e7-8	1.6	12
33	Failure and malfunction of da Vinci Surgical systems during various robotic surgeries: experience from six departments at a single institute. <i>Urology</i> , 2009 , 74, 1234-7	1.6	47
32	Pathological effects of prostate cancer correlate with neuroendocrine differentiation and PTEN expression after bicalutamide monotherapy. <i>Journal of Urology</i> , 2009 , 182, 1378-84	2.5	16
31	Long-term outcome of simultaneous transurethral resection of bladder tumor and prostate in patients with nonmuscle invasive bladder tumor and bladder outlet obstruction. <i>Journal of Urology</i> , 2009 , 181, 1594-9; discussion 1599	2.5	16

30	Clinical characteristics of renal cell carcinoma in Korean patients with von Hippel-Lindau disease compared to sporadic bilateral or multifocal renal cell carcinoma. <i>Journal of Korean Medical Science</i> , 2009 , 24, 1145-9	4.7	7
29	Pathologic Characteristics and Prognosis of Pathologic T0 Prostate Cancer. <i>Korean Journal of Urology</i> , 2009 , 50, 229		1
28	Comparison of Extraperitoneal and Transperitoneal Robot-Assisted Radical Prostatectomy in Prostate Cancer: A Single Surgeon's Experience. <i>Korean Journal of Urology</i> , 2009 , 50, 251		6
27	Comparison of the Efficacy of Urine Cytology, Nuclear Matrix Protein 22 (NMP22), and Fluorescence in Situ Hybridization (FISH) for the Diagnosis of Bladder Cancer. <i>Korean Journal of Urology</i> , 2009 , 50, 6		3
26	Outcome of Radical Prostatectomy in Prostate Cancer Patients with Prostate-Specific Antigen (PSA) Level Equal to or More Than 20 ng/ml and No Distant Metastasis Preoperatively. <i>Korean Journal of Urology</i> , 2009 , 50, 111		1
25	Expression of chicken ovalbumin upstream promoter-transcription factor I (COUP-TFI) in bladder transitional cell carcinoma. <i>Urology</i> , 2008 , 72, 921-6	1.6	3
24	Prostate-specific antigen velocity in healthy Korean men with initial PSA levels of 4.0 ng/mL or less. <i>Urology</i> , 2008 , 72, 99-103	1.6	5
23	Comparison of multiple session 99% ethanol and single session OK-432 sclerotherapy for the treatment of simple renal cysts. <i>Journal of Urology</i> , 2008 , 180, 2552-6	2.5	17
22	Robot-assisted laparoscopic radical cystoprostatectomy with ileal conduit urinary diversion: initial experience in Korea. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2008 , 18, 401-4	2.1	4
21	Clinical Characteristics of Renal Cell Carcinoma in Korean Patients with von Hippel-Lindau Disease. <i>Korean Journal of Urology</i> , 2008 , 49, 863		
20	Treatment of Simple Renal Cysts by Percutaneous Aspiration and OK-432 Sclerotherapy. <i>Korean Journal of Urology</i> , 2008 , 49, 917		1
19	Transurethral Resection of Prostate in Benign Prostatic Hyperplasia Patients with Large Prostate Volume. <i>Korean Journal of Urology</i> , 2008 , 49, 906		
18	Robot-assisted Laparoscopic Radical Prostatectomy: Clinical Experience of 200 Cases. <i>Korean Journal of Urology</i> , 2008 , 49, 215		12
17	Comparison of Open and Robotic Surgery in Radical Prostatectomy: A Single Surgeon's Experience. <i>Korean Journal of Urology</i> , 2008 , 49, 221		3
16	Outcomes of Robotic Prostatectomy for Treating Clinically Advanced Prostate Cancer. <i>Korean Journal of Urology</i> , 2008 , 49, 325		2
15	Robot-assisted Laparoscopic Nephroureterectomy with a Bladder Cuff Excision. <i>Korean Journal of Urology</i> , 2008 , 49, 373		4
14	Robot-assisted Laparoscopic Partial Nephrectomy. <i>Korean Journal of Urology</i> , 2008 , 49, 387		6
13	Robotic Prostatectomy in a Patient with a Miles Operation. <i>Korean Journal of Urology</i> , 2008 , 49, 464		1

12	Robot-assisted Laparoscopic Radical Cystectomy with Ileal Conduit Urinary Diversion. <i>Korean Journal of Urology</i> , 2008 , 49, 506		7
11	Role of Epidermal Growth Factor Receptor and the HER-2 Gene in Hormone Refractory Prostate Cancer. <i>Korean Journal of Urology</i> , 2008 , 49, 24		
10	Robot-assisted laparoscopic partial nephrectomy during pregnancy. <i>Journal of Robotic Surgery</i> , 2008 , 2, 193	2.9	7
9	Robotic repair of scrotal bladder hernia during robotic prostatectomy. <i>Journal of Robotic Surgery</i> , 2008 , 2, 209-11	2.9	5
8	Open versus robotic radical prostatectomy: a prospective analysis based on a single surgeon's experience. <i>Journal of Robotic Surgery</i> , 2008 , 2, 235-41	2.9	10
7	Gene amplification and mutation analysis of epidermal growth factor receptor in hormone refractory prostate cancer. <i>Prostate</i> , 2008 , 68, 803-8	4.2	17
6	Comparison of Open versus Robotic Radical Prostatectomy in Clinically Advanced Prostate Cancer. <i>Korean Journal of Urology</i> , 2008 , 49, 886		4
5	The Significance of Simultaneous Transurethral Resection of Bladder Tumor and the Prostate in Patient who have Superficial Bladder Cancer with Bladder Outlet Obstruction. <i>Korean Journal of Urology</i> , 2008 , 49, 791		1
4	Recent Concepts of Premature Ejaculation. <i>Korean Journal of Urology</i> , 2008 , 49, 765		
3	Age-specific prostate-specific antigen reference ranges in Korean men. <i>Urology</i> , 2007 , 70, 1113-6	1.6	21
2	Analysis of Human V-erbA Related EAR-3 Gene Expression between Transitional Cell Carcinoma and Normal Tissue in Bladder Cancer. <i>Korean Journal of Urology</i> , 2007 , 48, 915		
1	Increased nephron volume is not a cause of supranormal renographic differential renal function in patients with ureteropelvic junction obstruction. <i>Journal of Urology</i> , 2004 , 172, 1108-10	2.5	8