Giovanni Ostuzzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8257844/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparative efficacy and acceptability of psychotherapies for panic disorder with or without agoraphobia: systematic review and network meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2022, 221, 507-519.	1.7	20
2	Esketamine for treatment-resistant depression in adults. The Cochrane Library, 2022, 2022, .	1.5	0
3	Effectiveness of a <scp>WHO</scp> selfâ€help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial. World Psychiatry, 2022, 21, 88-95.	4.8	52
4	Comparing 1-year effectiveness and acceptability of once-monthly paliperidone palmitate and aripiprazole monohydrate for schizophrenia spectrum disorders: Findings from the STAR Network Depot Study. Psychiatry Research, 2022, 309, 114405.	1.7	10
5	Early pharmacological interventions for universal prevention of post-traumatic stress disorder (PTSD). The Cochrane Library, 2022, 2022, CD013443.	1.5	8
6	Preventing relapse in schizophrenia needs better evidence. Lancet, The, 2022, 399, 773-775.	6.3	4
7	Mapping the selection, availability, price and affordability of essential medicines for mental health conditions at a global level. Epidemiology and Psychiatric Sciences, 2022, 31, e22.	1.8	7
8	Factors Associated with Medication Adherence to Long-Acting Injectable Antipsychotics: Results from the STAR Network Depot Study. Pharmacopsychiatry, 2022, 55, 281-289.	1.7	6
9	Calling for policy actions to increase access to long-acting antipsychotics in low-income and middle-income countries. Epidemiology and Psychiatric Sciences, 2022, 31, e34.	1.8	3
10	Oral and longâ€acting antipsychotics for relapse prevention in schizophreniaâ€spectrum disorders: a network metaâ€analysis of 92 randomized trials including 22,645 participants. World Psychiatry, 2022, 21, 295-307.	4.8	44
11	Cost-effectiveness of the Self-Help Plus Intervention for Adult Syrian Refugees Hosted in Turkey. JAMA Network Open, 2022, 5, e2211489.	2.8	6
12	Long-term effectiveness of Self-Help Plus in refugees and asylum seekers resettled in Western Europe: 12-month outcomes of a randomised controlled trial. Epidemiology and Psychiatric Sciences, 2022, 31, .	1.8	2
13	Continuing, reducing, switching, or stopping antipsychotics in individuals with schizophrenia-spectrum disorders who are clinically stable: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2022, 9, 614-624.	3.7	28
14	Efficacy of interventions to reduce coercive treatment in mental health services: umbrella review of randomised evidence. British Journal of Psychiatry, 2021, 218, 185-195.	1.7	73
15	Comparing Long-Acting Antipsychotic Discontinuation Rates Under Ordinary Clinical Circumstances: A Survival Analysis from an Observational, Pragmatic Study. CNS Drugs, 2021, 35, 655-665.	2.7	14
16	Maintenance Treatment With Long-Acting Injectable Antipsychotics for People With Nonaffective Psychoses: A Network Meta-Analysis. American Journal of Psychiatry, 2021, 178, 424-436.	4.0	54
17	A network meta-analysis of psychosocial interventions for refugees and asylum seekers with PTSD. BMJ Global Health, 2021, 6, e005029.	2.0	24
18	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2021, 90, 403-414	4.0	57

GIOVANNI OSTUZZI

#	Article	IF	CITATIONS
19	Expanding access to long-acting antipsychotics in low-income and middle-income countries. Lancet Psychiatry,the, 2021, 8, 1034-1035.	3.7	4
20	The Role of Attitudes Toward Medication and Treatment Adherence in the Clinical Response to LAIs: Findings From the STAR Network Depot Study. Frontiers in Psychiatry, 2021, 12, 784366.	1.3	4
21	Which psychotherapy is effective in panic disorder? Findings and reflections from a systematic network meta-analysis. European Psychiatry, 2021, 64, S118-S118.	0.1	Ο
22	Safety of psychotropic medications in people with COVID-19. European Psychiatry, 2021, 64, S93-S93.	0.1	0
23	Efficacy of psychosocial interventions for mental health outcomes in low-income and middle-income countries: an umbrella review. Lancet Psychiatry,the, 2020, 7, 162-172.	3.7	163
24	Esketamine for treatment resistant depression: a trick of smoke and mirrors?. Epidemiology and Psychiatric Sciences, 2020, 29, e79.	1.8	28
25	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. BMC Medicine, 2020, 18, 215.	2.3	52
26	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. Trials, 2020, 21, 695.	0.7	8
27	Pharmacological treatment of hyperactive delirium in people with COVID-19: rethinking conventional approaches. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532094270.	1.2	21
28	Poor implementation of the EU clinical trial regulation is a major threat for pragmatic trials in European countries. Epidemiology and Psychiatric Sciences, 2020, 29, e126.	1.8	4
29	Clinical correlates of paliperidone palmitate and aripiprazole monohydrate prescription for subjects with schizophrenia-spectrum disorders: findings from the STAR Network Depot Study. International Clinical Psychopharmacology, 2020, 35, 214-220.	0.9	12
30	Esketamine clinical trials: reply to Maju et al Epidemiology and Psychiatric Sciences, 2020, 29, e122.	1.8	5
31	Introduction and methods of the evidence-based guidelines for the diagnosis and management of autism spectrum disorder by the Italian National Institute of Health. Health and Quality of Life Outcomes, 2020, 18, 81.	1.0	7
32	Safety of Psychotropic Medications in People With COVID-19: Evidence Review and Practical Recommendations. Focus (American Psychiatric Publishing), 2020, 18, 466-481.	0.4	6
33	Reasons for initiating long-acting antipsychotics in psychiatric practice: findings from the STAR Network Depot Study. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532097810.	1.2	13
34	Which psychotherapy is effective in panic disorder? And which delivery formats are supported by the evidence? Study protocol for two systematic reviews and network meta-analyses. BMJ Open, 2020, 10, e038909.	0.8	3
35	Medicine-based evidence: the case of antidepressants in patients with coronary artery disease. Epidemiology and Psychiatric Sciences, 2019, 28, 18-20.	1.8	2
36	Antipsychotic use and risk of lifeâ€ŧhreatening medical events: umbrella review of observational studies. Acta Psychiatrica Scandinavica, 2019, 140, 227-243.	2.2	59

GIOVANNI OSTUZZI

#	Article	IF	CITATIONS
37	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. BMJ Open, 2019, 9, e030259.	0.8	27
38	Efficacy and acceptability of psychosocial interventions in asylum seekers and refugees: systematic review and meta-analysis. Epidemiology and Psychiatric Sciences, 2019, 28, 376-388.	1.8	141
39	Early pharmacological interventions for preventing post-traumatic stress disorder (PTSD): a network meta-analysis. The Cochrane Library, 2019, , .	1.5	1
40	Beyond pain: can antidepressants improve depressive symptoms and quality of life in patients with neuropathic pain? A systematic review and meta-analysis. Pain, 2019, 160, 2186-2198.	2.0	18
41	Efficacy and acceptability of antidepressants in patients with ischemic heart disease. International Clinical Psychopharmacology, 2019, 34, 65-75.	0.9	15
42	Antidepressants for the treatment of depression in people with cancer. The Cochrane Library, 2018, 2018, CD011006.	1.5	66
43	Public health psychopharmacology: a new research discipline comes of age?. Epidemiology and Psychiatric Sciences, 2018, 27, 24-28.	1.8	2
44	Can a digital medicine system improve adherence to antipsychotic treatment?. Epidemiology and Psychiatric Sciences, 2018, 27, 227-229.	1.8	12
45	Prevalence and Correlates of Psychological Distress and Psychiatric Disorders in Asylum Seekers and Refugees Resettled in an Italian Catchment Area. Journal of Immigrant and Minority Health, 2018, 20, 263-270.	0.8	18
46	Antipsychotic drug exposure and risk of fracture. International Clinical Psychopharmacology, 2018, 33, 181-196.	0.9	22
47	Factors associated with first- versus second-generation long-acting antipsychotics prescribed under ordinary clinical practice in Italy. PLoS ONE, 2018, 13, e0201371.	1.1	44
48	New EMA report on paliperidone 3-month injections: taking clinical and policy decisions without an adequate evidence base. Epidemiology and Psychiatric Sciences, 2017, 26, 231-233.	1.8	15
49	Antipsychotic drug exposure and risk of myocardial infarction. Epidemiology and Psychiatric Sciences, 2017, 26, 18-21.	1.8	4
50	Combinations of QTc-prolonging drugs: towards disentangling pharmacokinetic and pharmacodynamic effects in their potentially additive nature. Therapeutic Advances in Psychopharmacology, 2017, 7, 251-264.	1.2	43
51	Regulatory meta-analyses for the evaluation of psychotropic medicines. Lancet Psychiatry,the, 2017, 4, 660-661.	3.7	3
52	Vortioxetine for depression in adults. The Cochrane Library, 2017, 2017, CD011520.	1.5	33
53	Antipsychotic combinations in schizophrenia. Epidemiology and Psychiatric Sciences, 2017, 26, 462-465.	1.8	2
54	Role of Co-occurring Alcohol and Substances Abuse on QTc Interval Prolongation Among Psychiatric Patients: A Cross-sectional National Survey. European Psychiatry, 2017, 41, S201-S202.	0.1	0

GIOVANNI OSTUZZI

#	Article	IF	CITATIONS
55	Does formulation matter? A systematic review and meta-analysis of oral versus long-acting antipsychotic studies. Schizophrenia Research, 2017, 183, 10-21.	1.1	66
56	Mapping the evidence on pharmacological interventions for non-affective psychosis in humanitarian non-specialised settings: a UNHCR clinical guidance. BMC Medicine, 2017, 15, 197.	2.3	3
57	Common mental disorders in asylum seekers and refugees: umbrella review of prevalence and intervention studies. International Journal of Mental Health Systems, 2017, 11, 51.	1.1	238
58	Can We Identify the Active Ingredients of Behaviour Change Interventions for Coronary Heart Disease Patients? A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0153271.	1.1	81
59	Prevalence and correlates of QTc prolongation in Italian psychiatric care: cross-sectional multicentre study. Epidemiology and Psychiatric Sciences, 2016, 25, 532-540.	1.8	46
60	First-generation antipsychotics and QTc: any role for mediating variables?. Human Psychopharmacology, 2016, 31, 313-318.	0.7	24
61	Implementation of treatment guidelines for specialist mental health care. The Cochrane Library, 2016, 12, CD009780.	1.5	29
62	Comparative effectiveness of long-acting antipsychotics: issues and challenges from a pragmatic randomised study. Epidemiology and Psychiatric Sciences, 2016, 25, 21-23.	1.8	6
63	Antipsychotic Dose Mediates the Association between Polypharmacy and Corrected QT Interval. PLoS ONE, 2016, 11, e0148212.	1.1	50
64	Antidepressants for the treatment of depression in people with cancer. The Cochrane Library, 2015, , CD011006.	1.5	70
65	Efficacy and acceptability of antidepressants on the continuum of depressive experiences in patients with cancer: Systematic review and meta-analysis. Cancer Treatment Reviews, 2015, 41, 714-724.	3.4	33
66	Beneficial and harmful consequences of prepartum and postpartum antidepressant exposure: TableÂ1. Evidence-Based Mental Health, 2014, 17, 69-71.	2.2	1
67	Autism spectrum disorders: weighing the risk of SSRI exposure in pregnancy. Epidemiology and Psychiatric Sciences, 2014, 23, 231-233.	1.8	3
68	Making the use of psychotropic drugs more rational through the development of GRADE recommendations in specialist mental healthcare. International Journal of Mental Health Systems, 2013, 7, 14.	1.1	10
69	Adverse effects of antipsychotic drugs: survey of doctors' versus patients' perspective. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 157-164.	1.6	15
70	SSRI plus supportive care more effective than supportive care alone for mild to moderate depression. Evidence-Based Mental Health, 2009, 12, 109-109.	2.2	5
71	Early pharmacological interventions for acute traumatic stress symptoms: a network meta-analysis. The Cochrane Library, 0, , .	1.5	1