
Najeeb ud din Hakim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8258262/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Adaptive hybrid arbiter design for real-time traffic-aware scheduling. Circuit World, 2022, 48, 185-203. | 0.9 | 4 |
| 2 | Towards low cost, industrially compatible silicon heterojunction solar cells using hybrid carrier selective passivating contacts. Optical Materials, 2022, 124, 111957. | 3.6 | 2 |
| 3 | Prime turn model and first last turn model: An adaptive deadlock free routing for network-on-chips. Microprocessors and Microsystems, 2022, 89, 104454. | 2.8 | 2 |
| 4 | A comparative perspective on Differential Modal Gain reduction techniques for optimized few mode EDFA systems. Optik, 2021, 230, 166285. | 2.9 | 2 |
| 5 | Fundamentals of and Recent Advances in Carrier Selective Passivating Contacts for Silicon Solar Cells. Journal of Electronic Materials, 2021, 50, 3761-3772. | 2.2 | 4 |
| 6 | Analytical Modeling of the Effect of Silver Nanoparticle Incorporation in Active Layer of an Organic Solar Cell. IEEE Transactions on Electron Devices, 2021, 68, 4516-4521. | 3.0 | 1 |
| 7 | Device Performance Optimization of Organic Thin-Film Transistors at Short-Channel Lengths Using Vertical Channel Engineering Techniques. Semiconductors, 2021, 55, 116-121. | 0.5 | 2 |
| 8 | A Review of Design Approaches for Enhancing the Performance of NoCs at Communication Centric Level. Scalable Computing, 2021, 22, 347-364. | 1.0 | 2 |
| 9 | Design, characterization and performance evaluation of few-mode EDFA system with propagation up to six modes. Optical and Quantum Electronics, 2020, 52, 1. | 3.3 | 2 |
| 10 | Evolution of amplified spontaneous emission and characterization of an optimized two-mode EDFA system obtained from an extended analytical model. Journal of Computational Electronics, 2020, 19, 1660-1669. | 2.5 | 3 |
| 11 | A simple analytical model for the resonant tunneling diode based on the transmission peak and scattering effect. Journal of Computational Electronics, 2020, 19, 1061-1067. | 2.5 | 4 |
| 12 | Investigation of Non-ideality Factors for a P3HT: PCBM Based Bulk Heterojunction Organic Solar Cell in Presence of Silver Nanoparticles. Transactions on Electrical and Electronic Materials, 2020, 21, 293-304. | 1.9 | 5 |
| 13 | Multiplier-Less Architecture for 4-Tap Daubechies Wavelet Filters Using Algebraic Integers. Algorithms for Intelligent Systems, 2020, , 1251-1258. | 0.6 | 3 |
| 14 | Investigation of Active Layer Thickness Variation on the Performance of Bulk Heterojunction Organic Solar Cells. Springer Proceedings in Physics, 2019, , 335-339. | 0.2 | 1 |
| 15 | An analytical modeling approach to the electrical behavior of the bottom-contact organic thin-film transistors in presence of the trap states. Journal of Computational Electronics, 2019, 18, 543-552. | 2.5 | 5 |
| 16 | A novel hardware-efficient spatial orientation tree-based image compression algorithm and its field programmable gate array implementation. Turkish Journal of Electrical Engineering and Computer Sciences, 2019, 27, 3823-3836. | 1.4 | 1 |
| 17 | Analytical model for the effects of the variation of ferrolectric material parameters on the minimum subthreshold swing in negative capacitance capacitor. Journal of Semiconductors, 2019, 40, 122401. | 3.7 | 1 |
| 18 | The Effect of Shallow Trench Isolation and Sinker on the Performance of Dual-Gate LDMOS Device. IEEE Transactions on Electron Devices, 2019, 66, 585-591. | 3.0 | 12 |

Najeeb ud din Hakim

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Investigation on Chirping induced performance degradation in Single Mode Directly modulated 1.55um DFB laser. Journal of Optical Communications, 2019, 40, 31-36. | 4.7 | 4 |
| 20 | Fault-Tolerant Buffer Aware Round Robin Arbiter Design for NoC Architectures. International Journal of Computing and Digital Systems, 2019, 8, 275-284. | 0.7 | 3 |
| 21 | Investigation and performance evaluation of filter aided configurations for erbium doped fiber optical amplification system. Optik, 2018, 164, 311-323. | 2.9 | 6 |
| 22 | Design and performance investigation of short channel bottom-contact organic thin-film transistors. Journal of Computational Electronics, 2018, 17, 1315-1323. | 2.5 | 5 |
| 23 | Investigation on chirping characteristics of a 1.55-µm directly modulated distributed feedback laser. Journal of Optics (India), 2018, 47, 481-488. | 1.7 | 1 |
| 24 | FPGA implementation of a low-power and area-efficient state-table-based compression algorithm for DSLR cameras. Turkish Journal of Electrical Engineering and Computer Sciences, 2018, 26, 2928-2943. | 1.4 | 2 |
| 25 | Recent Advances in the Determination of Optimal Active Layer Thickness for Bulk Heterojunction Organic Solar Cells. Transactions on Electrical and Electronic Materials, 2018, 19, 319-329. | 1.9 | 10 |
| 26 | Analytic model for the electrical properties of negative capacitance metal-ferroelectric insulator silicon (MFIS) capacitor. Integrated Ferroelectrics, 2017, 185, 93-101. | 0.7 | 3 |
| 27 | Effect of chirp characteristics of directly modulated laser on the signal transmission performance. , 2017, , . | | 0 |
| 28 | Comparison of parallel image scanning methods for achieving better throughput. , 2017, , . | | 1 |
| 29 | Buffer aware arbiter design to achieve improved QoS for NoC. , 2017, , . | | 1 |
| 30 | A High Speed Architecture for Lifting-based 2-D Cohen-Daubechies-Feauveau (5,3) Discrete Wavelet Transform used in JPEG2000. International Journal of Advances in Telecommunications, Electrotechnics, Signals and Systems, 2017, 6, 24. | 0.2 | 4 |
| 31 | Effect of mobility degradation on the device performance of organic thin-film transistor's. , 2016, , . | | 3 |
| 32 | The effect of gain compression on the modulation characteristics of 1.55µm distributed feedback laser. , 2016, , . | | 0 |
| 33 | Effect of gain compression above and below threshold on the chirp characteristics of 1.55µm distributed feedback laser. Optical Review, 2016, 23, 897-906. | 2.0 | 8 |
| 34 | A novel arrangement for efficiently handling image border in FPGA filter implementation. , 2016, , . | | 5 |
| 35 | Linearization of Double Balanced Mixer Operated in Subthreshold Region of MOSFET. International Journal of Applied Mathematics Electronics and Computers, 2015, 3, 102. | 0.3 | 1 |
| 36 | Simulative Extraction and Performance investigation of Improved Compensated DFB Laser for an IM-DD SCM Optical Link. International Journal of Applied Mathematics Electronics and Computers, 2015, 3, 178. | 0.3 | 1 |

Najeeb ud din Hakim

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Simulation study of the electrical behavior of bottom contact organic thin film transistors. , 2014, , . | | 3 |
| 38 | Performance investigation on clipping and RIN induced degradation for a single- and two-tone IM-DD SCM optical link. Optics Communications, 2014, 319, 178-187. | 2.1 | 1 |
| 39 | A 4 GS/s, 1.8 V multiplexer encoder based flash ADC using TIQ technique. , 2014, , . | | 13 |
| 40 | Performance investigation on harmonic distortion and inter-modulation distortion induced degradation for a single- and two-tone IM-DD SCM optical link. Optik, 2014, 125, 2148-2153. | 2.9 | 3 |
| 41 | Investigation on inter-modulation products (IMPs) for IM-DD SCM optical links. Optik, 2014, 125, 1629-1633. | 2.9 | 8 |
| 42 | A High Speed 32-bit FPGA based CORDIC Architecture for Sine and Cosine Function Evaluation. International Journal of Computer Applications, 2013, 73, 36-45. | 0.2 | 2 |
| 43 | Reconfigurable Architectures. Journal of Advanced Computer Science & Technology, 2012, 1, . | 1.2 | 0 |
| 44 | Synthesis of carry select adder in 65 nm FPGA. , 2008, , . | | 6 |
| 45 | Modeling of floating β ratio of inverter in silicon-on-insulator technology. , 2007, , . | | Ο |
| 46 | Impact of varying electric field: tunneling in deep submicron nMOSFET. , 2006, , . | | 0 |
| 47 | Design of a 0.1 µm single halo (SH) thin film silicon-on-insulator (SOI) MOSFET for analogue applications. Semiconductor Science and Technology, 2005, 20, 895-902. | 2.0 | Ο |
| 48 | Superior hot carrier reliability of single halo (SH) silicon-on-insulator (SOI) nMOSFET in analog applications. IEEE Transactions on Device and Materials Reliability, 2005, 5, 127-132. | 2.0 | 16 |
| 49 | A/spl uml/nalysis of floating body effects in thin film conventional and single pocket SOI MOSFETs using the GIDL current technique. IEEE Electron Device Letters, 2002, 23, 209-211. | 3.9 | 15 |
| 50 | Suppression of Parasitic BJT Action in Single Pocket Thin Film Deep Sub-Micron SOI MOSFETs Materials Research Society Symposia Proceedings, 2002, 716, 111. | 0.1 | 2 |
| 51 | Characterization of lateral asymmetric channel (LAC) thin film SOI MOSFETs. , 0, , . | | 7 |
| 52 | Small signal characteristics of thin film single halo SOI MOSFET for mixed mode applications. , 0, , . | | 3 |
| 53 | Thin film single halo (SH) SOI nMOSFETs - hot carrier reliability for mixed mode applications. , 0, , . | | 0 |
| 54 | Thin film single halo (SH) SOI nMOSFETs - short channel performance in mixed signal applications. , 0, , | | 0 |

4