

# Masratul Hawa Mohd

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8258482/publications.pdf>

Version: 2024-02-01

37  
papers

385  
citations

840119

11  
h-index

887659

17  
g-index

38  
all docs

38  
docs citations

38  
times ranked

292  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neopestalotiopsis clavispora and Pseudopestalotiopsis camelliae-sinensis causing grey blight disease of tea (Camellia sinensis) in Malaysia. European Journal of Plant Pathology, 2022, 162, 709-724.	0.8	6
2	Characterization of <i>Lasiodiplodia</i> species causing leaf blight, stem rot and fruit rot of fig ( <i>Ficus carica</i> ) in Malaysia. Plant Pathology, 2022, 71, 1594-1605.	1.2	3
3	Lasiodiplodia theobromae as a causal pathogen of leaf blight, stem canker, and pod rot of Theobroma cacao in Malaysia. Scientific Reports, 2022, 12, .	1.6	14
4	Identification of Botryosphaeriaceae associated with stem-end rot of mango ( <i>Mangifera indica</i> ) Tj ETQq0 0 0 rgBT /Overlock 10	1.4	13
5	Diaporthe species causing stem gray blight of red-fleshed dragon fruit (Hylocereus polyrhizus) in Malaysia. Scientific Reports, 2021, 11, 3907.	1.6	7
6	Fusarium Species in Mangrove Soil in Northern Peninsular Malaysia and the Soil Physico-Chemical Properties. Microorganisms, 2021, 9, 497.	1.6	9
7	Molecular Phylogeny of Endophytic Fungi from Rattan (Calamus castaneus Griff.) Spines and Their Antagonistic Activities against Plant Pathogenic Fungi. Journal of Fungi (Basel, Switzerland), 2021, 7, 301.	1.5	10
8	First report of Fusarium sacchari causing leaf blotch of orchid (Dendrobium antennatum) in Malaysia. Crop Protection, 2021, 143, 105559.	1.0	2
9	Identification and characterization of Coniella javanica causing leaf blight of kenaf (Hibiscus) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.0	0
10	Characterisation and Pathogenicity of Aspergillus tamarii Causing Banana Fruit Rot. Tropical Life Sciences Research, 2021, 32, 179-187.	0.5	0
11	Colletotrichum species associated with mango (Mangifera indica L.) stem-end rot. Journal of Plant Pathology, 2020, 102, 505-509.	0.6	2
12	Morphology, phylogeny and pathogenicity of <i>Fusarium</i> species from <i>Sansevieria trifasciata</i> in Malaysia. Plant Pathology, 2020, 69, 442-454.	1.2	10
13	Mycotoxigenic potential of Fusarium species associated with pineapple diseases. Archives of Phytopathology and Plant Protection, 2020, 53, 217-229.	0.6	2
14	Identification, pathogenicity and histopathology of <i>Colletotrichum sansevieriae</i> causing anthracnose of <i>Sansevieria trifasciata</i> in Malaysia. Journal of Applied Microbiology, 2020, 129, 626-636.	1.4	8
15	First report of Fusarium concentricum causing fruit blotch on roselle (Hibiscus sabdariffa). Australasian Plant Disease Notes, 2020, 15, 1.	0.4	6
16	<i>Curvularia asianensis</i> and <i>Curvularia eragrostidis</i> associated with leaf spot of <i>Sansevieria trifasciata</i> in Malaysia. Journal of Phytopathology, 2020, 168, 290-296.	0.5	5
17	First report of stem canker of dragon fruit caused by <i>Alternaria</i> spp. in Taiwan. New Disease Reports, 2020, 41, 35-35.	0.4	1
18	Identification and pathogenicity of Diaporthe species associated with stem-end rot of mango (Mangifera indica L.). European Journal of Plant Pathology, 2019, 155, 687-696.	0.8	14

#	ARTICLE	IF	CITATIONS
19	First report of reddish brown spot disease of red-fleshed dragon fruit ( <i>Hylocereus polyrhizus</i> ) caused by <i>Nigrospora lacticola</i> and <i>Nigrospora sphaerica</i> in Malaysia. <i>Crop Protection</i> , 2019, 122, 165-170.	1.0	19
20	First report of <i>Fusarium oxysporum</i> causing leaf spot on white spider lily in Malaysia. <i>Journal of Plant Pathology</i> , 2019, 101, 779-779.	0.6	4
21	Identification and Characterization of <i>Macrophomina phaseolina</i> Causing Leaf Blight on White Spider Lilies ( <i>Crinum asiaticum</i> and <i>Hymenocallis littoralis</i> ) in Malaysia. <i>Mycobiology</i> , 2019, 47, 408-414.	0.6	9
22	First Report of <i>Fusarium oxysporum</i> as a Causal Agent of Stem Blight of Red-Fleshed Dragon Fruit ( <i>Hylocereus polyrhizus</i> ) in Malaysia. <i>Plant Disease</i> , 2019, 103, 1040-1040.	0.7	6
23	<i>Lasiodiplodia</i> species associated with <i>Sansevieria trifasciata</i> leaf blight in Malaysia. <i>Journal of General Plant Pathology</i> , 2019, 85, 66-71.	0.6	11
24	First Report of <i>Stemphylium lycopersici</i> Causing Leaf Spot on <i>Sansevieria trifasciata</i> in Malaysia. <i>Plant Disease</i> , 2018, 102, 445-446.	0.7	9
25	Characterization and pathogenicity of <i>Fusarium</i> species associated with leaf spot of mango ( <i>Mangifera indica</i> L.). <i>Microbial Pathogenesis</i> , 2018, 114, 362-368.	1.3	14
26	Fumonisin B1-producing <i>Fusarium</i> species from agricultural crops in Malaysia. <i>Crop Protection</i> , 2017, 98, 70-75.	1.0	14
27	<i>Fusarium fujikuroi</i> associated with stem rot of red-fleshed dragon fruit ( <i>Hylocereus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	1.3	19
28	Characterization of <i>Fusarium</i> spp. associated with pineapple fruit rot and leaf spot in Peninsular Malaysia. <i>Journal of Phytopathology</i> , 2017, 165, 718-726.	0.5	14
29	Characterisation of <i>Neoscytalidium dimidiatum</i> causing leaf blight on <i>Sansevieria trifasciata</i> in Malaysia. <i>Australasian Plant Disease Notes</i> , 2017, 12, 1.	0.4	16
30	First report of leaf blight on white spider lily caused by <i>Neoscytalidium dimidiatum</i> in Malaysia. <i>New Disease Reports</i> , 2017, 35, 16-16.	0.4	12
31	<i>Fusarium fujikuroi</i> causing fusariosis of pineapple in peninsular Malaysia. <i>Australasian Plant Disease Notes</i> , 2016, 11, 1.	0.4	11
32	Filamentous ascomycete and basidiomycete fungi from beach sand. <i>Rendiconti Lincei</i> , 2016, 27, 603-607.	1.0	10
33	Pathogenicity of <i>Fusarium semitectum</i> and <i>Fusarium chlamydosporum</i> associated with pineapple fusariosis. <i>Malaysian Journal of Microbiology</i> , 2016, , .	0.1	1
34	First Report of <i>Fusarium oxysporum</i> and <i>F. solani</i> Associated With Pineapple Rot in Peninsular Malaysia. <i>Plant Disease</i> , 2015, 99, 1650-1650.	0.7	9
35	Identification and Molecular Characterizations of <i>Neoscytalidium dimidiatum</i> Causing Stem Canker of Red-fleshed Dragon Fruit ( <i>Hylocereus polyrhizus</i> ) in Malaysia. <i>Journal of Phytopathology</i> , 2013, 161, 841-849.	0.5	54
36	Characterization and pathogenicity of <i>Fusarium proliferatum</i> causing stem rot of <i>Hylocereus polyrhizus</i> in Malaysia. <i>Annals of Applied Biology</i> , 2013, 163, 269-280.	1.3	31

#	ARTICLE	IF	CITATIONS
37	First Report of <i>Curvularia lunata</i> on Red-Fleshed Dragon Fruit ( <i>Hylocereus polyrhizus</i> ) in Malaysia. <i>Plant Disease</i> , 2009, 93, 971-971.	0.7	10