

# Jinsoo Chung

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8259103/publications.pdf>

Version: 2024-02-01

78  
papers

915  
citations

471509

17  
h-index

580821

25  
g-index

79  
all docs

79  
docs citations

79  
times ranked

1445  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pretreatment assessment of tumor enhancement on contrast-enhanced computed tomography as a potential predictor of treatment outcome in metastatic renal cell carcinoma patients receiving antiangiogenic therapy. <i>Cancer</i> , 2010, 116, 2332-2342.	4.1	51
2	Current Status of Targeted Therapy for Advanced Renal Cell Carcinoma. <i>Korean Journal of Urology</i> , 2012, 53, 217.	1.2	49
3	The prognostic value of BAP1, PBRM1, pS6, PTEN, TGase2, PD-L1, CA9, PSMA, and Ki-67 tissue markers in localized renal cell carcinoma: A retrospective study of tissue microarrays using immunohistochemistry. <i>PLoS ONE</i> , 2017, 12, e0179610.	2.5	48
4	Overexpression of ERG and Wild-Type PTEN Are Associated with Favorable Clinical Prognosis and Low Biochemical Recurrence in Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0122498.	2.5	45
5	Enhanced chemosensitivity of bladder cancer cells to cisplatin by suppression of clusterin in vitro. <i>Cancer Letters</i> , 2004, 203, 155-161.	7.2	39
6	Validation of the MSKCC and Heng Risk Criteria Models for Predicting Survival in Patients with Metastatic Renal Cell Carcinoma Treated with Sunitinib. <i>Annals of Surgical Oncology</i> , 2013, 20, 4397-4404.	1.5	34
7	Safety of pazopanib and sunitinib in treatment-naïve patients with metastatic renal cell carcinoma: Asian versus non-Asian subgroup analysis of the COMPARZ trial. <i>Journal of Hematology and Oncology</i> , 2018, 11, 69.	17.0	32
8	The establishment of KORCC (Korean Renal Cell Carcinoma) database. <i>Investigative and Clinical Urology</i> , 2016, 57, 50.	2.0	30
9	Current Trends in the Incidence and Survival Rate of Urological Cancers in Korea. <i>Cancer Research and Treatment</i> , 2017, 49, 607-615.	3.0	30
10	Pretreatment Prognostic Nutritional Index Is an Independent Predictor of Survival in Patients With Metastatic Renal Cell Carcinoma Treated With Targeted Therapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 100-111.	1.9	28
11	Prostate stem cell antigen mRNA in peripheral blood as a potential predictor of biochemical recurrence in high-risk prostate cancer. <i>Journal of Surgical Oncology</i> , 2010, 101, 145-148.	1.7	26
12	Retrospective Multicenter Long-Term Follow-up Analysis of Prognostic Risk Factors for Recurrence-Free, Metastasis-Free, Cancer-Specific, and Overall Survival After Curative Nephrectomy in Non-metastatic Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 859.	2.8	25
13	The age-adjusted Charlson comorbidity index as a predictor of overall survival of surgically treated non-metastatic clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 187-196.	2.5	24
14	Systemic Treatments for Metastatic Renal Cell Carcinoma: 10-Year Experience of Immunotherapy and Targeted Therapy. <i>Cancer Research and Treatment</i> , 2016, 48, 1092-1101.	3.0	24
15	A Retrospective Analysis of the Impact of Metastasectomy on Prognostic Survival According to Metastatic Organs in Patients With Metastatic Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 413.	2.8	22
16	Prognostic Significance of Preoperative Neutrophil-to-Lymphocyte Ratio in Nonmetastatic Renal Cell Carcinoma: A Large, Multicenter Cohort Analysis. <i>BioMed Research International</i> , 2016, 2016, 1-8.	1.9	20
17	Impact of Young Age at Diagnosis on Survival in Patients with Surgically Treated Renal Cell Carcinoma: a Multicenter Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1976.	2.5	20
18	Prognostic Impact of Nutritional Status Assessed by the Controlling Nutritional Status (CONUT) Score in Patients with Surgically Treated Renal Cell Carcinoma. <i>Nutrition and Cancer</i> , 2018, 70, 886-894.	2.0	18

#	ARTICLE	IF	CITATIONS
19	Preoperative cholesterol level as a new independent predictive factor of survival in patients with metastatic renal cell carcinoma treated with cyto-reductive nephrectomy. <i>BMC Cancer</i> , 2017, 17, 364.	2.6	17
20	The prognostic role of preoperative serum albumin/globulin ratio in patients with non-metastatic renal cell carcinoma undergoing partial or radical nephrectomy. <i>Scientific Reports</i> , 2020, 10, 11999.	3.3	15
21	The efficacy of transureteroureterostomy for ureteral reconstruction during surgery for a non-urologic pelvic malignancy. <i>Journal of Surgical Oncology</i> , 2008, 98, 49-53.	1.7	14
22	Efficacy of First-Line Targeted Therapy in Real-World Korean Patients with Metastatic Renal Cell Carcinoma: Focus on Sunitinib and Pazopanib. <i>Journal of Korean Medical Science</i> , 2018, 33, e325.	2.5	13
23	Survival and clinical prognostic factors in metastatic non-clear cell renal cell carcinoma treated with targeted therapy: A multi-institutional, retrospective study using the Korean metastatic renal cell carcinoma registry. <i>Cancer Medicine</i> , 2019, 8, 3401-3410.	2.8	13
24	A retrospective comparative study of progression-free survival and overall survival between metachronous and synchronous metastatic renal cell carcinoma in intermediate- or poor-risk patients treated with VEGF-targeted therapy. <i>Oncotarget</i> , 2017, 8, 93633-93643.	1.8	13
25	Prostate Cancer in a Patient with a Family History of BRCA Mutation: a Case Report and Literature Review. <i>Journal of Korean Medical Science</i> , 2017, 32, 377.	2.5	11
26	Renal capsular invasion is a prognostic biomarker in localized clear cell renal cell carcinoma. <i>Scientific Reports</i> , 2018, 8, 202.	3.3	10
27	<i>SETD2</i> , <i>GIGYF2</i> , <i>FGFR3</i> , <i>BCR</i> , <i>KMT2C</i> , and <i>TSC2</i> as candidate genes for differentiating multilocular cystic renal neoplasm of low malignant potential from clear cell renal cell carcinoma with cystic change. <i>Investigative and Clinical Urology</i> , 2019, 60, 148.	2.0	10
28	The De Ritis and Neutrophil-to-Lymphocyte Ratios May Aid in the Risk Assessment of Patients with Metastatic Renal Cell Carcinoma. <i>Journal of Oncology</i> , 2018, 2018, 1-8.	1.3	9
29	Effect of Neoadjuvant Hormone Therapy on Resection Margin and Survival Prognoses in Locally Advanced Prostate Cancer after Prostatectomy Using Propensity-Score Matching. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	9
30	Age-dependent prognostic value of body mass index for non-metastatic clear cell renal cell carcinoma: A large multicenter retrospective analysis. <i>Journal of Surgical Oncology</i> , 2018, 118, 199-205.	1.7	9
31	Association Between Antibiotic Treatment and the Efficacy of Intravesical BCG Therapy in Patients With High-Risk Non-Muscle Invasive Bladder Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 570077.	2.8	9
32	Application of the International Metastatic Renal Cell Carcinoma Database Consortium and Memorial Sloan Kettering Cancer Center Risk Models in Patients with Metastatic Non-Clear Cell Renal Cell Carcinoma: A Multi-Institutional Retrospective Study Using the Korean Metastatic Renal Cell Carcinoma Registry. <i>Cancer Research and Treatment</i> , 2019, 51, 758-768.	3.0	9
33	Prostate Specific Membrane Antigen mRNA in Blood as a Potential Predictor of Biochemical Recurrence after Radical Prostatectomy. <i>Journal of Korean Medical Science</i> , 2010, 25, 1291.	2.5	8
34	Low C24:OH and C22:OH sulfatides in human renal cell carcinoma. <i>Journal of Mass Spectrometry</i> , 2014, 49, 409-416.	1.6	8
35	The neutrophil-to-lymphocyte ratio makes the Heng risk model improve better the prediction of overall survival in metastatic renal cell cancer patients. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 835-840.	1.3	8
36	The prevalence and outcomes of pT0 disease after neoadjuvant hormonal therapy and radical prostatectomy in high-risk prostate cancer. <i>BMC Urology</i> , 2015, 15, 82.	1.4	7

#	ARTICLE	IF	CITATIONS
37	Partial versus Radical Nephrectomy for T1-T2 Renal Cell Carcinoma in Patients with Chronic Kidney Disease Stage III: a Multiinstitutional Analysis of Kidney Function and Survival Rate. <i>Journal of Korean Medical Science</i> , 2018, 33, e277.	2.5	7
38	Liver metastasis and Heng risk are prognostic factors in patients with non-nephrectomized synchronous metastatic renal cell carcinoma treated with systemic therapy. <i>PLoS ONE</i> , 2019, 14, e0211105.	2.5	7
39	The platelet-to-lymphocyte ratio as a significant prognostic factor to predict survival outcomes in patients with synchronous metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , 2020, 61, 475.	2.0	7
40	Epidermal Growth Factor Receptor as Predicting Factor on Biochemical Recurrence after Radical Prostatectomy: A Prospective Study. <i>Korean Journal of Urology</i> , 2008, 49, 974.	0.2	7
41	Oncologic aspects of long-term followed incidental prostate cancer detected by cystoprostatectomy in Korean patients. <i>Prostate International</i> , 2015, 3, 56-61.	2.3	6
42	Establishment and Application of Prostate Cancer Circulating Tumor Cells in the Era of Precision Medicine. <i>BioMed Research International</i> , 2017, 2017, 1-9.	1.9	6
43	Tumour heterogeneity in triplet-paired metastatic tumour tissues in metastatic renal cell carcinoma: concordance analysis of target gene sequencing data. <i>Journal of Clinical Pathology</i> , 2019, 72, 152-156.	2.0	6
44	Impact of preoperative thrombocytosis on prognosis after surgical treatment in pathological T1 and T2 renal cell carcinoma: results of a multi-institutional comprehensive study. <i>Oncotarget</i> , 2017, 8, 64449-64458.	1.8	6
45	Significant clinicopathologic prognostic factors for bladder recurrence, progression, and cancer-specific survival after surgery among patients with upper urinary tract urothelial carcinoma. <i>Investigative and Clinical Urology</i> , 2019, 60, 432.	2.0	6
46	Survival of patients receiving systematic therapy for metachronous or synchronous metastatic renal cell carcinoma: a retrospective analysis. <i>BMC Cancer</i> , 2019, 19, 688.	2.6	5
47	Efficacy and Safety of Sorafenib Therapy on Metastatic Renal Cell Carcinoma in Korean Patients: Results from a Retrospective Multicenter Study. <i>PLoS ONE</i> , 2015, 10, e0135165.	2.5	5
48	Prostate Stem Cell Antigen Expression in Radical Prostatectomy Specimens Predicts Early Biochemical Recurrence in Patients with High Risk Prostate Cancer Receiving Neoadjuvant Hormonal Therapy. <i>PLoS ONE</i> , 2016, 11, e0151646.	2.5	5
49	Survival outcomes of double- and triple-sequential targeted therapy in patients with metastatic renal cell carcinoma: a retrospective comparison. <i>Oncotarget</i> , 2017, 8, 100056-100065.	1.8	5
50	Development of the clinical calculator for mortality of patients with metastatic clear cell type renal cell carcinoma: An analysis of patients from Korean Renal Cancer Study Group database. <i>Investigative and Clinical Urology</i> , 2020, 61, 260.	2.0	5
51	Retrospective analysis of 25 immunohistochemical tissue markers for differentiating multilocular cystic renal neoplasm of low malignant potential and multicystic renal cell carcinoma. <i>Histology and Histopathology</i> , 2018, 33, 589-596.	0.7	5
52	A retrospective study of predictive factors for unexpectedly prolonged or shortened progression-free survival and overall survival among patients with metastatic renal cell carcinoma who received first-line targeted therapy. <i>BMC Cancer</i> , 2016, 16, 577.	2.6	4
53	Primary Tumor Characteristics Are Important Prognostic Factors for Sorafenib-Treated Patients with Metastatic Renal Cell Carcinoma: A Retrospective Multicenter Study. <i>BioMed Research International</i> , 2017, 2017, 1-13.	1.9	4
54	Prognostic significance of nephrectomy in metastatic renal cell carcinoma treated with systemic cytokine or targeted therapy: A 16-year retrospective analysis. <i>Scientific Reports</i> , 2018, 8, 2974.	3.3	4

#	ARTICLE	IF	CITATIONS
55	A Retrospective, Multicenter, Long-Term Follow-Up Analysis of the Prognostic Characteristics of Recurring Non-Metastatic Renal Cell Carcinoma After Partial or Radical Nephrectomy. <i>Frontiers in Oncology</i> , 2021, 11, 653002.	2.8	4
56	The Correlation of Tissue-Based Biomarkers in Primary and Metastatic Renal Cell Carcinoma Lesions: A Tissue Microarray Study. <i>The Korean Journal of Urological Oncology</i> , 2016, 14, 152-158.	0.1	4
57	A Case Report of Partial Nephrectomy of Mucinous Cystadenocarcinoma in Kidney and Its Literature Review. <i>Cancer Research and Treatment</i> , 2016, 48, 838-842.	3.0	4
58	A Prospective Multicenter Trial of the Efficacy and Tolerability of Neoadjuvant Sunitinib for Inoperable Metastatic Renal Cell Carcinoma. <i>Journal of Korean Medical Science</i> , 2016, 31, 1983.	2.5	3
59	Baseline Chronic Kidney Disease and Ischemic Method of Partial Nephrectomy Are Important Factors for the Short- and Long-Term Deterioration in Renal Function for Renal Cell Carcinoma Staged T1-T2: A Retrospective Single Center Study. <i>BioMed Research International</i> , 2016, 2016, 1-8.	1.9	3
60	Targeted therapy response in early versus late recurrence of renal cell carcinoma after surgical treatment: A propensity score-matched study using the Korean Renal Cancer Study Group database. <i>International Journal of Urology</i> , 2021, 28, 417-423.	1.0	3
61	Recommended oral sodium bicarbonate administration for urine alkalinization did not affect the concentration of mitomycin-C in non-muscle invasive bladder cancer patients. <i>Oncotarget</i> , 2017, 8, 96117-96125.	1.8	3
62	Prostate stem cell antigen mRNA in blood is a predictor of survival after radical prostatectomy in patients with high-risk prostate cancer. <i>Oncotarget</i> , 2018, 9, 26291-26298.	1.8	3
63	Analysis of the concordance of 20 immunohistochemical tissue markers in metastasectomy lesions in patients with metastatic renal cell carcinoma: A retrospective study using tissue microarray. <i>Investigative and Clinical Urology</i> , 2020, 61, 372.	2.0	3
64	A Machine Learning Approach to Predict the Probability of Brain Metastasis in Renal Cell Carcinoma Patients. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 6174.	2.5	3
65	Partial Nephrectomy using Parenchymal Compression without Renal Pedicle Clamping. <i>Korean Journal of Urology</i> , 2007, 48, 265.	0.2	2
66	A Surgically Treated Case of Ureterovesical Amyloidosis of the Bladder in a Patient with Idiopathic Thrombocytopenia. <i>Case Reports in Urology</i> , 2018, 2018, 1-4.	0.3	2
67	Prognostic factors for overall survival in patients with clear cell metastatic renal cell carcinoma. <i>Medicine (United States)</i> , 2021, 100, e26826.	1.0	2
68	Retrospective Study of the Significant Predictive Role of Inflammatory Degree in Initial and Repeat Prostate Biopsy Specimens for Detecting Prostate Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 910-918.	3.0	2
69	Initial computed tomography imaging details during first-line systemic therapy is of significant prognostic value in patients with naïve, unresectable metastatic renal cell carcinoma. <i>PLoS ONE</i> , 2017, 12, e0177975.	2.5	2
70	Trends in clinical, operative, and pathologic characteristics of surgically treated renal mass in a Korean center: A surgical series from 1988 through 2015. <i>Investigative and Clinical Urology</i> , 2019, 60, 184.	2.0	2
71	The effect of predisposing atheroembolic risk factors on renal functional recovery between laparoscopy and open technique in patients with T1-stage renal cell carcinoma who underwent partial nephrectomy: a retrospective comparison study. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 876-882.	1.3	1
72	Clear cell papillary renal cell carcinoma: A case report and review of the literature. <i>World Journal of Nephrology</i> , 2018, 7, 155-160.	2.0	1

#	ARTICLE	IF	CITATIONS
73	Correlation Analyses of Computed Tomography and Magnetic Resonance Imaging for Calculation of Prostate Volume in Colorectal Cancer Patients with Voiding Problems Who Cannot Have Transrectal Ultrasonography. <i>BioMed Research International</i> , 2019, 2019, 1-8.	1.9	1
74	Single-Center Analysis of Human Papillomavirus Infection and P16INK4A Expression among Korean Patients with Penile Cancer. <i>BioMed Research International</i> , 2019, 2019, 1-7.	1.9	1
75	Prognostic significance of pathologic nodal positivity in non-metastatic patients with renal cell carcinoma who underwent radical or partial nephrectomy. <i>Scientific Reports</i> , 2021, 11, 3079.	3.3	1
76	Familial Prostate Cancer in Three Brothers. <i>Korean Journal of Urology</i> , 2009, 50, 195.	1.2	1
77	Survival prognoses of Heng intermediate-risk patients with metastatic renal cell carcinoma treated with immunotherapy or targeted therapy: A real-world, single-center retrospective study. <i>Investigative and Clinical Urology</i> , 2020, 61, 146.	2.0	0
78	De Ritis Ratio, Neutrophil-to-Lymphocyte Ratio, and Albumin Are Significant Prognostic Factors for Survival Even After Adjusted by the Treatment Duration in Metastatic Kidney and Bladder Cancer Treated With Immune-Checkpoint Inhibitors. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 25-33.	0.1	0