

# Artemio Mojn-Ojea

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8260783/artemio-mojn-ojea-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111  
papers

4,701  
citations

41  
h-index

66  
g-index

127  
ext. papers

5,312  
ext. citations

4.3  
avg, IF

5.54  
L-index

#	Paper	IF	Citations
111	Influence of circadian time of hypertension treatment on cardiovascular risk: results of the MAPEC study. <i>Chronobiology International</i> , <b>2010</b> , 27, 1629-51	3.6	369
110	Chronolab: an interactive software package for chronobiologic time series analysis written for the Macintosh computer. <i>Chronobiology International</i> , <b>1992</b> , 9, 403-12	3.6	233
109	Decreasing sleep-time blood pressure determined by ambulatory monitoring reduces cardiovascular risk. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 1165-73	15.1	226
108	Bedtime dosing of antihypertensive medications reduces cardiovascular risk in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2011</b> , 22, 2313-21	12.7	203
107	Influence of time of day of blood pressure-lowering treatment on cardiovascular risk in hypertensive patients with type 2 diabetes. <i>Diabetes Care</i> , <b>2011</b> , 34, 1270-6	14.6	158
106	Bedtime hypertension treatment improves cardiovascular risk reduction: the Hygia Chronotherapy Trial. <i>European Heart Journal</i> , <b>2020</b> , 41, 4565-4576	9.5	148
105	2013 ambulatory blood pressure monitoring recommendations for the diagnosis of adult hypertension, assessment of cardiovascular and other hypertension-associated risk, and attainment of therapeutic goals. <i>Chronobiology International</i> , <b>2013</b> , 30, 355-410	3.6	136
104	Administration time-dependent effects of valsartan on ambulatory blood pressure in hypertensive subjects. <i>Hypertension</i> , <b>2003</b> , 42, 283-90	8.5	128
103	Blunted sleep-time relative blood pressure decline increases cardiovascular risk independent of blood pressure level--the "normotensive non-dipper" paradox. <i>Chronobiology International</i> , <b>2013</b> , 30, 87-98	3.6	113
102	Relationship between physical activity and blood pressure in dipper and non-dipper hypertensive patients. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 1097-104	1.9	102
101	Comparison of ambulatory blood pressure parameters of hypertensive patients with and without chronic kidney disease. <i>Chronobiology International</i> , <b>2013</b> , 30, 145-58	3.6	100
100	Effects of time of day of treatment on ambulatory blood pressure pattern of patients with resistant hypertension. <i>Hypertension</i> , <b>2005</b> , 46, 1053-9	8.5	95
99	Modeling the circadian variability of ambulatorily monitored blood pressure by multiple-component analysis. <i>Chronobiology International</i> , <b>2002</b> , 19, 461-81	3.6	94
98	Circadian pattern of ambulatory blood pressure in hypertensive patients with and without type 2 diabetes. <i>Chronobiology International</i> , <b>2013</b> , 30, 99-115	3.6	83
97	Treatment of non-dipper hypertension with bedtime administration of valsartan. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 1913-22	1.9	83
96	Chronotherapy with conventional blood pressure medications improves management of hypertension and reduces cardiovascular and stroke risks. <i>Hypertension Research</i> , <b>2016</b> , 39, 277-92	4.7	82
95	Asleep blood pressure: significant prognostic marker of vascular risk and therapeutic target for prevention. <i>European Heart Journal</i> , <b>2018</b> , 39, 4159-4171	9.5	81

94	Administration-time-dependent effects of olmesartan on the ambulatory blood pressure of essential hypertension patients. <i>Chronobiology International</i> , <b>2009</b> , 26, 61-79	3.6	73
93	Administration-time differences in effects of hypertension medications on ambulatory blood pressure regulation. <i>Chronobiology International</i> , <b>2013</b> , 30, 280-314	3.6	71
92	Ambulatory blood pressure monitoring: importance of sampling rate and duration--48 versus 24 hours--on the accurate assessment of cardiovascular risk. <i>Chronobiology International</i> , <b>2013</b> , 30, 55-67	3.6	67
91	Sleep-time blood pressure as a therapeutic target for cardiovascular risk reduction in type 2 diabetes. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 325-34	2.3	67
90	Sleep-time blood pressure and the prognostic value of isolated-office and masked hypertension. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 297-305	2.3	67
89	Chronotherapy with nifedipine GITS in hypertensive patients: improved efficacy and safety with bedtime dosing. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 948-54	2.3	66
88	Sleep-time blood pressure: prognostic value and relevance as a therapeutic target for cardiovascular risk reduction. <i>Chronobiology International</i> , <b>2013</b> , 30, 68-86	3.6	65
87	Circadian rhythm of double (rate-pressure) product in healthy normotensive young subjects. <i>Chronobiology International</i> , <b>2001</b> , 18, 475-89	3.6	64
86	Chronotherapy with valsartan/amlodipine fixed combination: improved blood pressure control of essential hypertension with bedtime dosing. <i>Chronobiology International</i> , <b>2010</b> , 27, 1287-303	3.6	58
85	Cardiovascular risk of resistant hypertension: dependence on treatment-time regimen of blood pressure-lowering medications. <i>Chronobiology International</i> , <b>2013</b> , 30, 340-52	3.6	57
84	Administration time-dependent effects of aspirin on blood pressure in untreated hypertensive patients. <i>Hypertension</i> , <b>2003</b> , 41, 1259-67	8.5	56
83	Cardiovascular risk of essential hypertension: influence of class, number, and treatment-time regimen of hypertension medications. <i>Chronobiology International</i> , <b>2013</b> , 30, 315-27	3.6	50
82	Differing administration time-dependent effects of aspirin on blood pressure in dipper and non-dipper hypertensives. <i>Hypertension</i> , <b>2005</b> , 46, 1060-8	8.5	50
81	Ambulatory blood pressure control with bedtime aspirin administration in subjects with prehypertension. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 896-903	2.3	49
80	Comparison of the effects on ambulatory blood pressure of awakening versus bedtime administration of torasemide in essential hypertension. <i>Chronobiology International</i> , <b>2008</b> , 25, 950-70	3.6	49
79	Seasonal variation of fibrinogen in dipper and nondipper hypertensive patients. <i>Circulation</i> , <b>2003</b> , 108, 1101-6	16.7	49
78	Administration time-dependent effects of valsartan on ambulatory blood pressure in elderly hypertensive subjects. <i>Chronobiology International</i> , <b>2005</b> , 22, 755-76	3.6	47
77	Chronotherapy improves blood pressure control and reduces vascular risk in CKD. <i>Nature Reviews Nephrology</i> , <b>2013</b> , 9, 358-68	14.9	45

76	Chronotherapy with valsartan/hydrochlorothiazide combination in essential hypertension: improved sleep-time blood pressure control with bedtime dosing. <i>Chronobiology International</i> , <b>2011</b> , 28, 601-10	3.6	44
75	Bedtime ingestion of hypertension medications reduces the risk of new-onset type 2 diabetes: a randomised controlled trial. <i>Diabetologia</i> , <b>2016</b> , 59, 255-65	10.3	43
74	Administration-time-dependent effects of hypertension treatment on ambulatory blood pressure in patients with chronic kidney disease. <i>Chronobiology International</i> , <b>2013</b> , 30, 159-75	3.6	43
73	Administration-time-dependent effects of spirapril on ambulatory blood pressure in uncomplicated essential hypertension. <i>Chronobiology International</i> , <b>2010</b> , 27, 560-74	3.6	43
72	The tolerance-hyperbaric test: a chronobiologic approach for improved diagnosis of hypertension. <i>Chronobiology International</i> , <b>2002</b> , 19, 1183-211	3.6	42
71	Dose- and administration time-dependent effects of nifedipine gits on ambulatory blood pressure in hypertensive subjects. <i>Chronobiology International</i> , <b>2007</b> , 24, 471-93	3.6	41
70	Influencia de la duraci3n y la frecuencia de muestreo en la medici3n ambulatoria de la presi3n arterial. <i>Revista Espanola De Cardiologia</i> , <b>2007</b> , 60, 131-138	1.5	41
69	Comparison of parameters from rhythmometric models with multiple components on hybrid data. <i>Chronobiology International</i> , <b>2004</b> , 21, 469-84	3.6	40
68	Differences between men and women in ambulatory blood pressure thresholds for diagnosis of hypertension based on cardiovascular outcomes. <i>Chronobiology International</i> , <b>2013</b> , 30, 221-32	3.6	37
67	Sleep-time blood pressure: Unique sensitive prognostic marker of vascular risk and therapeutic target for prevention. <i>Sleep Medicine Reviews</i> , <b>2017</b> , 33, 17-27	10.2	36
66	Effects of time of antihypertensive treatment on ambulatory blood pressure and clinical characteristics of subjects with resistant hypertension. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 432-9 <sup>3</sup>	3.3	35
65	Influence of age and hypertension treatment-time on ambulatory blood pressure in hypertensive patients. <i>Chronobiology International</i> , <b>2013</b> , 30, 176-91	3.6	34
64	Effects of time-of-day of hypertension treatment on ambulatory blood pressure and clinical characteristics of patients with type 2 diabetes. <i>Chronobiology International</i> , <b>2013</b> , 30, 116-31	3.6	34
63	Association of metabolic syndrome and blood pressure nondipping profile in untreated hypertension. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 307-13	2.3	32
62	Hypertension: New perspective on its definition and clinical management by bedtime therapy substantially reduces cardiovascular disease risk. <i>European Journal of Clinical Investigation</i> , <b>2018</b> , 48, e12909	4.6	31
61	Treatment-time regimen of hypertension medications significantly affects ambulatory blood pressure and clinical characteristics of patients with resistant hypertension. <i>Chronobiology International</i> , <b>2013</b> , 30, 192-206	3.6	31
60	Influence of aspirin usage on blood pressure: dose and administration-time dependencies. <i>Chronobiology International</i> , <b>1997</b> , 14, 619-37	3.6	29
59	Differences in circadian blood pressure variability during gestation between healthy and complicated pregnancies. <i>American Journal of Hypertension</i> , <b>2003</b> , 16, 200-8	2.3	28

58	Reduction of morning blood pressure surge after treatment with nifedipine GITS at bedtime, but not upon awakening, in essential hypertension. <i>Blood Pressure Monitoring</i> , <b>2009</b> , 14, 152-9	1.3	27
57	Sleep-time BP: prognostic marker of type 2 diabetes and therapeutic target for prevention. <i>Diabetologia</i> , <b>2016</b> , 59, 244-54	10.3	25
56	Abnormalities in chronic kidney disease of ambulatory blood pressure 24 h patterning and normalization by bedtime hypertension chronotherapy. <i>Nephrology Dialysis Transplantation</i> , <b>2014</b> , 29, 1160-7	4.3	25
55	Automatic identification of activity-rest periods based on actigraphy. <i>Medical and Biological Engineering and Computing</i> , <b>2012</b> , 50, 329-40	3.1	25
54	Clinical application of a novel automatic algorithm for actigraphy-based activity and rest period identification to accurately determine awake and asleep ambulatory blood pressure parameters and cardiovascular risk. <i>Chronobiology International</i> , <b>2013</b> , 30, 43-54	3.6	24
53	Chronotherapeutics of conventional blood pressure-lowering medications: simple, low-cost means of improving management and treatment outcomes of hypertensive-related disorders. <i>Current Hypertension Reports</i> , <b>2014</b> , 16, 412	4.7	20
52	Role of time-of-day of hypertension treatment on the J-shaped relationship between blood pressure and cardiovascular risk. <i>Chronobiology International</i> , <b>2013</b> , 30, 328-39	3.6	20
51	Circadian pattern of ambulatory blood pressure in untreated hypertensive patients with and without metabolic syndrome. <i>Chronobiology International</i> , <b>2009</b> , 26, 1189-205	3.6	20
50	High sensitivity test for the early diagnosis of gestational hypertension and preeclampsia. I. Predictable variability of cardiovascular characteristics during gestation in healthy and hypertensive pregnant women. <i>Journal of Perinatal Medicine</i> , <b>1997</b> , 25, 101-9	2.7	19
49	Relationship between metabolic syndrome, circadian treatment time, and blood pressure non-dipping profile in essential hypertension. <i>Chronobiology International</i> , <b>2011</b> , 28, 509-19	3.6	17
48	Diagnosis and management of hypertension: around-the-clock ambulatory blood pressure monitoring is substantially more effective and less costly than daytime office blood pressure measurements. <i>Chronobiology International</i> , <b>2019</b> , 36, 1515-1527	3.6	14
47	Bedtime Blood Pressure Chronotherapy Significantly Improves Hypertension Management. <i>Heart Failure Clinics</i> , <b>2017</b> , 13, 759-773	3.3	14
46	High sensitivity test for the early diagnosis of gestational hypertension and preeclampsia. II. Circadian blood pressure variability in health and hypertensive pregnant women. <i>Journal of Perinatal Medicine</i> , <b>1997</b> , 25, 153-67	2.7	13
45	Reproducibility of the tolerance-hyperbaric test for diagnosing hypertension in pregnancy. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 565-72	1.9	13
44	Risk of incident chronic kidney disease is better reduced by bedtime than upon-awakening ingestion of hypertension medications. <i>Hypertension Research</i> , <b>2018</b> , 41, 342-353	4.7	12
43	Circadian rhythm of fasting and postprandial portal blood flow in cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2006</b> , 41, 826-32	2.4	12
42	Ingestion-time - relative to circadian rhythms - differences in the pharmacokinetics and pharmacodynamics of hypertension medications. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2020</b> , 16, 1159-1173	5.5	12
41	Sleep-Time Ambulatory BP Is an Independent Prognostic Marker of CKD. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2017</b> , 28, 2802-2811	12.7	11

40	Comparing the design of the primary-care based Hygia Chronotherapy Trial and the Internet-Based TIME Study. <i>European Heart Journal</i> , <b>2020</b> , 41, 1608	9.5	11
39	Ambulatory blood pressure thresholds for diagnosis of hypertension in patients with and without type 2 diabetes based on cardiovascular outcomes. <i>Chronobiology International</i> , <b>2013</b> , 30, 132-44	3.6	11
38	Ultradian rhythms in gross motor activity of adult humans. <i>Physiology and Behavior</i> , <b>1995</b> , 57, 411-9	3.5	11
37	Does Timing of Antihypertensive Medication Dosing Matter?. <i>Current Cardiology Reports</i> , <b>2020</b> , 22, 118	4.2	11
36	Guidelines for the design and conduct of human clinical trials on ingestion-time differences - chronopharmacology and chronotherapy - of hypertension medications. <i>Chronobiology International</i> , <b>2021</b> , 38, 1-26	3.6	11
35	Bedtime Chronotherapy with Conventional Hypertension Medications to Target Increased Asleep Blood Pressure Results in Markedly Better Chronoprevention of Cardiovascular and Other Risks than Customary On-awakening Therapy. <i>Heart Failure Clinics</i> , <b>2017</b> , 13, 775-792	3.3	10
34	Extent of asleep blood pressure reduction by hypertension medications is ingestion-time dependent: Systematic review and meta-analysis of published human trials. <i>Sleep Medicine Reviews</i> , <b>2021</b> , 59, 101454	10.2	10
33	Methods for comparison of parameters from longitudinal rhythmometric models with multiple components. <i>Chronobiology International</i> , <b>2003</b> , 20, 495-513	3.6	9
32	Circadian time-qualified tolerance intervals for ambulatory blood pressure monitoring in the diagnosis of hypertension. <i>Chronobiology International</i> , <b>2004</b> , 21, 147-60	3.6	9
31	Chronotherapy of hypertension: advantages of 48-h ambulatory blood pressure monitoring assessments in MAPEC and Hygia Chronotherapy Trial. <i>Chronobiology International</i> , <b>2020</b> , 37, 739-750	3.6	9
30	Ingestion-time differences in the pharmacodynamics of hypertension medications: Systematic review of human chronopharmacology trials. <i>Advanced Drug Delivery Reviews</i> , <b>2021</b> , 170, 200-213	18.5	9
29	Ambulatory blood pressure monitoring-based definition of true arterial hypertension. <i>Minerva Medica</i> , <b>2020</b> , 111, 573-588	2.2	8
28	Bedtime hypertension chronotherapy best reduces cardiovascular disease risk as documented by MAPEC and Hygia Chronotherapy outcomes trials. <i>Chronobiology International</i> , <b>2020</b> , 37, 731-738	3.6	8
27	Current evidence on the circadian-time-dependent effects of hypertension medications and their combinations in relation to findings of MAPEC and Hygia Chronotherapy Trial. <i>Chronobiology International</i> , <b>2020</b> , 37, 751-758	3.6	7
26	Chronotherapy of hypertension, asleep ambulatory blood pressure, and glaucoma. <i>European Heart Journal</i> , <b>2020</b> , 41, 1605	9.5	7
25	New perspectives on the definition, diagnosis, and treatment of true arterial hypertension. <i>Expert Opinion on Pharmacotherapy</i> , <b>2020</b> , 21, 1167-1178	4	5
24	Around-the-clock ambulatory blood pressure monitoring is required to properly diagnose resistant hypertension and assess associated vascular risk. <i>Current Hypertension Reports</i> , <b>2014</b> , 16, 445	4.7	5
23	Morning surge, dipping, and sleep-time blood pressure as prognostic markers of cardiovascular risk. <i>Hypertension</i> , <b>2013</b> , 61, e3	8.5	4

22	La presi3n arterial ambulatoria, en comparaci3n con la medida cl3nica, mejora notablemente la estratificaci3n del riesgo cardiovascular de Framingham. <i>Revista Espanola De Cardiologia</i> , <b>2021</b> , 74, 953-961 <sup>1.5</sup>	4
21	Systematic review and quality evaluation of published human ingestion-time trials of blood pressure-lowering medications and their combinations. <i>Chronobiology International</i> , <b>2021</b> , 38, 1460-1476 <sup>3.6</sup>	4
20	Elevated asleep BP as predictor of type 2 diabetes and therapeutic target for prevention. <i>Diabetologia</i> , <b>2016</b> , 59, 392-4	10.3 3
19	Bedtime hypertension chronotherapy best reduces cardiovascular disease risk as corroborated by the Hygia Chronotherapy Trial. Rebuttal to European Society of Hypertension officials. <i>Chronobiology International</i> , <b>2020</b> , 37, 771-780	3.6 3
18	Asleep blood pressure: relevance to the proper definition of isolated-office and masked hypertension. <i>Hypertension Research</i> , <b>2013</b> , 36, 471-2	4.7 2
17	Cardiovascular disease risk stratification by the Framingham score is markedly improved by ambulatory compared with office blood pressure. <i>Revista Espanola De Cardiologia (English Ed)</i> , <b>2021</b> , 74, 953-961	0.7 2
16	Asleep (not night-time) blood pressure as prognostic marker of cardiovascular risk. <i>European Heart Journal</i> , <b>2019</b> , 40, 789	9.5 2
15	Lowering Nighttime Blood Pressure With Bedtime Dosing of Antihypertensive Medications: Controversies in Hypertension-Pro Side of the Argument. <i>Hypertension</i> , <b>2021</b> , 78, 879-893	8.5 2
14	CIRCADIAN PATTERN OF AMBULATORY BLOOD PRESSURE IN UNTREATED HYPERTENSIVE PATIENTS WITH AND WITHOUT METABOLIC SYNDROME. <i>Chronobiology International</i> , <b>2009</b> , 26, 1189-1205 <sup>3.6</sup>	1
13	Reanalysis of filter-feeding behavior of caddis fly ( <i>Brachycentrus</i> ) larvae reveals masking and circadian rhythmicity. <i>Chronobiology International</i> , <b>1998</b> , 15, 595-606	3.6 1
12	Circadian Pattern of Ambulatory Blood Pressure in Hypertensive Patients With and Without Type 2 Diabetes	1
11	Sleep-Time Blood Pressure as a Therapeutic Target for Cardiovascular Risk Reduction in Type 2 Diabetes	1
10	Elevated asleep blood pressure and non-dipper 24h patterning best predict risk for heart failure that can be averted by bedtime hypertension chronotherapy: A review of the published literature. <i>Chronobiology International</i> , <b>2021</b> , 1-20	3.6 1
9	Circadian blood pressure patterns in normal pregnancy, gestational hypertension, and preeclampsia. <i>American Journal of Hypertension</i> , <b>2002</b> , 15, A27-A28	2.3
8	Lack of relationship between physical activity and blood pressure in riser and extreme-dipper hypertensive patients. <i>American Journal of Hypertension</i> , <b>2002</b> , 15, A75-A76	2.3
7	Changes in the circadian blood pressure pattern due to antihypertensive therapy in elderly patients. <i>American Journal of Hypertension</i> , <b>2002</b> , 15, A80	2.3
6	Neonatal cardiovascular dynamics in relation to matroclinous and patroclinous history of high blood pressure. <i>Chronobiology International</i> , <b>1993</b> , 10, 214-23	3.6
5	Consideration of nondipping heart rate during ambulatory blood pressure monitoring to improve cardiovascular risk assessment. Response.. <i>Revista Espanola De Cardiologia (English Ed)</i> , <b>2022</b> ,	0.7

- |   |                                                                                                                                                                                                                              |     |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 4 | Ambulatory blood pressure-based inclusion criteria in the Hygia Chronotherapy Trial. Rebuttal to Lemmer and Middeke. <i>Chronobiology International</i> , <b>2020</b> , 37, 1270-1272                                        | 3.6 |
| 3 | Response: Aspirin Administered at Bedtime as Opposed to Upon Wakening Has an Effect on Ambulatory Blood Pressure: Further Evidence. <i>Hypertension</i> , <b>2019</b> ,                                                      | 8.5 |
| 2 | La frecuencia cardiaca nondipper durante la monitorizaci3n ambulatoria de la presi3n arterial mejora la estratificaci3n del riesgo cardiovascular. Respuesta. <i>Revista Espanola De Cardiologia</i> , <b>2022</b> , 75, 356 | 1.5 |
| 1 | Ingestion-time differences in the pharmacodynamics of dual-combination hypertension therapies: Systematic review and meta-analysis of published human trials.. <i>Chronobiology International</i> , <b>2021</b> , 1-20       | 3.6 |