

Chiadi Onyike

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8260929/chiadi-onyike-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

6,025
citations

26
h-index

77
g-index

91
ext. papers

7,226
ext. citations

5.5
avg, IF

5.33
L-index

#	Paper	IF	Citations
64	Proposed research criteria for prodromal behavioural variant frontotemporal dementia.. <i>Brain</i> , 2022 ,	11.2	1
63	Comprehensive cross-sectional and longitudinal analyses of plasma neurofilament light across FTD spectrum disorders.. <i>Cell Reports Medicine</i> , 2022 , 3, 100607	18	0
62	Tau-Atrophy Variability Reveals Phenotypic Heterogeneity in Alzheimer's Disease. <i>Annals of Neurology</i> , 2021 , 90, 751-762	9.4	3
61	Characterization of Lifestyle in Spinocerebellar Ataxia Type 3 and Association with Disease Severity. <i>Movement Disorders</i> , 2021 ,	7	1
60	The Acute Psychiatric Impacts of the COVID-19 Pandemic on Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, S76-S77	6.5	78
59	Plasma Neurofilament Light for Prediction of Disease Progression in Familial Frontotemporal Lobar Degeneration. <i>Neurology</i> , 2021 , 96, e2296-e2312	6.5	12
58	Neuropsychiatric Symptoms as a Reliable Phenomenology of Cerebellar Ataxia. <i>Cerebellum</i> , 2021 , 20, 141-150	4.3	1
57	Brain volumetric deficits in MAPT mutation carriers: a multisite study. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 95-110	5.3	4
56	Suicide and Lewy body dementia: Report of a Lewy body dementia association working group. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 373-382	3.9	3
55	Recommendations to distinguish behavioural variant frontotemporal dementia from psychiatric disorders. <i>Brain</i> , 2020 , 143, 1632-1650	11.2	68
54	Genetic screening of a large series of North American sporadic and familial frontotemporal dementia cases. <i>Alzheimers and Dementia</i> , 2020 , 16, 118-130	1.2	25
53	Utility of the global CDR plus NACC FTLD rating and development of scoring rules: Data from the ARTFL/LEFFTDS Consortium. <i>Alzheimers and Dementia</i> , 2020 , 16, 106-117	1.2	27
52	Brain volumes as predictors of tDCS effects in primary progressive aphasia. <i>Brain and Language</i> , 2020 , 200, 104707	2.9	20
51	Age at symptom onset and death and disease duration in genetic frontotemporal dementia: an international retrospective cohort study. <i>Lancet Neurology</i> , 2020 , 19, 145-156	24.1	90
50	Clinical and volumetric changes with increasing functional impairment in familial frontotemporal lobar degeneration. <i>Alzheimers and Dementia</i> , 2020 , 16, 49-59	1.2	17
49	Assessment of executive function declines in presymptomatic and mildly symptomatic familial frontotemporal dementia: NIH-EXAMINER as a potential clinical trial endpoint. <i>Alzheimers and Dementia</i> , 2020 , 16, 11-21	1.2	18
48	Individualized atrophy scores predict dementia onset in familial frontotemporal lobar degeneration. <i>Alzheimers and Dementia</i> , 2020 , 16, 37-48	1.2	18

47	Lewy Body Dementia Association’s Research Centers of Excellence Program: Inaugural Meeting Proceedings. <i>Alzheimer’s Research and Therapy</i> , 2019 , 11, 23	9	2
46	Nonlinear Z-score modeling for improved detection of cognitive abnormality. <i>Alzheimer’s and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 797-808	5.2	5
45	A meta-analysis of neuropsychological, social cognitive, and olfactory functioning in the behavioral and language variants of frontotemporal dementia. <i>Psychological Medicine</i> , 2019 , 49, 2669-2680	6.9	9
44	Comparing fully automated state-of-the-art cerebellum parcellation from magnetic resonance images. <i>NeuroImage</i> , 2018 , 183, 150-172	7.9	40
43	2432 The relationship between cognitive functioning and abnormal eating behavior in behavioral variant frontotemporal dementia. <i>Journal of Clinical and Translational Science</i> , 2018 , 2, 49-49	0.4	78
42	The Role of Language Severity and Education in Explaining Performance on Object and Action Naming in Primary Progressive Aphasia. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 346	5.3	12
41	The Mild Behavioral Impairment Checklist (MBI-C): A Rating Scale for Neuropsychiatric Symptoms in Pre-Dementia Populations. <i>Journal of Alzheimer’s Disease</i> , 2017 , 56, 929-938	4.3	182
40	Resting-state functional connectivity and cognitive dysfunction correlations in spinocerebellar ataxia type 6 (SCA6). <i>Human Brain Mapping</i> , 2017 , 38, 3001-3010	5.9	8
39	Structural cerebellar correlates of cognitive and motor dysfunctions in cerebellar degeneration. <i>Brain</i> , 2017 , 140, 707-720	11.2	61
38	Emerging therapies in Friedreich’s ataxia. <i>Neurodegenerative Disease Management</i> , 2016 , 6, 49-65	2.8	41
37	Survival in Frontotemporal Dementia Phenotypes: A Meta-Analysis. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 41, 109-22	2.6	41
36	Caregiver burden in atypical dementias: comparing frontotemporal dementia, Creutzfeldt-Jakob disease, and Alzheimer’s disease. <i>International Psychogeriatrics</i> , 2016 , 28, 269-73	3.4	26
35	In vivo imaging of neurodegeneration in dementia with Lewy bodies (DLB). <i>International Psychogeriatrics</i> , 2016 , 28, 527-8	3.4	0
34	In young men, various risk factors are associated with later development of young-onset dementia. <i>Evidence-Based Mental Health</i> , 2014 , 17, 49	11.1	3
33	The impact of complex chronic diseases on care utilization among assisted living residents. <i>Geriatric Nursing</i> , 2014 , 35, 26-30	2.1	7
32	Memantine in patients with frontotemporal lobar degeneration: a multicentre, randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , 2013 , 12, 149-56	24.1	176
31	Management of frontotemporal dementia in mental health and multidisciplinary settings. <i>International Review of Psychiatry</i> , 2013 , 25, 230-6	3.6	34
30	The epidemiology of frontotemporal dementia. <i>International Review of Psychiatry</i> , 2013 , 25, 130-7	3.6	280

29	Childless Elders in Assisted Living: Findings from the Maryland Assisted Living Study. <i>Journal of Housing for the Elderly</i> , 2013 , 27, 206-220	1.6	3
28	12-month incidence, prevalence, persistence, and treatment of mental disorders among individuals recently admitted to assisted living facilities in Maryland. <i>International Psychogeriatrics</i> , 2013 , 25, 721-313-4	3.4	15
27	Sensitivity of revised diagnostic criteria for the behavioural variant of frontotemporal dementia. <i>Brain</i> , 2011 , 134, 2456-77	11.2	2970
26	What is the life expectancy in frontotemporal lobar degeneration?. <i>Neuroepidemiology</i> , 2011 , 37, 166-7	5.4	11
25	The physical environment influences neuropsychiatric symptoms and other outcomes in assisted living residents. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 1044-54	3.9	35
24	Characteristics of established and proposed sporadic Creutzfeldt-Jakob disease variants. <i>Archives of Neurology</i> , 2009 , 66, 208-15		45
23	Identification of Creutzfeldt-Jakob Disease VariantsReply. <i>Archives of Neurology</i> , 2009 , 66, 1045		
22	Personality disorder traits as predictors of subsequent first-onset panic disorder or agoraphobia. <i>Comprehensive Psychiatry</i> , 2009 , 50, 209-14	7.3	20
21	Correlates of functional dependence among recently admitted assisted living residents with and without dementia. <i>Journal of the American Medical Directors Association</i> , 2009 , 10, 323-9	5.9	14
20	Proposed diagnostic criteria for apathy in Alzheimer's disease and other neuropsychiatric disorders. <i>European Psychiatry</i> , 2009 , 24, 98-104	6	396
19	Characteristics and outcomes for assisted living residents with dementia: comparing dementia-specific care units with non-dementia-specific care units. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1361-3	5.6	9
18	The spectrum of medical illness and medication use among residents of assisted living facilities in central Maryland. <i>Journal of the American Medical Directors Association</i> , 2008 , 9, 558-64	5.9	22
17	Improper sexual behaviors in elders with dementia living in residential care. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 370-7	2.6	37
16	Neuroleptic discontinuation during dementia care: a recent trial and its implications for practice. <i>Nature Clinical Practice Neurology</i> , 2008 , 4, 528-9		3
15	Epidemiology of apathy in older adults: the Cache County Study. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 365-75	6.5	120
14	Effect of dementia and treatment of dementia on time to discharge from assisted living facilities: the Maryland assisted living study. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1031-7	5.6	21
13	The cerebrovascular disease basis of psychiatric syndromes: a model for the power of disease reasoning in psychiatry. <i>International Review of Psychiatry</i> , 2006 , 18, 391-3	3.6	1
12	Cerebrovascular disease and dementia. <i>International Review of Psychiatry</i> , 2006 , 18, 423-31	3.6	20

11	Predictors of caregiver unawareness and nontreatment of dementia among residents of assisted living facilities: the Maryland Assisted Living Study. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 668-75	6.5	12
10	Agoraphobia in adults: incidence and longitudinal relationship with panic. <i>British Journal of Psychiatry</i> , 2006 , 188, 432-8	5.4	40
9	Correlates of caregiver-rated quality of life in assisted living: the Maryland Assisted Living study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2006 , 61, P311-4	4.6	18
8	Population-based study of medical comorbidity in early dementia and "cognitive impairment, no dementia (CIND)": association with functional and cognitive impairment: The Cache County Study. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 656-64	6.5	69
7	A randomized, controlled, clinical trial of activity therapy for apathy in patients with dementia residing in long-term care. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 1087-94	3.9	107
6	Mania during treatment of chronic hepatitis C with pegylated interferon and ribavirin. <i>American Journal of Psychiatry</i> , 2004 , 161, 429-35	11.9	44
5	Is obesity associated with major depression? Results from the Third National Health and Nutrition Examination Survey. <i>American Journal of Epidemiology</i> , 2003 , 158, 1139-47	3.8	512
4	Pharmacological characterization of an adenylyl cyclase-coupled 5-HT receptor in aplysia: comparison with mammalian 5-HT receptors. <i>Journal of Neurophysiology</i> , 2003 , 89, 1440-55	3.2	27
3	Sequence-dependent interactions between transient calcium and transmitter stimuli in activation of mammalian brain adenylyl cyclase. <i>Brain Research</i> , 1998 , 800, 300-7	3.7	6
2	Persistence of the interaction of calmodulin with adenylyl cyclase: implications for integration of transient calcium stimuli. <i>Journal of Neurochemistry</i> , 1998 , 71, 1298-306	6	14
1	Analysis of sequence-dependent interactions between transient calcium and transmitter stimuli in activating adenylyl cyclase in Aplysia: possible contribution to CS-US sequence requirement during conditioning. <i>Learning and Memory</i> , 1998 , 4, 496-509	2.8	34