

Erik Ingelsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8261532/publications.pdf>

Version: 2024-02-01

380
papers

79,366
citations

944

115
h-index

590

261
g-index

401
all docs

401
docs citations

401
times ranked

73478
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | A genome-wide association study in a large community-based cohort identifies multiple loci associated with susceptibility to bacterial and viral infections. <i>Scientific Reports</i> , 2022, 12, 2582. | 1.6 | 9 |
| 2 | Integration of genetic colocalizations with physiological and pharmacological perturbations identifies cardiometabolic disease genes. <i>Genome Medicine</i> , 2022, 14, 31. | 3.6 | 7 |
| 3 | Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572. | 9.4 | 250 |
| 4 | Plasma proteomics and lung function in four community-based cohorts. <i>Respiratory Medicine</i> , 2021, 176, 106282. | 1.3 | 2 |
| 5 | Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , 2021, 12, 24. | 5.8 | 87 |
| 6 | Fatty Liver Index and Development of Cardiovascular Disease: Findings from the UK Biobank. <i>Digestive Diseases and Sciences</i> , 2021, 66, 2092-2100. | 1.1 | 30 |
| 7 | The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021, 53, 840-860. | 9.4 | 341 |
| 8 | A multi-ethnic epigenome-wide association study of leukocyte DNA methylation and blood lipids. <i>Nature Communications</i> , 2021, 12, 3987. | 5.8 | 18 |
| 9 | Clinical Conditions and Their Impact on Utility of Genetic Scores for Prediction of Acute Coronary Syndrome. <i>Circulation Genomic and Precision Medicine</i> , 2021, 14, e003283. | 1.6 | 4 |
| 10 | Alcohol use and cardiometabolic risk in the UK Biobank: A Mendelian randomization study. <i>PLoS ONE</i> , 2021, 16, e0255801. | 1.1 | 24 |
| 11 | Genetics of Smoking and Risk of Atherosclerotic Cardiovascular Diseases. <i>JAMA Network Open</i> , 2021, 4, e2034461. | 2.8 | 42 |
| 12 | The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679. | 13.7 | 353 |
| 13 | A Nationwide Study of Inpatient Admissions, Mortality, and Costs for Patients with Cirrhosis from 2005 to 2015 in the USA. <i>Digestive Diseases and Sciences</i> , 2020, 65, 1520-1528. | 1.1 | 25 |
| 14 | Genome-wide association and Mendelian randomisation analysis provide insights into the pathogenesis of heart failure. <i>Nature Communications</i> , 2020, 11, 163. | 5.8 | 466 |
| 15 | A Multi-Cohort Metabolomics Analysis Discloses Sphingomyelin (32:1) Levels to be Inversely Related to Incident Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104476. | 0.7 | 14 |
| 16 | Growth differentiation factor 15 (GDF-15) is a potential biomarker of both diabetic kidney disease and future cardiovascular events in cohorts of individuals with type 2 diabetes: a proteomics approach. <i>Uppsala Journal of Medical Sciences</i> , 2020, 125, 37-43. | 0.4 | 40 |
| 17 | Changes in Proteomic Profiles are Related to Changes in BMI and Fat Distribution During 10 Years of Aging. <i>Obesity</i> , 2020, 28, 178-186. | 1.5 | 13 |
| 18 | Genomic and drug target evaluation of 90 cardiovascular proteins in 30,931 individuals. <i>Nature Metabolism</i> , 2020, 2, 1135-1148. | 5.1 | 327 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Non-targeted urine metabolomics and associations with prevalent and incident type 2 diabetes. <i>Scientific Reports</i> , 2020, 10, 16474. | 1.6 | 11 |
| 20 | Translating GWAS-identified loci for cardiac rhythm and rate using an in vivo image- and CRISPR/Cas9-based approach. <i>Scientific Reports</i> , 2020, 10, 11831. | 1.6 | 12 |
| 21 | Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , 2020, 52, 1314-1332. | 9.4 | 91 |
| 22 | Development and validation of risk prediction models for multiple cardiovascular diseases and Type 2 diabetes. <i>PLoS ONE</i> , 2020, 15, e0235758. | 1.1 | 13 |
| 23 | Adults With Mild-to-Moderate Congenital Heart Disease Demonstrate Measurable Neurocognitive Deficits. <i>Journal of the American Heart Association</i> , 2020, 9, e015379. | 1.6 | 9 |
| 24 | Comprehensive Investigation of Circulating Biomarkers and Their Causal Role in Atherosclerosis-Related Risk Factors and Clinical Events. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, e002996. | 1.6 | 15 |
| 25 | Genetic Studies of Leptin Concentrations Implicate Leptin in the Regulation of Early Adiposity. <i>Diabetes</i> , 2020, 69, 2806-2818. | 0.3 | 26 |
| 26 | Proteomic profiles before and during weight loss: Results from randomized trial of dietary intervention. <i>Scientific Reports</i> , 2020, 10, 7913. | 1.6 | 22 |
| 27 | Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. <i>Nature Communications</i> , 2020, 11, 2542. | 5.8 | 59 |
| 28 | Global Plasma Metabolomics to Identify Potential Biomarkers of Blood Pressure Progression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, e227-e237. | 1.1 | 34 |
| 29 | Clonally expanding smooth muscle cells promote atherosclerosis by escaping efferocytosis and activating the complement cascade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15818-15826. | 3.3 | 83 |
| 30 | FAM13A affects body fat distribution and adipocyte function. <i>Nature Communications</i> , 2020, 11, 1465. | 5.8 | 36 |
| 31 | Accuracy of Smartphone Camera Applications for Detecting Atrial Fibrillation. <i>JAMA Network Open</i> , 2020, 3, e202064. | 2.8 | 62 |
| 32 | The plasma protein profile and cardiovascular risk differ between intima-media thickness of the common carotid artery and the bulb: A meta-analysis and a longitudinal evaluation. <i>Atherosclerosis</i> , 2020, 295, 25-30. | 0.4 | 18 |
| 33 | Pro-efferocytic nanoparticles are specifically taken up by lesional macrophages and prevent atherosclerosis. <i>Nature Nanotechnology</i> , 2020, 15, 154-161. | 15.6 | 173 |
| 34 | Prevalence, characteristics and mortality outcomes of obese, nonobese and lean NAFLD in the United States, 1999-2016. <i>Journal of Internal Medicine</i> , 2020, 288, 139-151. | 2.7 | 145 |
| 35 | Urinary Albumin, Sodium, and Potassium and Cardiovascular Outcomes in the UK Biobank. <i>Hypertension</i> , 2020, 75, 714-722. | 1.3 | 29 |
| 36 | A phenome-wide association study of 26 mendelian genes reveals phenotypic expressivity of common and rare variants within the general population. <i>PLoS Genetics</i> , 2020, 16, e1008802. | 1.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Commonly used clinical chemistry tests as mortality predictors: Results from two large cohort studies. PLoS ONE, 2020, 15, e0241558. | 1.1 | 4 |
| 38 | Title is missing!. , 2020, 16, e1008802. | | 0 |
| 39 | Title is missing!. , 2020, 16, e1008802. | | 0 |
| 40 | Title is missing!. , 2020, 16, e1008802. | | 0 |
| 41 | Title is missing!. , 2020, 16, e1008802. | | 0 |
| 42 | Title is missing!. , 2020, 16, e1008802. | | 0 |
| 43 | Title is missing!. , 2020, 16, e1008802. | | 0 |
| 44 | Personalized prediction of adverse heart and kidney events using baseline and longitudinal data from SPRINT and ACCORD. PLoS ONE, 2019, 14, e0219728. | 1.1 | 4 |
| 45 | Dog Ownership and Survival After a Major Cardiovascular Event. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e005342. | 0.9 | 23 |
| 46 | Disentangling the genetics of lean mass. American Journal of Clinical Nutrition, 2019, 109, 276-287. | 2.2 | 38 |
| 47 | Body composition and atrial fibrillation: a Mendelian randomization study. European Heart Journal, 2019, 40, 1277-1282. | 1.0 | 47 |
| 48 | Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. BMC Cardiovascular Disorders, 2019, 19, 240. | 0.7 | 22 |
| 49 | CRISPR-Cas9-mediated knockout of SPRY2 in human hepatocytes leads to increased glucose uptake and lipid droplet accumulation. BMC Endocrine Disorders, 2019, 19, 115. | 0.9 | 6 |
| 50 | Genetic regulation of gene expression and splicing during a 10-year period of human aging. Genome Biology, 2019, 20, 230. | 3.8 | 57 |
| 51 | Components of genetic associations across 2,138 phenotypes in the UK Biobank highlight adipocyte biology. Nature Communications, 2019, 10, 4064. | 5.8 | 48 |
| 52 | Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. Nature Communications, 2019, 10, 4130. | 5.8 | 133 |
| 53 | Detailed Functional Characterization of a Waist-Hip Ratio Locus in 7p15.2 Defines an Enhancer Controlling Adipocyte Differentiation. iScience, 2019, 20, 42-59. | 1.9 | 6 |
| 54 | Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. Nature Genetics, 2019, 51, 1459-1474. | 9.4 | 251 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Proteomic Analysis of Longitudinal Changes in Blood Pressure. <i>Journal of Clinical Medicine</i> , 2019, 8, 1585. | 1.0 | 3 |
| 56 | Genome-wide analysis of dental caries and periodontitis combining clinical and self-reported data. <i>Nature Communications</i> , 2019, 10, 2773. | 5.8 | 183 |
| 57 | VES04. A Comprehensive Evaluation of Lifestyle and Social Factors Related to Peripheral Artery Disease Events in a Large Longitudinal Study. <i>Journal of Vascular Surgery</i> , 2019, 69, e54-e55. | 0.6 | 0 |
| 58 | Exome-Derived Adiponectin-Associated Variants Implicate Obesity and Lipid Biology. <i>American Journal of Human Genetics</i> , 2019, 105, 15-28. | 2.6 | 21 |
| 59 | The metabolites urobilin and sphingomyelin (30:1) are associated with incident heart failure in the general population. <i>ESC Heart Failure</i> , 2019, 6, 764-773. | 1.4 | 23 |
| 60 | A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019, 51, 957-972. | 9.4 | 549 |
| 61 | Identification of rare-disease genes using blood transcriptome sequencing and large control cohorts. <i>Nature Medicine</i> , 2019, 25, 911-919. | 15.2 | 221 |
| 62 | Abundant associations with gene expression complicate GWAS follow-up. <i>Nature Genetics</i> , 2019, 51, 768-769. | 9.4 | 210 |
| 63 | Impact of race/ethnicity on insulin resistance and hypertriglyceridaemia. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 153-159. | 0.9 | 46 |
| 64 | Trends in overall, cardiovascular and cancer-related mortality among individuals with diabetes reported on death certificates in the United States between 2007 and 2017. <i>Diabetologia</i> , 2019, 62, 1185-1194. | 2.9 | 23 |
| 65 | Cardiometabolic Proteins Associated with Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2019, 17, 272-279. | 0.5 | 10 |
| 66 | Substantial Cardiovascular Morbidity in Adults With Lower-Complexity Congenital Heart Disease. <i>Circulation</i> , 2019, 139, 1889-1899. | 1.6 | 81 |
| 67 | Longitudinal effects of aging on plasma proteins levels in older adults – associations with kidney function and hemoglobin levels. <i>PLoS ONE</i> , 2019, 14, e0212060. | 1.1 | 15 |
| 68 | Dog ownership and cardiovascular risk factors: a nationwide prospective register-based cohort study. <i>BMJ Open</i> , 2019, 9, e023447. | 0.8 | 4 |
| 69 | Identification of 22 novel loci associated with urinary biomarkers of albumin, sodium, and potassium excretion. <i>Kidney International</i> , 2019, 95, 1197-1208. | 2.6 | 33 |
| 70 | No evidence of a causal association of type 2 diabetes and glucose metabolism with atrial fibrillation. <i>Diabetologia</i> , 2019, 62, 800-804. | 2.9 | 20 |
| 71 | Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019, 51, 452-469. | 9.4 | 89 |
| 72 | Common Genetic Variation in Relation to Brachial Vascular Dimensions and Flow-Mediated Vasodilation. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002409. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Proteomic profiling of endothelium-dependent vasodilation. <i>Journal of Hypertension</i> , 2019, 37, 216-222. | 0.3 | 2 |
| 74 | Homogeneity in the association of body mass index with type 2 diabetes across the UK Biobank: A Mendelian randomization study. <i>PLoS Medicine</i> , 2019, 16, e1002982. | 3.9 | 34 |
| 75 | Identification of metabolic profiles associated with human exposure to perfluoroalkyl substances. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019, 29, 196-205. | 1.8 | 55 |
| 76 | Trans-ethnic kidney function association study reveals putative causal genes and effects on kidney-specific disease aetiologies. <i>Nature Communications</i> , 2019, 10, 29. | 5.8 | 113 |
| 77 | Association of the PHACTR1/EDN1 Genetic Locus With Spontaneous Coronary Artery Dissection. <i>Journal of the American College of Cardiology</i> , 2019, 73, 58-66. | 1.2 | 147 |
| 78 | Loss of function, missense, and intronic variants in <i>NOTCH1</i> confer different risks for left ventricular outflow tract obstructive heart defects in two European cohorts. <i>Genetic Epidemiology</i> , 2019, 43, 215-226. | 0.6 | 25 |
| 79 | Title is missing!. , 2019, 16, e1002982. | | 0 |
| 80 | Title is missing!. , 2019, 16, e1002982. | | 0 |
| 81 | Title is missing!. , 2019, 16, e1002982. | | 0 |
| 82 | Title is missing!. , 2019, 16, e1002982. | | 0 |
| 83 | Title is missing!. , 2019, 16, e1002982. | | 0 |
| 84 | Biological Insights Into Muscular Strength: Genetic Findings in the UK Biobank. <i>Scientific Reports</i> , 2018, 8, 6451. | 1.6 | 78 |
| 85 | Medical relevance of protein-truncating variants across 337,205 individuals in the UK Biobank study. <i>Nature Communications</i> , 2018, 9, 1612. | 5.8 | 95 |
| 86 | Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018, 50, 559-571. | 9.4 | 356 |
| 87 | Associations of Fitness, Physical Activity, Strength, and Genetic Risk With Cardiovascular Disease. <i>Circulation</i> , 2018, 137, 2583-2591. | 1.6 | 154 |
| 88 | Genome-wide Study of Atrial Fibrillation Identifies Seven Risk Loci and Highlights Biological Pathways and Regulatory Elements Involved in Cardiac Development. <i>American Journal of Human Genetics</i> , 2018, 102, 103-115. | 2.6 | 86 |
| 89 | Methylation-based estimated biological age and cardiovascular disease. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12872. | 1.7 | 76 |
| 90 | A genome-wide association study of IgM antibody against phosphorylcholine: shared genetics and phenotypic relationship to chronic lymphocytic leukemia. <i>Human Molecular Genetics</i> , 2018, 27, 1809-1818. | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | A DNA methylation biomarker of alcohol consumption. <i>Molecular Psychiatry</i> , 2018, 23, 422-433. | 4.1 | 280 |
| 92 | Targeted proteomic analysis of habitual coffee consumption. <i>Journal of Internal Medicine</i> , 2018, 283, 200-211. | 2.7 | 9 |
| 93 | Circulating proteins as predictors of incident heart failure in the elderly. <i>European Journal of Heart Failure</i> , 2018, 20, 55-62. | 2.9 | 87 |
| 94 | Big Data and medicine: a big deal?. <i>Journal of Internal Medicine</i> , 2018, 283, 418-429. | 2.7 | 48 |
| 95 | GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. <i>Nature Communications</i> , 2018, 9, 5141. | 5.8 | 119 |
| 96 | Genome-Wide Association Studies of Estimated Fatty Acid Desaturase Activity in Serum and Adipose Tissue in Elderly Individuals: Associations with Insulin Sensitivity. <i>Nutrients</i> , 2018, 10, 1791. | 1.7 | 18 |
| 97 | Fine-mapping type 2 diabetes loci to single-variant resolution using high-density imputation and islet-specific epigenome maps. <i>Nature Genetics</i> , 2018, 50, 1505-1513. | 9.4 | 1,331 |
| 98 | Clinical and Genetic Determinants of Varicose Veins. <i>Circulation</i> , 2018, 138, 2869-2880. | 1.6 | 98 |
| 99 | Epigenetic influences on aging: a longitudinal genome-wide methylation study in old Swedish twins. <i>Epigenetics</i> , 2018, 13, 975-987. | 1.3 | 65 |
| 100 | Associations of Circulating Protein Levels With Lipid Fractions in the General Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 2505-2518. | 1.1 | 18 |
| 101 | Large-Scale Phenome-Wide Association Study of <i>PCSK9</i> Variants Demonstrates Protection Against Ischemic Stroke. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e002162. | 1.6 | 48 |
| 102 | Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. <i>American Journal of Human Genetics</i> , 2018, 103, 691-706. | 2.6 | 326 |
| 103 | Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018, 50, 1412-1425. | 9.4 | 924 |
| 104 | Can the Plasma Concentration Ratio of Triglyceride/High-Density Lipoprotein Cholesterol Identify Individuals at High Risk of Cardiovascular Disease During 40-Year Follow-Up?. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 433-439. | 0.5 | 16 |
| 105 | Habitual coffee consumption and cognitive function: a Mendelian randomization meta-analysis in up to 415,530 participants. <i>Scientific Reports</i> , 2018, 8, 7526. | 1.6 | 36 |
| 106 | Genetic predictors of testosterone and their associations with cardiovascular disease and risk factors: A Mendelian randomization investigation. <i>International Journal of Cardiology</i> , 2018, 267, 171-176. | 0.8 | 49 |
| 107 | Multiplex proteomics for prediction of major cardiovascular events in type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 1748-1757. | 2.9 | 43 |
| 108 | Bioimpedance and New-Onset Heart Failure: A Longitudinal Study of >500,000 Individuals From the General Population. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Role of peroxisome proliferator-activated receptor gamma Pro12Ala polymorphism in human adipose tissue: assessment of adipogenesis and adipocyte glucose and lipid turnover. <i>Adipocyte</i> , 2018, 7, 285-296. | 1.3 | 6 |
| 110 | Genome-wide association study of coronary artery disease among individuals with diabetes: the UK Biobank. <i>Diabetologia</i> , 2018, 61, 2174-2179. | 2.9 | 31 |
| 111 | Genetic Regulatory Mechanisms of Smooth Muscle Cells Map to Coronary Artery Disease Risk Loci. <i>American Journal of Human Genetics</i> , 2018, 103, 377-388. | 2.6 | 76 |
| 112 | Circulating endostatin and the incidence of heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 244-249. | 0.4 | 10 |
| 113 | Human Genetics of Obesity and Type 2 Diabetes Mellitus. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e002090. | 1.6 | 58 |
| 114 | Glucose challenge metabolomics implicates medium-chain acylcarnitines in insulin resistance. <i>Scientific Reports</i> , 2018, 8, 8691. | 1.6 | 47 |
| 115 | Multi-ethnic genome-wide association study for atrial fibrillation. <i>Nature Genetics</i> , 2018, 50, 1225-1233. | 9.4 | 552 |
| 116 | Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018, 50, 26-41. | 9.4 | 286 |
| 117 | Multiancestry genome-wide association study of 520,000 subjects identifies 32 loci associated with stroke and stroke subtypes. <i>Nature Genetics</i> , 2018, 50, 524-537. | 9.4 | 1,124 |
| 118 | Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2018, 3, 4. | 0.9 | 19 |
| 119 | Sparse estimation of gene-gene interactions in prediction models. <i>Statistical Methods in Medical Research</i> , 2017, 26, 2319-2332. | 0.7 | 2 |
| 120 | Association of Pregnancy Complications and Characteristics With Future Risk of Elevated Blood Pressure. <i>Hypertension</i> , 2017, 69, 475-483. | 1.3 | 51 |
| 121 | Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017, 542, 186-190. | 13.7 | 544 |
| 122 | Epigenetic Patterns in Blood Associated With Lipid Traits Predict Incident Coronary Heart Disease Events and Are Enriched for Results From Genome-Wide Association Studies. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, . | 5.1 | 104 |
| 123 | Large-scale analyses of common and rare variants identify 12 new loci associated with atrial fibrillation. <i>Nature Genetics</i> , 2017, 49, 946-952. | 9.4 | 279 |
| 124 | Loss of Cardioprotective Effects at the <i>ADAMTS7</i> Locus as a Result of Gene-Smoking Interactions. <i>Circulation</i> , 2017, 135, 2336-2353. | 1.6 | 51 |
| 125 | Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017, 8, 14977. | 5.8 | 169 |
| 126 | PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 97-105. | 5.5 | 298 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Multiethnic genome-wide meta-analysis of ectopic fat depots identifies loci associated with adipocyte development and differentiation. <i>Nature Genetics</i> , 2017, 49, 125-130. | 9.4 | 116 |
| 128 | Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017, 8, 15805. | 5.8 | 95 |
| 129 | Leveraging Human Genetics to Understand the Relation of LDL Cholesterol with Type 2 Diabetes. <i>Clinical Chemistry</i> , 2017, 63, 1187-1189. | 1.5 | 4 |
| 130 | A MUTYH germline mutation is associated with small intestinal neuroendocrine tumors. <i>Endocrine-Related Cancer</i> , 2017, 24, 427-443. | 1.6 | 49 |
| 131 | Tea and coffee consumption in relation to DNA methylation in four European cohorts. <i>Human Molecular Genetics</i> , 2017, 26, 3221-3231. | 1.4 | 25 |
| 132 | An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. <i>Diabetes</i> , 2017, 66, 2888-2902. | 0.3 | 615 |
| 133 | Alterations in Multiple Lifestyle Factors in Subjects with the Metabolic Syndrome Independently of Obesity. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 118-123. | 0.5 | 9 |
| 134 | A Low-Frequency Inactivating <i>AKT2</i> Variant Enriched in the Finnish Population Is Associated With Fasting Insulin Levels and Type 2 Diabetes Risk. <i>Diabetes</i> , 2017, 66, 2019-2032. | 0.3 | 47 |
| 135 | Vitamin D and cognitive function: A Mendelian randomisation study. <i>Scientific Reports</i> , 2017, 7, 13230. | 1.6 | 50 |
| 136 | Use of Proteomics To Investigate Kidney Function Decline over 5 Years. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1226-1235. | 2.2 | 52 |
| 137 | Association analyses based on false discovery rate implicate new loci for coronary artery disease. <i>Nature Genetics</i> , 2017, 49, 1385-1391. | 9.4 | 571 |
| 138 | Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. <i>Nature Communications</i> , 2017, 8, 80. | 5.8 | 147 |
| 139 | Dog ownership and the risk of cardiovascular disease and death – a nationwide cohort study. <i>Scientific Reports</i> , 2017, 7, 15821. | 1.6 | 109 |
| 140 | Genotype-covariate interaction effects and the heritability of adult body mass index. <i>Nature Genetics</i> , 2017, 49, 1174-1181. | 9.4 | 119 |
| 141 | Transcriptional Dynamics During Human Adipogenesis and Its Link to Adipose Morphology and Distribution. <i>Diabetes</i> , 2017, 66, 218-230. | 0.3 | 27 |
| 142 | Genetic and methylation variation in the CYP2B6 gene is related to circulating p,â€²-dde levels in a population-based sample. <i>Environment International</i> , 2017, 98, 212-218. | 4.8 | 5 |
| 143 | Metabolic Syndrome Development During Aging with Special Reference to Obesity Without the Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 36-43. | 0.5 | 16 |
| 144 | Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017, 4, 170179. | 2.4 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Genotype-based recall to study metabolic effects of genetic variation: a pilot study of <i>PPARG</i> Pro12Ala carriers. <i>Upsala Journal of Medical Sciences</i> , 2017, 122, 234-242. | 0.4 | 5 |
| 146 | Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017, 14, e1002383. | 3.9 | 341 |
| 147 | Association of Body Mass Index with DNA Methylation and Gene Expression in Blood Cells and Relations to Cardiometabolic Disease: A Mendelian Randomization Approach. <i>PLoS Medicine</i> , 2017, 14, e1002215. | 3.9 | 246 |
| 148 | Identification of a novel proinsulin-associated SNP and demonstration that proinsulin is unlikely to be a causal factor in subclinical vascular remodelling using Mendelian randomisation. <i>Atherosclerosis</i> , 2017, 266, 196-204. | 0.4 | 3 |
| 149 | Large-scale genome-wide analysis identifies genetic variants associated with cardiac structure and function. <i>Journal of Clinical Investigation</i> , 2017, 127, 1798-1812. | 3.9 | 106 |
| 150 | Mapping of 79 loci for 83 plasma protein biomarkers in cardiovascular disease. <i>PLoS Genetics</i> , 2017, 13, e1006706. | 1.5 | 194 |
| 151 | Ranking and characterization of established BMI and lipid associated loci as candidates for gene-environment interactions. <i>PLoS Genetics</i> , 2017, 13, e1006812. | 1.5 | 24 |
| 152 | Protein Biomarkers for Insulin Resistance and Type 2 Diabetes Risk in Two Large Community Cohorts. <i>Diabetes</i> , 2016, 65, 276-284. | 0.3 | 100 |
| 153 | The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016, 536, 41-47. | 13.7 | 952 |
| 154 | Identification of additional risk loci for stroke and small vessel disease: a meta-analysis of genome-wide association studies. <i>Lancet Neurology</i> , The, 2016, 15, 695-707. | 4.9 | 130 |
| 155 | Trans-ethnic Fine Mapping Highlights Kidney-Function Genes Linked to Salt Sensitivity. <i>American Journal of Human Genetics</i> , 2016, 99, 636-646. | 2.6 | 67 |
| 156 | Cystatin C and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2016, 68, 934-945. | 1.2 | 109 |
| 157 | Effects of cigarette smoking on cardiovascular-related protein profiles in two community-based cohort studies. <i>Atherosclerosis</i> , 2016, 254, 52-58. | 0.4 | 18 |
| 158 | Genome-wide association study of caffeine metabolites provides new insights to caffeine metabolism and dietary caffeine-consumption behavior. <i>Human Molecular Genetics</i> , 2016, 25, dww334. | 1.4 | 107 |
| 159 | Enabling Efficient and Confident Annotation of LC-MS Metabolomics Data through MS1 Spectrum and Time Prediction. <i>Analytical Chemistry</i> , 2016, 88, 9226-9234. | 3.2 | 77 |
| 160 | DNA methylation patterns associated with oxidative stress in an ageing population. <i>BMC Medical Genomics</i> , 2016, 9, 72. | 0.7 | 37 |
| 161 | Statistical power considerations in genotype-based recall randomized controlled trials. <i>Scientific Reports</i> , 2016, 6, 37307. | 1.6 | 10 |
| 162 | Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. <i>Nature Genetics</i> , 2016, 48, 1151-1161. | 9.4 | 261 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184. | 9.4 | 362 |
| 164 | Genome-Wide Association Study of the Modified Stumvoll Insulin Sensitivity Index Identifies <i>BCL2</i> and <i>FAM19A2</i> as Novel Insulin Sensitivity Loci. <i>Diabetes</i> , 2016, 65, 3200-3211. | 0.3 | 67 |
| 165 | Non-targeted metabolomics combined with genetic analyses identifies bile acid synthesis and phospholipid metabolism as being associated with incident type 2 diabetes. <i>Diabetologia</i> , 2016, 59, 2114-2124. | 2.9 | 74 |
| 166 | No Association of Coronary Artery Disease with X-Chromosomal Variants in Comprehensive International Meta-Analysis. <i>Scientific Reports</i> , 2016, 6, 35278. | 1.6 | 25 |
| 167 | Novel genetic loci associated with long-term deterioration in blood lipid concentrations and coronary artery disease in European adults. <i>International Journal of Epidemiology</i> , 2016, 46, dyw245. | 0.9 | 17 |
| 168 | ̳-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2016, 176, 1155. | 2.6 | 326 |
| 169 | Loci associated with ischaemic stroke and its subtypes (SiGN): a genome-wide association study. <i>Lancet Neurology</i> , The, 2016, 15, 174-184. | 4.9 | 217 |
| 170 | New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016, 7, 10495. | 5.8 | 245 |
| 171 | Prediction impact curve is a new measure integrating intervention effects in the evaluation of risk models. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 89-95. | 2.4 | 8 |
| 172 | Coronary Artery Disease and Its Risk Factors. <i>Circulation Research</i> , 2016, 118, 14-16. | 2.0 | 9 |
| 173 | The metabolic fingerprint of p,p'-DDE and HCB exposure in humans. <i>Environment International</i> , 2016, 88, 60-66. | 4.8 | 61 |
| 174 | Large-scale non-targeted metabolomic profiling in three human population-based studies. <i>Metabolomics</i> , 2016, 12, 1. | 1.4 | 29 |
| 175 | Six Novel Loci Associated with Circulating VEGF Levels Identified by a Meta-analysis of Genome-Wide Association Studies. <i>PLoS Genetics</i> , 2016, 12, e1005874. | 1.5 | 56 |
| 176 | Effect of Insulin Resistance on Monounsaturated Fatty Acid Levels: A Multi-cohort Non-targeted Metabolomics and Mendelian Randomization Study. <i>PLoS Genetics</i> , 2016, 12, e1006379. | 1.5 | 20 |
| 177 | No Evidence of a Causal Relationship between Plasma Homocysteine and Type 2 Diabetes: A Mendelian Randomization Study. <i>Frontiers in Cardiovascular Medicine</i> , 2015, 2, 11. | 1.1 | 22 |
| 178 | The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378. | 1.5 | 331 |
| 179 | Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. <i>PLoS Genetics</i> , 2015, 11, e1005230. | 1.5 | 77 |
| 180 | Identification and validation of N-acetyltransferase 2 as an insulin sensitivity gene. <i>Journal of Clinical Investigation</i> , 2015, 125, 1739-1751. | 3.9 | 94 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Adiposity as a cause of cardiovascular disease: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2015, 44, 578-586. | 0.9 | 123 |
| 182 | 5 year mortality predictors in 498â€¹03 UK Biobank participants: a prospective population-based study. <i>Lancet, The</i> , 2015, 386, 533-540. | 6.3 | 319 |
| 183 | Gene Ã— dietary pattern interactions in obesity: analysis of up to 68 317 adults of European ancestry. <i>Human Molecular Genetics</i> , 2015, 24, 4728-4738. | 1.4 | 84 |
| 184 | Sixteen new lung function signals identified through 1000 Genomes Project reference panel imputation. <i>Nature Communications</i> , 2015, 6, 8658. | 5.8 | 108 |
| 185 | Use of type 2 diabetes risk scores in clinical practice: a call for action. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 166-167. | 5.5 | 5 |
| 186 | New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196. | 13.7 | 1,328 |
| 187 | Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206. | 13.7 | 3,823 |
| 188 | GWAS-identified loci for coronary heart disease are associated with intima-media thickness and plaque presence at the carotid artery bulb. <i>Atherosclerosis</i> , 2015, 239, 304-310. | 0.4 | 31 |
| 189 | Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. <i>Nature Communications</i> , 2015, 6, 5897. | 5.8 | 173 |
| 190 | Skeletal muscle morphology and risk of cardiovascular disease in elderly men. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 231-239. | 0.8 | 10 |
| 191 | Age- and Sex-Specific Causal Effects of Adiposity on Cardiovascular Risk Factors. <i>Diabetes</i> , 2015, 64, 1841-1852. | 0.3 | 63 |
| 192 | Use of a proximity extension assay proteomics chip to discover new biomarkers for human atherosclerosis. <i>Atherosclerosis</i> , 2015, 242, 205-210. | 0.4 | 108 |
| 193 | Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015, 523, 459-462. | 13.7 | 173 |
| 194 | Using Genetic Variants to Assess the Relationship Between Circulating Lipids and Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 2676-2684. | 0.3 | 114 |
| 195 | Identification and Functional Characterization of G6PC2 Coding Variants Influencing Glycemic Traits Define an Effector Transcript at the G6PC2-ABCB11 Locus. <i>PLoS Genetics</i> , 2015, 11, e1004876. | 1.5 | 95 |
| 196 | The impact of low-frequency and rare variants on lipid levels. <i>Nature Genetics</i> , 2015, 47, 589-597. | 9.4 | 310 |
| 197 | Genome-wide association study of plasma levels of polychlorinated biphenyls disclose an association with the CYP2B6 gene in a population-based sample. <i>Environmental Research</i> , 2015, 140, 95-101. | 3.7 | 10 |
| 198 | Contribution of common non-synonymous variants in PCSK1 to body mass index variation and risk of obesity: a systematic review and meta-analysis with evidence from up to 331 175 individuals. <i>Human Molecular Genetics</i> , 2015, 24, 3582-3594. | 1.4 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Genetically Determined Height and Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2015, 372, 1608-1618. | 13.9 | 220 |
| 200 | Gene-based meta-analysis of genome-wide association studies implicates new loci involved in obesity. <i>Human Molecular Genetics</i> , 2015, 24, 6849-6860. | 1.4 | 55 |
| 201 | Early Exposure to Dogs and Farm Animals and the Risk of Childhood Asthma. <i>JAMA Pediatrics</i> , 2015, 169, e153219. | 3.3 | 109 |
| 202 | Genome-wide genetic homogeneity between sexes and populations for human height and body mass index. <i>Human Molecular Genetics</i> , 2015, 24, 7445-7449. | 1.4 | 67 |
| 203 | Genome-wide association study of toxic metals and trace elements reveals novel associations. <i>Human Molecular Genetics</i> , 2015, 24, 4739-4745. | 1.4 | 104 |
| 204 | Sex-specific Effects of Adiponectin on Carotid Intima-media Thickness and Incident Cardiovascular Disease. <i>Journal of the American Heart Association</i> , 2015, 4, e001853. | 1.6 | 33 |
| 205 | Variants in ELL2 influencing immunoglobulin levels associate with multiple myeloma. <i>Nature Communications</i> , 2015, 6, 7213. | 5.8 | 101 |
| 206 | Genetic variance estimation with imputed variants finds negligible missing heritability for human height and body mass index. <i>Nature Genetics</i> , 2015, 47, 1114-1120. | 9.4 | 709 |
| 207 | Population genetic differentiation of height and body mass index across Europe. <i>Nature Genetics</i> , 2015, 47, 1357-1362. | 9.4 | 227 |
| 208 | A comprehensive 1000 Genomes-based genome-wide association meta-analysis of coronary artery disease. <i>Nature Genetics</i> , 2015, 47, 1121-1130. | 9.4 | 2,054 |
| 209 | Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015, 47, 1415-1425. | 9.4 | 365 |
| 210 | Rediscovery rate estimation for assessing the validation of significant findings in high-throughput studies. <i>Briefings in Bioinformatics</i> , 2015, 16, 563-575. | 3.2 | 27 |
| 211 | Smoking is associated with mosaic loss of chromosome Y. <i>Science</i> , 2015, 347, 81-83. | 6.0 | 163 |
| 212 | Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656. | 4.1 | 235 |
| 213 | Genome-Wide Association Studies (GWAS) of Estimated Fatty Acid Desaturase Activity in Serum and Adipose Tissue: Relationships with Insulin Sensitivity. <i>FASEB Journal</i> , 2015, 29, 248.1. | 0.2 | 0 |
| 214 | Large-Scale Genome-Wide Association Studies and Meta-Analyses of Longitudinal Change in Adult Lung Function. <i>PLoS ONE</i> , 2014, 9, e100776. | 1.1 | 52 |
| 215 | Associations of Body Mass Index and Obesity-Related Genetic Variants with Serum Metabolites. <i>Current Metabolomics</i> , 2014, 2, 27-36. | 0.5 | 1 |
| 216 | The Grand Challenge of Cardiovascular Epidemiology: Turning the Tide. <i>Frontiers in Cardiovascular Medicine</i> , 2014, 1, 2. | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | Common Familial Effects on Ischemic Stroke and Myocardial Infarction: A Prospective Population-Based Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2014, 1, 3. | 1.1 | 0 |
| 218 | The association between glomerular filtration rate and left ventricular function in two independent community-based cohorts of elderly. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2069-2074. | 0.4 | 21 |
| 219 | Dose-Response Relationship of Total and Leisure Time Physical Activity to Risk of Heart Failure. <i>Circulation: Heart Failure</i> , 2014, 7, 701-708. | 1.6 | 41 |
| 220 | Impact of Type 2 Diabetes Susceptibility Variants on Quantitative Glycemic Traits Reveals Mechanistic Heterogeneity. <i>Diabetes</i> , 2014, 63, 2158-2171. | 0.3 | 297 |
| 221 | Plasma Parathyroid Hormone Is Associated With Subclinical and Clinical Atherosclerotic Disease in 2 Community-Based Cohorts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1567-1573. | 1.1 | 57 |
| 222 | Large-scale Metabolomic Profiling Identifies Novel Biomarkers for Incident Coronary Heart Disease. <i>PLoS Genetics</i> , 2014, 10, e1004801. | 1.5 | 225 |
| 223 | A Central Role for GRB10 in Regulation of Islet Function in Man. <i>PLoS Genetics</i> , 2014, 10, e1004235. | 1.5 | 164 |
| 224 | Persistent Organic Pollutants and Inflammatory Markers in a Cross-Sectional Study of Elderly Swedish People: The PIVUS Cohort. <i>Environmental Health Perspectives</i> , 2014, 122, 977-983. | 2.8 | 41 |
| 225 | Genome Wide Association Identifies Common Variants at the SERPINA6/SERPINA1 Locus Influencing Plasma Cortisol and Corticosteroid Binding Globulin. <i>PLoS Genetics</i> , 2014, 10, e1004474. | 1.5 | 105 |
| 226 | Urinary Kidney Injury Molecule-1 and the Risk of Cardiovascular Mortality in Elderly Men. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1393-1401. | 2.2 | 26 |
| 227 | Genetic factors may play a prominent role in the development of coronary heart disease dependent on important environmental factors. <i>Journal of Internal Medicine</i> , 2014, 275, 631-639. | 2.7 | 22 |
| 228 | DNA mismatch repair gene MSH6 implicated in determining age at natural menopause. <i>Human Molecular Genetics</i> , 2014, 23, 2490-2497. | 1.4 | 56 |
| 229 | Differential association of chronic obstructive pulmonary disease with myocardial infarction and ischemic stroke in a nation-wide cohort. <i>International Journal of Cardiology</i> , 2014, 173, 601-603. | 0.8 | 23 |
| 230 | Mosaic loss of chromosome Y in peripheral blood is associated with shorter survival and higher risk of cancer. <i>Nature Genetics</i> , 2014, 46, 624-628. | 9.4 | 320 |
| 231 | Persistent organic pollutants and liver dysfunction biomarkers in a population-based human sample of men and women. <i>Environmental Research</i> , 2014, 134, 251-256. | 3.7 | 47 |
| 232 | Genome-wide association analysis identifies six new loci associated with forced vital capacity. <i>Nature Genetics</i> , 2014, 46, 669-677. | 9.4 | 131 |
| 233 | Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. <i>Nature</i> , 2014, 514, 92-97. | 13.7 | 548 |
| 234 | Fat Mass and Obesity-Associated Gene (<i>FTO</i>) Is Linked to Higher Plasma Levels of the Hunger Hormone Ghrelin and Lower Serum Levels of the Satiety Hormone Leptin in Older Adults. <i>Diabetes</i> , 2014, 63, 3955-3959. | 0.3 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186. | 9.4 | 1,818 |
| 236 | Cerebrovascular and ischemic heart disease in young adults born preterm: a population-based Swedish cohort study. <i>European Journal of Epidemiology</i> , 2014, 29, 253-260. | 2.5 | 86 |
| 237 | Influence of persistent organic pollutants on the complement system in a population-based human sample. <i>Environment International</i> , 2014, 71, 94-100. | 4.8 | 22 |
| 238 | Association of vitamin D status with arterial blood pressure and hypertension risk: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 719-729. | 5.5 | 319 |
| 239 | Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244. | 9.4 | 959 |
| 240 | Serum selenium in relation to measures of glucose metabolism and incidence of Type 2 diabetes in an older Swedish population. <i>Diabetic Medicine</i> , 2014, 31, 787-793. | 1.2 | 46 |
| 241 | Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014, 46, 826-836. | 9.4 | 281 |
| 242 | Soluble tumor necrosis factor receptor 1 (sTNFR1) is associated with increased total mortality due to cancer and cardiovascular causes – Findings from two community based cohorts of elderly. <i>Atherosclerosis</i> , 2014, 237, 236-242. | 0.4 | 29 |
| 243 | Loss-of-function mutations in SLC30A8 protect against type 2 diabetes. <i>Nature Genetics</i> , 2014, 46, 357-363. | 9.4 | 428 |
| 244 | Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. <i>Diabetes</i> , 2014, 63, 4378-4387. | 0.3 | 153 |
| 245 | Genetic variation in the CYP1A1 gene is related to circulating PCB118 levels in a population-based sample. <i>Environmental Research</i> , 2014, 133, 135-140. | 3.7 | 11 |
| 246 | Influence of persistent organic pollutants on oxidative stress in population-based samples. <i>Chemosphere</i> , 2014, 114, 303-309. | 4.2 | 35 |
| 247 | Genome-wide association studies of obesity and metabolic syndrome. <i>Molecular and Cellular Endocrinology</i> , 2014, 382, 740-757. | 1.6 | 252 |
| 248 | Temporal Trends in Incidence of Myocardial Infarction and Ischemic Stroke by Socioeconomic Position in Sweden 1987–2010. <i>PLoS ONE</i> , 2014, 9, e105279. | 1.1 | 27 |
| 249 | Clinical depression, antidepressant use and risk of future cardiovascular disease. <i>European Journal of Epidemiology</i> , 2013, 28, 589-595. | 2.5 | 40 |
| 250 | Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. <i>American Journal of Human Genetics</i> , 2013, 93, 236-248. | 2.6 | 60 |
| 251 | Inference of the Genetic Architecture Underlying BMI and Height with the Use of 20,240 Sibling Pairs. <i>American Journal of Human Genetics</i> , 2013, 93, 865-875. | 2.6 | 104 |
| 252 | Urinary neutrophil gelatinase-associated lipocalin (NGAL) is associated with mortality in a community-based cohort of older Swedish men. <i>Atherosclerosis</i> , 2013, 227, 408-413. | 0.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Evidence of a Causal Relationship Between Adiponectin Levels and Insulin Sensitivity: A Mendelian Randomization Study. <i>Diabetes</i> , 2013, 62, 1338-1344. | 0.3 | 81 |
| 254 | Common variants associated with plasma triglycerides and risk for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 1345-1352. | 9.4 | 754 |
| 255 | Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 25-33. | 9.4 | 1,439 |
| 256 | Meta-Analysis Investigating Associations Between Healthy Diet and Fasting Glucose and Insulin Levels and Modification by Loci Associated With Glucose Homeostasis in Data From 15 Cohorts. <i>American Journal of Epidemiology</i> , 2013, 177, 103-115. | 1.6 | 74 |
| 257 | Assigning precursorâ€“product ion relationships in indiscriminant MS/MS data from non-targeted metabolite profiling studies. <i>Metabolomics</i> , 2013, 9, 33-43. | 1.4 | 35 |
| 258 | Genetic determinants of mortality. Can findings from genome-wide association studies explain variation in human mortality?. <i>Human Genetics</i> , 2013, 132, 553-561. | 1.8 | 29 |
| 259 | Valvular osteoclasts in calcification and aortic valve stenosis severity. <i>International Journal of Cardiology</i> , 2013, 168, 2264-2271. | 0.8 | 37 |
| 260 | Global DNA hypermethylation is associated with high serum levels of persistent organic pollutants in an elderly population. <i>Environment International</i> , 2013, 59, 456-461. | 4.8 | 82 |
| 261 | The leukotriene receptor antagonist montelukast and aortic stenosis. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 280-281. | 1.1 | 5 |
| 262 | Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512. | 9.4 | 578 |
| 263 | Identification of heart rateâ€“associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013, 45, 621-631. | 9.4 | 282 |
| 264 | GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. <i>Science</i> , 2013, 340, 1467-1471. | 6.0 | 750 |
| 265 | Causal Relationship between Obesity and Vitamin D Status: Bi-Directional Mendelian Randomization Analysis of Multiple Cohorts. <i>PLoS Medicine</i> , 2013, 10, e1001383. | 3.9 | 753 |
| 266 | Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. <i>PLoS Genetics</i> , 2013, 9, e1003500. | 1.5 | 371 |
| 267 | Serum FGF23 and Risk of Cardiovascular Events in Relation to Mineral Metabolism and Cardiovascular Pathology. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 781-786. | 2.2 | 97 |
| 268 | Gene Ã— Physical Activity Interactions in Obesity: Combined Analysis of 111,421 Individuals of European Ancestry. <i>PLoS Genetics</i> , 2013, 9, e1003607. | 1.5 | 168 |
| 269 | Multilocus Genetic Risk Scores for Coronary Heart Disease Prediction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2267-2272. | 1.1 | 138 |
| 270 | The Role of Adiposity in Cardiometabolic Traits: A Mendelian Randomization Analysis. <i>PLoS Medicine</i> , 2013, 10, e1001474. | 3.9 | 178 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Association Between Circulating Endostatin, Hypertension Duration, and Hypertensive Target-Organ Damage. <i>Hypertension</i> , 2013, 62, 1146-1151. | 1.3 | 40 |
| 272 | Serum Endostatin and Risk of Mortality in the Elderly. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2689-2695. | 1.1 | 37 |
| 273 | Higher Magnesium Intake Is Associated with Lower Fasting Glucose and Insulin, with No Evidence of Interaction with Select Genetic Loci, in a Meta-Analysis of 15 CHARGE Consortium Studies. <i>Journal of Nutrition</i> , 2013, 143, 345-353. | 1.3 | 47 |
| 274 | Urinary kidney injury molecule 1 and incidence of heart failure in elderly men. <i>European Journal of Heart Failure</i> , 2013, 15, 441-446. | 2.9 | 35 |
| 275 | A Genome-Wide Assessment of Variability in Human Serum Metabolism. <i>Human Mutation</i> , 2013, 34, 515-524. | 1.1 | 42 |
| 276 | Mendelian Randomization Studies Do Not Support a Causal Role for Reduced Circulating Adiponectin Levels in Insulin Resistance and Type 2 Diabetes. <i>Diabetes</i> , 2013, 62, 3589-3598. | 0.3 | 116 |
| 277 | Higher fibroblast growth factor-23 increases the risk of all-cause and cardiovascular mortality in the community. <i>Kidney International</i> , 2013, 83, 160-166. | 2.6 | 131 |
| 278 | The Swedish Twin Registry: Establishment of a Biobank and Other Recent Developments. <i>Twin Research and Human Genetics</i> , 2013, 16, 317-329. | 0.3 | 267 |
| 279 | Genetic variation in the dimethylarginine dimethylaminohydrolase 1 gene (DDAH1) is related to asymmetric dimethylarginine (ADMA) levels, but not to endothelium-dependent vasodilation. <i>Vascular Medicine</i> , 2013, 18, 192-199. | 0.8 | 10 |
| 280 | Serum Cathepsin S Is Associated With Decreased Insulin Sensitivity and the Development of Type 2 Diabetes in a Community-Based Cohort of Elderly Men. <i>Diabetes Care</i> , 2013, 36, 163-165. | 4.3 | 33 |
| 281 | Influence of Biological and Technical Covariates on Non-targeted Metabolite Profiling in a Large-scale Epidemiological Study. <i>Current Metabolomics</i> , 2013, 1, 220-226. | 0.5 | 0 |
| 282 | Genetic Variants from Lipid-Related Pathways and Risk for Incident Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e60454. | 1.1 | 8 |
| 283 | Utilizing Twins as Controls for Non-Twin Case-Materials in Genome Wide Association Studies. <i>PLoS ONE</i> , 2013, 8, e83101. | 1.1 | 6 |
| 284 | Abstract 050: Meta-analysis of Genetic Associations in up to 339,224 Individuals Identify 66 New Loci for Bmi, Confirming a Neuronal Contribution to Body Weight Regulation and Implicating Several Novel Pathways. <i>Circulation</i> , 2013, 127, . | 1.6 | 0 |
| 285 | Smokeless tobacco (snus) and risk of heart failure: results from two Swedish cohorts. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1120-1127. | 0.8 | 40 |
| 286 | Risk Prediction Measures for Case-Cohort and Nested Case-Control Designs: An Application to Cardiovascular Disease. <i>American Journal of Epidemiology</i> , 2012, 175, 715-724. | 1.6 | 75 |
| 287 | C-Reactive Protein, Fibrinogen, and Cardiovascular Disease Prediction. <i>New England Journal of Medicine</i> , 2012, 367, 1310-1320. | 13.9 | 909 |
| 288 | Relations of circulating vitamin D concentrations with left ventricular geometry and function. <i>European Journal of Heart Failure</i> , 2012, 14, 985-991. | 2.9 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | Large-scale association analyses identify new loci influencing glycaemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , 2012, 44, 991-1005. | 9.4 | 746 |
| 290 | Familial Effects on Ischemic Stroke. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 226-233. | 5.1 | 9 |
| 291 | No Interactions Between Previously Associated 2-Hour Glucose Gene Variants and Physical Activity or BMI on 2-Hour Glucose Levels. <i>Diabetes</i> , 2012, 61, 1291-1296. | 0.3 | 23 |
| 292 | Cyclooxygenase-2 inhibitors and cardiovascular risk in a nation-wide cohort study after the withdrawal of rofecoxib. <i>European Heart Journal</i> , 2012, 33, 1928-1933. | 1.0 | 70 |
| 293 | Subfertility and risk of later life maternal cardiovascular disease. <i>Human Reproduction</i> , 2012, 27, 568-575. | 0.4 | 79 |
| 294 | Interleukin-6 receptor pathways in coronary heart disease: a collaborative meta-analysis of 82 studies. <i>Lancet, The</i> , 2012, 379, 1205-1213. | 6.3 | 668 |
| 295 | Plasma HDL cholesterol and risk of myocardial infarction: a mendelian randomisation study. <i>Lancet, The</i> , 2012, 380, 572-580. | 6.3 | 1,937 |
| 296 | Association between glomerular filtration rate and endothelial function in an elderly community cohort. <i>Atherosclerosis</i> , 2012, 224, 242-246. | 0.4 | 8 |
| 297 | Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012, 44, 981-990. | 9.4 | 1,748 |
| 298 | Clinical and Genetic Correlates of Growth Differentiation Factor 15 in the Community. <i>Clinical Chemistry</i> , 2012, 58, 1582-1591. | 1.5 | 106 |
| 299 | FTO genotype is associated with phenotypic variability of body mass index. <i>Nature</i> , 2012, 490, 267-272. | 13.7 | 383 |
| 300 | Meta-analyses identify 13 loci associated with age at menopause and highlight DNA repair and immune pathways. <i>Nature Genetics</i> , 2012, 44, 260-268. | 9.4 | 303 |
| 301 | Nationwide cohort study of the leukotriene receptor antagonist montelukast and incident or recurrent cardiovascular disease. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 702-707.e2. | 1.5 | 100 |
| 302 | A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycaemic traits and insulin resistance. <i>Nature Genetics</i> , 2012, 44, 659-669. | 9.4 | 762 |
| 303 | The role of obesity-related genetic loci in insulin sensitivity. <i>Diabetic Medicine</i> , 2012, 29, e62-6. | 1.2 | 21 |
| 304 | Genome-wide and gene-based association implicates FRMD6 in alzheimer disease. <i>Human Mutation</i> , 2012, 33, 521-529. | 1.1 | 32 |
| 305 | Genetic variation near IRS1 associates with reduced adiposity and an impaired metabolic profile. <i>Nature Genetics</i> , 2011, 43, 753-760. | 9.4 | 289 |
| 306 | Genome-Wide Association Identifies Nine Common Variants Associated With Fasting Proinsulin Levels and Provides New Insights Into the Pathophysiology of Type 2 Diabetes. <i>Diabetes</i> , 2011, 60, 2624-2634. | 0.3 | 335 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | Biomarkers of Extracellular Matrix Metabolism (MMP-9 and TIMP-1) and Risk of Stroke, Myocardial Infarction, and Cause-Specific Mortality: Cohort Study. PLoS ONE, 2011, 6, e16185. | 1.1 | 90 |
| 308 | Genomic inflation factors under polygenic inheritance. European Journal of Human Genetics, 2011, 19, 807-812. | 1.4 | 460 |
| 309 | LifeGene—a large prospective population-based study of global relevance. European Journal of Epidemiology, 2011, 26, 67-77. | 2.5 | 91 |
| 310 | CUBN Is a Gene Locus for Albuminuria. Journal of the American Society of Nephrology: JASN, 2011, 22, 555-570. | 3.0 | 208 |
| 311 | Birth Characteristics and Subsequent Risks of Maternal Cardiovascular Disease. Circulation, 2011, 124, 2839-2846. | 1.6 | 184 |
| 312 | Identification of <i>cis</i> - and <i>trans</i> -Acting Genetic Variants Explaining Up to Half the Variation in Circulating Vascular Endothelial Growth Factor Levels. Circulation Research, 2011, 109, 554-563. | 2.0 | 72 |
| 313 | A Detailed Cardiovascular Characterization of Obesity Without the Metabolic Syndrome. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, e27-34. | 1.1 | 48 |
| 314 | Nationwide Cohort Study of Risk of Ischemic Heart Disease in Patients With Celiac Disease. Circulation, 2011, 123, 483-490. | 1.6 | 94 |
| 315 | Hysterectomy and risk of cardiovascular disease: a population-based cohort study. European Heart Journal, 2011, 32, 745-750. | 1.0 | 150 |
| 316 | The combined contribution of albuminuria and glomerular filtration rate to the prediction of cardiovascular mortality in elderly men. Nephrology Dialysis Transplantation, 2011, 26, 2820-2827. | 0.4 | 41 |
| 317 | Impact of BMI and the Metabolic Syndrome on the Risk of Diabetes in Middle-Aged Men. Diabetes Care, 2011, 34, 61-65. | 4.3 | 226 |
| 318 | Total Zinc Intake May Modify the Glucose-Raising Effect of a Zinc Transporter (SLC30A8) Variant: A 14-Cohort Meta-analysis. Diabetes, 2011, 60, 2407-2416. | 0.3 | 91 |
| 319 | Association Between Serum Cathepsin S and Mortality in Older Adults. JAMA - Journal of the American Medical Association, 2011, 306, 1113. | 3.8 | 68 |
| 320 | Biological, clinical and population relevance of 95 loci for blood lipids. Nature, 2010, 466, 707-713. | 13.7 | 3,249 |
| 321 | Hundreds of variants clustered in genomic loci and biological pathways affect human height. Nature, 2010, 467, 832-838. | 13.7 | 1,789 |
| 322 | Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. Nature Genetics, 2010, 42, 142-148. | 9.4 | 591 |
| 323 | Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. Nature Genetics, 2010, 42, 949-960. | 9.4 | 836 |
| 324 | Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. Nature Genetics, 2010, 42, 937-948. | 9.4 | 2,634 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Thirty new loci for age at menarche identified by a meta-analysis of genome-wide association studies. <i>Nature Genetics</i> , 2010, 42, 1077-1085. | 9.4 | 445 |
| 326 | Plasma levels of glucagon like peptide-1 associate with diastolic function in elderly men. <i>Diabetic Medicine</i> , 2010, 28, no-no. | 1.2 | 18 |
| 327 | Conjoint Effects of Serum Calcium and Phosphate on Risk of Total, Cardiovascular, and Noncardiovascular Mortality in the Community. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 333-339. | 1.1 | 121 |
| 328 | Detailed Physiologic Characterization Reveals Diverse Mechanisms for Novel Genetic Loci Regulating Glucose and Insulin Metabolism in Humans. <i>Diabetes</i> , 2010, 59, 1266-1275. | 0.3 | 237 |
| 329 | Interactions of Dietary Whole-Grain Intake With Fasting Glucose- and Insulin-Related Genetic Loci in Individuals of European Descent: A meta-analysis of 14 cohort studies. <i>Diabetes Care</i> , 2010, 33, 2684-2691. | 4.3 | 127 |
| 330 | Response to Letters Regarding Article, "The Impact of Body Mass Index and the Metabolic Syndrome on the Risk of Cardiovascular Disease and Death in Middle-Aged Men". <i>Circulation</i> , 2010, 122, . | 1.6 | 3 |
| 331 | Adiponectin and cardiac geometry and function in elderly: results from two community-based cohort studies. <i>European Journal of Endocrinology</i> , 2010, 162, 543-550. | 1.9 | 16 |
| 332 | Large-Scale Genome-Wide Association Studies Consortia. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 396-398. | 5.1 | 2 |
| 333 | Impact of Body Mass Index and the Metabolic Syndrome on the Risk of Cardiovascular Disease and Death in Middle-Aged Men. <i>Circulation</i> , 2010, 121, 230-236. | 1.6 | 509 |
| 334 | Serum Cathepsin S Is Associated with Serum C-Reactive Protein and Interleukin-6 Independently of Obesity in Elderly Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4460-4464. | 1.8 | 34 |
| 335 | Associations of Circulating Adiponectin with Measures of Vascular Function and Morphology. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2927-2934. | 1.8 | 15 |
| 336 | Absolute and Relative Risk of Cardiovascular Disease in Men With Prostate Cancer: Results From the Population-Based PCBaSe Sweden. <i>Journal of Clinical Oncology</i> , 2010, 28, 3448-3456. | 0.8 | 173 |
| 337 | New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116. | 9.4 | 1,982 |
| 338 | Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: a collaborative meta-analysis of 102 prospective studies. <i>Lancet</i> , The, 2010, 375, 2215-2222. | 6.3 | 3,807 |
| 339 | Risk of thromboembolic diseases in men with prostate cancer: results from the population-based PCBaSe Sweden. <i>Lancet Oncology</i> , The, 2010, 11, 450-458. | 5.1 | 110 |
| 340 | Differential White Blood Cell Count and Type 2 Diabetes: Systematic Review and Meta-Analysis of Cross-Sectional and Prospective Studies. <i>PLoS ONE</i> , 2010, 5, e13405. | 1.1 | 118 |
| 341 | Circulating Biomarkers in Cardiovascular Disease. <i>Disease Markers</i> , 2009, 26, 197-198. | 0.6 | 2 |
| 342 | Plasma Parathyroid Hormone and the Risk of Cardiovascular Mortality in the Community. <i>Circulation</i> , 2009, 119, 2765-2771. | 1.6 | 351 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 343 | Genetic Variants Associated With Cardiac Structure and Function. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 168. | 3.8 | 202 |
| 344 | Associations of Serum Adiponectin with Skeletal Muscle Morphology and Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 953-957. | 1.8 | 24 |
| 345 | Circulating Retinol-Binding Protein 4 and Subclinical Cardiovascular Disease in the Elderly. <i>Diabetes Care</i> , 2009, 32, 733-735. | 4.3 | 56 |
| 346 | Relative importance and conjoint effects of obesity and physical inactivity for the development of insulin resistance. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 28-33. | 3.1 | 16 |
| 347 | Circulating retinol-binding protein 4, cardiovascular risk factors and prevalent cardiovascular disease in elderly. <i>Atherosclerosis</i> , 2009, 206, 239-244. | 0.4 | 99 |
| 348 | Contemporary Trends in Dyslipidemia in the Framingham Heart Study. <i>Archives of Internal Medicine</i> , 2009, 169, 279. | 4.3 | 36 |
| 349 | Circulating biomarkers in cardiovascular disease. <i>Disease Markers</i> , 2009, 26, 197-8. | 0.6 | 2 |
| 350 | Associations of insulin resistance and type 2 diabetes to heart failure: Epidemiology, potential mechanisms, and clinical perspectives. <i>Current Cardiovascular Risk Reports</i> , 2008, 2, 60-65. | 0.8 | 1 |
| 351 | Inflammatory markers in relation to insulin resistance and the metabolic syndrome. <i>European Journal of Clinical Investigation</i> , 2008, 38, 502-509. | 1.7 | 72 |
| 352 | The PPARGC1AGly482Ser polymorphism is associated with left ventricular diastolic dysfunction in men. <i>BMC Cardiovascular Disorders</i> , 2008, 8, 37. | 0.7 | 15 |
| 353 | Use of Multiple Biomarkers to Improve the Prediction of Death from Cardiovascular Causes. <i>New England Journal of Medicine</i> , 2008, 358, 2107-2116. | 13.9 | 792 |
| 354 | Effects of trans10cis12CLA-induced insulin resistance on retinol-binding protein 4 concentrations in abdominally obese men. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, e23-e24. | 1.1 | 7 |
| 355 | Polymorphisms in the estrogen receptor alpha gene and endothelial function in resistance and conduit arteries in the elderly. <i>Atherosclerosis</i> , 2008, 199, 162-171. | 0.4 | 4 |
| 356 | Aortic Root Diameter and Longitudinal Blood Pressure Tracking. <i>Hypertension</i> , 2008, 52, 473-477. | 1.3 | 16 |
| 357 | Cardiac troponin-I and risk of heart failure: a community-based cohort study. <i>European Heart Journal</i> , 2008, 30, 773-781. | 1.0 | 59 |
| 358 | Plasma β ² Amyloid and the Risk of Alzheimer Disease and Dementia in Elderly Men. <i>Archives of Neurology</i> , 2008, 65, 256-63. | 4.9 | 100 |
| 359 | Insulin Sensitivity Measured With Euglycemic Clamp Is Independently Associated With Glomerular Filtration Rate in a Community-Based Cohort. <i>Diabetes Care</i> , 2008, 31, 1550-1555. | 4.3 | 93 |
| 360 | Circulating Ghrelin, Leptin, and Soluble Leptin Receptor Concentrations and Cardiometabolic Risk Factors in a Community-Based Sample. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3149-3157. | 1.8 | 64 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Endothelium-dependent vasodilation in conduit and resistance vessels in relation to the endothelial nitric oxide synthase gene. <i>Journal of Human Hypertension</i> , 2008, 22, 569-578. | 1.0 | 16 |
| 362 | Vitamin D Deficiency and Risk of Cardiovascular Disease. <i>Circulation</i> , 2008, 117, 503-511. | 1.6 | 2,077 |
| 363 | Heritability, Linkage, and Genetic Associations of Exercise Treadmill Test Responses. <i>Circulation</i> , 2007, 115, 2917-2924. | 1.6 | 34 |
| 364 | Clinical Correlates of Circulating Visfatin Levels in a Community-Based Sample. <i>Diabetes Care</i> , 2007, 30, 1278-1280. | 4.3 | 41 |
| 365 | Sleep disturbances independently predict heart failure in overweight middle-aged men. <i>European Journal of Heart Failure</i> , 2007, 9, 184-190. | 2.9 | 28 |
| 366 | Albuminuria and heart failure: is it an albuminuria or the hypertension? reply. <i>European Heart Journal</i> , 2007, 28, 2690-2690. | 1.0 | 1 |
| 367 | Low-grade albuminuria and the incidence of heart failure in a community-based cohort of elderly men. <i>European Heart Journal</i> , 2007, 28, 1739-1745. | 1.0 | 68 |
| 368 | Multimarker Approach to Evaluate the Incidence of the Metabolic Syndrome and Longitudinal Changes in Metabolic Risk Factors. <i>Circulation</i> , 2007, 116, 984-992. | 1.6 | 185 |
| 369 | Clinical Utility of Different Lipid Measures for Prediction of Coronary Heart Disease in Men and Women. <i>JAMA - Journal of the American Medical Association</i> , 2007, 298, 776. | 3.8 | 496 |
| 370 | Socioeconomic Factors as Predictors of Incident Heart Failure. <i>Journal of Cardiac Failure</i> , 2006, 12, 540-545. | 0.7 | 35 |
| 371 | Diurnal Blood Pressure Pattern and Risk of Congestive Heart Failure. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 2859. | 3.8 | 255 |
| 372 | Metabolic syndrome and risk for heart failure in middle-aged men. <i>Heart</i> , 2006, 92, 1409-1413. | 1.2 | 106 |
| 373 | Risk Associated With the Metabolic Syndrome Versus the Sum of Its Individual Components. <i>Diabetes Care</i> , 2006, 29, 1673-1674. | 4.3 | 98 |
| 374 | Congestive Heart Failure and Diurnal Blood Pressure Pattern—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2006, 296, 2799. | 3.8 | 0 |
| 375 | Insulin Resistance and Risk of Congestive Heart Failure. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 334. | 3.8 | 478 |
| 376 | The validity of a diagnosis of heart failure in a hospital discharge register. <i>European Journal of Heart Failure</i> , 2005, 7, 787-791. | 2.9 | 338 |
| 377 | Inflammation, as Measured by the Erythrocyte Sedimentation Rate, Is an Independent Predictor for the Development of Heart Failure. <i>Journal of the American College of Cardiology</i> , 2005, 45, 1802-1806. | 1.2 | 52 |
| 378 | Novel Metabolic Risk Factors for Heart Failure. <i>Journal of the American College of Cardiology</i> , 2005, 46, 2054-2060. | 1.2 | 94 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Myocardial performance index, a Doppler-derived index of global left ventricular function, predicts congestive heart failure in elderly men. <i>European Heart Journal</i> , 2004, 25, 2220-2225. | 1.0 | 104 |
| 380 | Islet expression of perforin, Fas/Apo-1 and interleukin-1 converting enzyme (ICE) in non-obese diabetic (NOD) mice. <i>Immunology Letters</i> , 1998, 63, 125-129. | 1.1 | 14 |