Davide Pizzocri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8261596/publications.pdf

Version: 2024-02-01

| | | 567281 | 610901 |
|----------|----------------|--------------|----------------|
| 35 | 602 | 15 | 24 |
| papers | citations | h-index | 24 g-index |
| | | | |
| | | | |
| | | | |
| 35 | 35 | 35 | 369 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | An investigation of FeCrAl cladding behavior under normal operating and loss of coolant conditions. Journal of Nuclear Materials, 2017, 491, 55-66. | 2.7 | 88 |
| 2 | Analysis of transient fission gas behaviour in oxide fuel using BISON and TRANSURANUS. Journal of Nuclear Materials, 2017, 486, 96-110. | 2.7 | 41 |
| 3 | SCIANTIX: A new open source multi-scale code for fission gas behaviour modelling designed for nuclear fuel performance codes. Journal of Nuclear Materials, 2020, 532, 152042. | 2.7 | 40 |
| 4 | Multiscale modeling of fission gas behavior in U3Si2 under LWR conditions. Journal of Nuclear Materials, 2019, 522, 97-110. | 2.7 | 34 |
| 5 | Critical assessment of the pore size distribution in the rim region of high burnup UO2 fuels. Journal of Nuclear Materials, 2016, 480, 138-149. | 2.7 | 31 |
| 6 | A model describing intra-granular fission gas behaviour in oxide fuel for advanced engineering tools. Journal of Nuclear Materials, 2018, 502, 323-330. | 2.7 | 31 |
| 7 | Properties of the high burnup structure in nuclear light water reactor fuel. Radiochimica Acta, 2017, 105, 893-906. | 1.2 | 29 |
| 8 | Microhardness and Young's modulus of high burn-up UO2 fuel. Journal of Nuclear Materials, 2016, 479, 447-454. | 2.7 | 27 |
| 9 | Application of the TRANSURANUS code for the fuel pin design process of the ALFRED reactor. Nuclear Engineering and Design, 2014, 277, 173-187. | 1.7 | 25 |
| 10 | An effective numerical algorithm for intra-granular fission gas release during non-equilibrium trapping and resolution. Journal of Nuclear Materials, 2018, 509, 687-699. | 2.7 | 22 |
| 11 | Modeling high burnup structure in oxide fuels for application to fuel performance codes. part I: High burnup structure formation. Journal of Nuclear Materials, 2020, 539, 152296. | 2.7 | 20 |
| 12 | A semi-empirical model for the formation and depletion of the high burnup structure in UO2. Journal of Nuclear Materials, 2017, 487, 23-29. | 2.7 | 18 |
| 13 | Modeling intra-granular fission gas bubble evolution and coarsening in uranium dioxide during in-pile transients. Journal of Nuclear Materials, 2020, 538, 152195. | 2.7 | 17 |
| 14 | PolyPole-1: An accurate numerical algorithm for intra-granular fission gas release. Journal of Nuclear Materials, 2016, 478, 333-342. | 2.7 | 16 |
| 15 | Helium solubility in oxide nuclear fuel: Derivation of new correlations for Henry's constant. Nuclear Engineering and Design, 2018, 340, 240-244. | 1.7 | 16 |
| 16 | Modelling and assessment of thermal conductivity and melting behaviour of MOX fuel for fast reactor applications. Journal of Nuclear Materials, 2020, 541, 152410. | 2.7 | 16 |
| 17 | Isotropic softening model for fuel cracking in BISON. Nuclear Engineering and Design, 2019, 342, 257-263. | 1.7 | 14 |
| 18 | Helium diffusivity in oxide nuclear fuel: Critical data analysis and new correlations. Nuclear Engineering and Design, 2018, 330, 265-271. | 1.7 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----------------|----------------------------------|
| 19 | Modelling of thermal conductivity and melting behaviour of minor actinide-MOX fuels and assessment against experimental and molecular dynamics data. Journal of Nuclear Materials, 2021, 557, 153312. | 2.7 | 12 |
| 20 | Towards a physics-based description of intra-granular helium behaviour in oxide fuel for application in fuel performance codes. Nuclear Engineering and Technology, 2021, 53, 562-571. | 2.3 | 10 |
| 21 | Assessment of three European fuel performance codes against the SUPERFACT-1 fast reactor irradiation experiment. Nuclear Engineering and Technology, 2021, 53, 3367-3378. | 2.3 | 10 |
| 22 | Modelling fission gas behaviour in fast reactor (U,Pu)O <mml:math altimg="si1.svg" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mrow></mml:mrow><mml:mn>2</mml:mn></mml:msub></mml:math> fuel with BISON. Journal of Nuclear Materials, 2021, 547, 152728. | 2.7 | 9 |
| 23 | A new burn-up module for application in fuel performance calculations targeting the helium production rate in (U,Pu)O2 for fast reactors. Nuclear Engineering and Technology, 2021, 53, 1893-1908. | 2.3 | 8 |
| 24 | Improvement of the BISON <mml:math altimg="si3.svg" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msub><mml:mtext>U</mml:mtext><mml:mn>3</mml:mn></mml:msub><modeling 153097.<="" 2021,="" 555,="" based="" behavior.="" capabilities="" developments="" fission="" gas="" journal="" materials,="" modeling="" multiscale="" nuclear="" of="" on="" td="" to=""><td>mml:msul 2.7</td><td>o> <mml:mtex< td=""></mml:mtex<></td></modeling></mml:mrow></mml:math> | mml:msul 2.7 | o> <mml:mtex< td=""></mml:mtex<> |
| 25 | Physics-based modelling and validation of inter-granular helium behaviour in SCIANTIX. Nuclear Engineering and Technology, 2022, 54, 2367-2375. | 2.3 | 7 |
| 26 | Modeling high burnup structure in oxide fuels for application to fuel performance codes. Part II: Porosity evolution. Journal of Nuclear Materials, 2022, 563, 153627. | 2.7 | 7 |
| 27 | Application of the SCIANTIX fission gas behaviour module to the integral pin performance in sodium fast reactor irradiation conditions. Nuclear Engineering and Technology, 2022, 54, 2395-2407. | 2.3 | 6 |
| 28 | Three-dimensional reconstruction from experimental two-dimensional images: Application to irradiated metallic fuel. Journal of Nuclear Materials, 2021, 548, 152843. | 2.7 | 5 |
| 29 | On the use of spectral algorithms for the prediction of short-lived volatile fission product release: Methodology for bounding numerical error. Nuclear Engineering and Technology, 2022, 54, 1195-1205. | 2.3 | 5 |
| 30 | Extension and application of the TRANSURANUS code to the normal operating conditions of the MYRRHA reactor. Nuclear Engineering and Design, 2022, 386, 111581. | 1.7 | 5 |
| 31 | Spaceship Earth. Space-driven technologies and systems for sustainability on ground. Acta Astronautica, 2015, 115, 195-205. | 3.2 | 4 |
| 32 | 3D reconstruction of two-phase random heterogeneous material from 2D sections: An approach via genetic algorithms. Nuclear Engineering and Technology, 2021, 53, 2968-2976. | 2.3 | 4 |
| 33 | A Continuum Dislocation Dynamics Crystal Plasticity Approach to Irradiated Body-Centered Cubic α-Iron. Journal of Engineering Materials and Technology, Transactions of the ASME, 2022, 144, . | 1.4 | 3 |
| 34 | Towards grain-scale modelling of the release of radioactive fission gas from oxide fuel. Part I: SCIANTIX. Nuclear Engineering and Technology, 2022, 54, 2771-2782. | 2.3 | 2 |
| 35 | On the intra-granular behaviour of a cocktail of inert gases in oxide nuclear fuel: Methodological recommendation for accelerated experimental investigation. Nuclear Engineering and Technology, 2021, , . | 2.3 | 0 |