Julien Fromonot

List of Publications by Year in descending order

32 papers	901 citations	623188 14 h-index	476904 29 g-index
36 all docs	36 docs citations	36 times ranked	1566 citing authors

#	Article	IF	Citations
1	Hypozincemia in the early stage of COVID-19 is associated with an increased risk of severe COVID-19. Clinical Nutrition, 2022, 41, 3115-3119.	2.3	19
2	Copeptin assays in children for the differential diagnosis of polyuriaâ€polydipsia syndrome and reference levels in hospitalized children. Clinical Endocrinology, 2022, 96, 47-53.	1.2	18
3	Adenosine, Adenosine Receptors and Neurohumoral Syncope: From Molecular Basis to Personalized Treatment. Biomedicines, 2022, 10, 1127.	1.4	8
4	Blood myeloperoxidaseâ€DNA, a biomarker of early response to SARSâ€CoVâ€2 infection?. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 892-896.	2.7	21
5	Elastase and exacerbation of neutrophil innate immunity are involved in multiâ€visceral manifestations of COVIDâ€19. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1846-1858.	2.7	59
6	Hyperhomocysteinemia and Cardiovascular Disease: Is the Adenosinergic System the Missing Link?. International Journal of Molecular Sciences, 2021, 22, 1690.	1.8	42
7	Predict Score: A New Biological and Clinical Tool to Help Predict Risk of Intensive Care Transfer for COVID-19 Patients. Biomedicines, 2021, 9, 566.	1.4	1
8	A2 Adenosine Receptor Subtypes Overproduction in Atria of Perioperative Atrial Fibrillation Patients Undergoing Cardiac Surgery: A Pilot Study. Frontiers in Cardiovascular Medicine, 2021, 8, 761164.	1.1	3
9	Homocysteine concentration and adenosine A_{2A} receptor production by peripheral blood mononuclear cells in coronary artery disease patients. Journal of Cellular and Molecular Medicine, 2020, 24, 8942-8949.	1.6	4
10	Sudden Onset Nephrotic-Range Proteinuria. Clinical Chemistry, 2019, 65, 600-601.	1.5	0
11	Uric acid levels are associated with endothelial dysfunction and severity of coronary atherosclerosis during a first episode of acute coronary syndrome. Purinergic Signalling, 2018, 14, 191-199.	1.1	38
12	Rapid differential diagnosis of diabetes insipidus in a 7-month-old infant: The copeptin approach. Archives De Pediatrie, 2018, 25, 45-47.	0.4	10
13	Troponins in scuba divers with immersion pulmonary edema. Bioscience Reports, 2018, 38, .	1.1	5
14	Arginase upregulation and eNOS uncoupling contribute to impaired endothelium-dependent vasodilation in a rat model of intrauterine growth restriction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2018, 315, R509-R520.	0.9	26
15	Spare Adenosine A2a Receptors Are Associated with Positive Exercise Stress Test in Coronary Artery Disease. Molecular Medicine, 2016, 22, 530-536.	1.9	21
16	Hyperoxia Improves Hemodynamic Status During Head-up Tilt Testing in Healthy Volunteers. Medicine (United States), 2016, 95, e2876.	0.4	4
17	Pleiotropic effects of ticagrelor: Myth or reality?. Archives of Cardiovascular Diseases, 2016, 109, 445-448.	0.7	6
18	Ticagrelor Improves Peripheral Arterial Function in Acute Coronary Syndrome Patients. Journal of the American College of Cardiology, 2016, 67, 1967-1968.	1.2	29

#	Article	IF	Citations
19	High homocysteine levels prevent via H₂S the CoCl₂â€induced alteration of lymphocyte viability. Journal of Cellular and Molecular Medicine, 2016, 20, 1411-1419.	1.6	11
20	A case of false positive cardiac troponin I in CANOMAD syndrome. International Journal of Cardiology, 2016, 222, 359-360.	0.8	1
21	Adenosine plasma level correlates with homocysteine and uric acid concentrations in patients with coronary artery disease. Canadian Journal of Physiology and Pharmacology, 2016, 94, 272-277.	0.7	20
22	Plasma Ultrasensitive Cardiac Troponin During Long-Term Follow-up of Heart Transplant Recipients. Journal of Cardiac Failure, 2015, 21, 103-107.	0.7	9
23	Effect of hyperoxic and hyperbaric conditions on the adenosinergic pathway and CD26 expression in rat. Journal of Applied Physiology, 2015, 119, 140-147.	1.2	16
24	Low basal expression of A2A adenosine receptors and increase in adenosine plasma concentration are associated with positive exercise stress testing. International Journal of Cardiology, 2015, 180, 15-17.	0.8	14
25	The effects of the Fenton reaction are limited by zeolites in vitro. Microporous and Mesoporous Materials, 2015, 201, 240-246.	2.2	3
26	Ticagrelor Increases Adenosine Plasma Concentration in Patients With an Acute Coronary Syndrome. Journal of the American College of Cardiology, 2014, 63, 872-877.	1.2	247
27	NF-ÎºB enhances hypoxia-driven T-cell immunosuppression via upregulation of adenosine A2A receptors. Cellular Signalling, 2014, 26, 1060-1067.	1.7	47
28	Purinergic profile of fainting divers is different from patients with vasovagal syncope. International Journal of Cardiology, 2014, 174, 741-743.	0.8	4
29	A case of false positive troponin elevation: Role of the biological laboratory. International Journal of Cardiology, 2013, 162, e66-e67.	0.8	8
30	Plasma adenosine release is associated with bradycardia and transient loss of consciousness during experimental breath-hold diving. International Journal of Cardiology, 2013, 168, e138-e141.	0.8	18
31	Ischemia-modified albumin and adenosine plasma concentrations are associated with severe systemic inflammatory response syndrome after cardiopulmonary bypass. Journal of Critical Care, 2013, 28, 747-755.	1.0	9
32	A2A adenosine receptor function in patients with vasovagal syncope. Europace, 2013, 15, 1328-1332.	0.7	21