

# Shiqing Xu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/826298/publications.pdf>

Version: 2024-02-01

76  
papers

1,823  
citations

257450

24  
h-index

289244

40  
g-index

78  
all docs

78  
docs citations

78  
times ranked

2224  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ca <sub>4</sub> (PO <sub>4</sub> ) <sub>2</sub> O:Eu <sup>2+</sup> red-emitting phosphor for solid-state lighting: structure, luminescent properties and white light emitting diode application. Journal of Materials Chemistry C, 2013, 1, 3194.	5.5	153
2	Coordination-Resolved Electron Spectrometrics. Chemical Reviews, 2015, 115, 6746-6810.	47.7	121
3	Inverse thermal quenching effect in lanthanide-doped upconversion nanocrystals for anti-counterfeiting. Journal of Materials Chemistry C, 2018, 6, 5427-5433.	5.5	103
4	Waste bones derived nitrogen-doped carbon with high micropore ratio towards supercapacitor applications. Journal of Colloid and Interface Science, 2019, 547, 92-101.	9.4	100
5	Ba <sub>2</sub> Ca(PO <sub>4</sub> ) <sub>2</sub> :Eu <sup>2+</sup> emission-tunable phosphor for solid-state lighting: luminescent properties and application as white light emitting diodes. Journal of Materials Chemistry C, 2013, 1, 5577.	5.5	69
6	Up-conversion luminescence in LaF <sub>3</sub> :Ho <sup>3+</sup> via two-wavelength excitation for use in solar cells. Journal of Materials Chemistry C, 2013, 1, 8023.	5.5	66
7	Recent progress on metal-organic framework-derived materials for sodium-ion battery anodes. Inorganic Chemistry Frontiers, 2020, 7, 567-582.	6.0	63
8	Mid-infrared fluorescence, energy transfer process and rate equation analysis in Er <sup>3+</sup> doped germanate glass. Scientific Reports, 2014, 4, 6060.	3.3	56
9	Intense multiphoton upconversion of Yb <sup>3+</sup> doped $\beta$ -NaYF <sub>4</sub> individual nanocrystals by saturation excitation. Journal of Materials Chemistry C, 2015, 3, 364-369.	5.5	55
10	Investigation of mid-infrared emission characteristics and energy transfer dynamics in Er <sup>3+</sup> doped oxyfluoride tellurite glass. Scientific Reports, 2015, 5, 10676.	3.3	54
11	Enhancing metallic lithium battery performance by tuning the electrolyte solution structure. Journal of Materials Chemistry A, 2018, 6, 1612-1620.	10.3	52
12	Akin solid-solid biphasic conversion of a Li-S battery achieved by coordinated carbonate electrolytes. Journal of Materials Chemistry A, 2019, 7, 12498-12506.	10.3	52
13	A portable all-fiber thermometer based on the fluorescence intensity ratio (FIR) technique in rare earth doped TeO <sub>2</sub> -WO <sub>3</sub> -La <sub>2</sub> O <sub>3</sub> -Na <sub>2</sub> O glass. Journal of Materials Chemistry C, 2018, 6, 7063-7069.	5.5	47
14	Enhancing negative thermal quenching effect via low-valence doping in two-dimensional confined core-shell upconversion nanocrystals. Journal of Materials Chemistry C, 2018, 6, 11587-11592.	5.5	45
15	Two-dimensional Co@N-Carbon Nanocomposites Facilely Derived from Metal-Organic Framework Nanosheets for Efficient Bifunctional Electrocatalysis. Chemistry - an Asian Journal, 2018, 13, 1485-1491.	3.3	39
16	Dual-mode color tuning based on upconversion core/triple-shell nanostructure. Journal of Materials Chemistry C, 2019, 7, 3342-3350.	5.5	35
17	Unraveling Morphology and Phase Control of NaLnF <sub>4</sub> Upconverting Nanocrystals. Journal of Physical Chemistry C, 2016, 120, 1342-1351.	3.1	32
18	Enhanced luminescence in Tb <sup>3+</sup> -doped germanate glass ceramic scintillators containing CaF <sub>2</sub> nanocrystals. Journal of the American Ceramic Society, 2019, 102, 1720-1725.	3.8	32

#	ARTICLE	IF	CITATIONS
19	Structural evolution and enhancement of luminescence in the Eu-doped oxyfluoride glass ceramics containing NaGdF <sub>4</sub> nanocrystals. <i>CrystEngComm</i> , 2013, 15, 7346.	2.6	30
20	The crystal structure and luminescence properties of novel Ce <sup>3+</sup> and Ce <sup>3+</sup> , Sm <sup>3+</sup> -activated Y <sub>4</sub> SiAlO <sub>8</sub> N phosphors for near-UV white LEDs. <i>New Journal of Chemistry</i> , 2016, 40, 5458-5466.	2.8	30
21	The electrical enhancement and reversible manipulation of near-infrared luminescence in Nd doped ferroelectric nanocomposites for optical switches. <i>Journal of Materials Chemistry C</i> , 2019, 7, 4320-4325.	5.5	28
22	Reversible enhanced upconversion luminescence by thermal and electric fields in lanthanide ions doped ferroelectric nanocomposites. <i>Science China Materials</i> , 2020, 63, 110-121.	6.3	27
23	Emerging strategies for the synthesis of monodisperse colloidal semiconductor quantum rods. <i>Journal of Materials Chemistry C</i> , 2015, 3, 8284-8293.	5.5	25
24	Modification of the crystal structure of Sr <sub>2</sub> xBa <sub>x</sub> Si(O,N) <sub>4</sub> :Eu <sup>2+</sup> phosphors to improve their luminescence properties. <i>CrystEngComm</i> , 2015, 17, 9123-9134.	2.6	24
25	Tm <sup>3+</sup> -doped lead silicate glass sensitized by Er <sup>3+</sup> for efficient ~2.1 μm mid-infrared laser material. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 199, 65-70.	3.9	24
26	2.1 μm emission properties and nonresonant energy transfer of Er <sup>3+</sup> and Ho <sup>3+</sup> codoped silicate glasses. <i>Scientific Reports</i> , 2016, 6, 37873.	3.3	23
27	Single-phased white-light emitting CaAl <sub>2</sub> Si <sub>2</sub> O <sub>8</sub> : Eu <sup>2+</sup> , Mn <sup>2+</sup> phosphors prepared by a sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2009, 50, 368-371.	2.4	21
28	Comprehensive studies of the Ag <sup>+</sup> effect on borosilicate glass ceramics containing Ag nanoparticles and Er-doped hexagonal NaYF <sub>4</sub> nanocrystals: morphology, structure, and 2.7 μm emission. <i>Nanophotonics</i> , 2018, 7, 913-923.	6.0	21
29	Dual-Wavelength Responsive Broad Range Multicolor Upconversion Luminescence for High-Capacity Photonic Barcodes. <i>Advanced Optical Materials</i> , 2021, 9, 2100197.	7.3	21
30	Broadband near-infrared emission property in Er <sup>3+</sup> /Ce <sup>3+</sup> co-doped silica-germanate glass for fiber amplifier. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 126, 53-58.	3.9	18
31	Luminescence properties of novel emission-tunable NaSr <sub>4</sub> xBa <sub>x</sub> (BO <sub>3</sub> ) <sub>3</sub> :yEu <sup>2+</sup> phosphors for white light emitting diodes. <i>RSC Advances</i> , 2015, 5, 85682-85690.	3.6	18
32	Synthesis, luminescence properties and electronic structure of Tb <sup>3+</sup> -doped Y <sub>4</sub> SiAlO <sub>8</sub> N:xTb <sup>3+</sup> a novel green phosphor with high thermal stability for white LEDs. <i>RSC Advances</i> , 2016, 6, 113249-113259.	3.6	17
33	Emission properties of 1.8 and 2.3 μm in Tm <sup>3+</sup> -doped fluoride glass. <i>Glass Physics and Chemistry</i> , 2017, 43, 340-346.	0.7	17
34	Fe <sup>3+</sup> -selective and sensitive on-off fluorescence probe based on the graphitic carbon nitride nanosheets. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 210, 341-347.	3.9	17
35	Cryogenic enabled multicolor upconversion luminescence of KLa(MoO <sub>4</sub> ) <sub>2</sub> :Yb <sup>3+</sup> /Ho <sup>3+</sup> for dual-mode anti-counterfeiting. <i>Dalton Transactions</i> , 2021, 50, 12234-12241.	3.3	16
36	R <sub>2</sub> O <sub>3</sub> (R = La, Y) modified erbium activated germanate glasses for mid-infrared 2.7 μm laser materials. <i>Scientific Reports</i> , 2015, 5, 13056.	3.3	15

#	ARTICLE	IF	CITATIONS
37	A Point Temperature Sensor Based on Upconversion Emission in Er <sup>3+</sup> /Yb <sup>3+</sup> Codoped Tellurite-Zinc-Niobium Glass. <i>Sensors</i> , 2017, 17, 1253.	3.8	15
38	Highly Efficient 2.84- $\mu\text{m}$ Emission in Ho <sup>3+</sup> /Yb <sup>3+</sup> Co-Doped Tellurite-Germanate Glass for Mid-Infrared Laser Materials. <i>IEEE Photonics Technology Letters</i> , 2017, 29, 1498-1501.	2.5	14
39	Investigation of Tm <sup>3+</sup> /Yb <sup>3+</sup> co-doped germanate-tellurite glasses for efficient 2.8 $\mu\text{m}$ mid-infrared laser materials. <i>Applied Physics B: Lasers and Optics</i> , 2018, 124, 1.	2.2	14
40	Luminescence properties and crystal structure of $\text{Sr}_2\text{Si}_3\text{O}_{10}\text{N}_x\text{Eu}^{2+}$ phosphors with different concentrations of N <sup>3-</sup> ions. <i>RSC Advances</i> , 2015, 5, 62659-62669.	3.6	13
41	Excitation-power responsive upconversion logic operations based on the multiphoton process of a praseodymium ion. <i>Journal of Materials Chemistry C</i> , 2020, 8, 2970-2974.	5.5	12
42	The influence of TeO <sub>2</sub> on thermal stability and 1.53 $\mu\text{m}$ spectroscopic properties in Er <sup>3+</sup> doped oxyfluorite glasses. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 150, 162-169.	3.9	11
43	Intense 2.7 $\mu\text{m}$ emission in Er <sup>3+</sup> doped zinc fluoride glass. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 179, 42-45.	3.9	11
44	3D Simulation of Borosilicate Glass All-Electric Melting Furnaces. <i>Journal of the American Ceramic Society</i> , 2014, 97, 141-149.	3.8	10
45	Luminescence properties of single-phase color-tunable $\text{Li}_4\text{SrCa}(\text{Si}_2\text{O}_4)_x\text{N}_{8/3}\text{Eu}^{2+}$ phosphor for white light-emitting diodes. <i>RSC Advances</i> , 2016, 6, 38731-38740.	3.6	10
46	Influences of reaction temperature, holding time and S/Zn molar ratio on structure, morphology, optical and electrical properties of ZnS nanoparticles synthesized by hydrothermal method. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 1089-1099.	2.2	10
47	Promote the threshold of Tm <sup>3+</sup> concentration using an inert-core/active-shell structure. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9183-9186.	5.5	9
48	2.8 $\mu\text{m}$ emission and OH quenching analysis in Ho <sup>3+</sup> doped fluorotellurite-germanate glasses sensitized by Yb <sup>3+</sup> and Er <sup>3+</sup> . <i>Scientific Reports</i> , 2017, 7, 16794.	3.3	9
49	Effects of Tm <sup>3+</sup> concentration on upconversion luminescence and temperature-sensing behavior in Tm <sup>3+</sup> /Yb <sup>3+</sup> :Y <sub>2</sub> O <sub>3</sub> nanocrystals. <i>Luminescence</i> , 2018, 33, 1262-1267.	2.9	9
50	The use of zinc ions to control the size of Yb/Er:KMnF <sub>3</sub> nanocrystals with single band emission. <i>CrystEngComm</i> , 2015, 17, 8457-8462.	2.6	8
51	Eu <sup>3+</sup> -doped ionogel-functionalized carbon dot monoliths with bright white photoluminescence. <i>RSC Advances</i> , 2016, 6, 72149-72154.	3.6	8
52	Orange- to green-emitting Li(Sr,Ca) <sub>4</sub> (BO <sub>3</sub> ) <sub>3</sub> :Eu <sup>2+</sup> phosphor: emission-tunable properties and white light emitting diode application. <i>RSC Advances</i> , 2016, 6, 82824-82831.	3.6	8
53	Upconversion logic gates based on dual-wavelength excitation. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 285103.	2.8	8
54	Cryogenic Dependent Energy Manipulation in Nonthermally Coupled Levels for Multicolor Upconversion Luminescence. <i>Journal of Physical Chemistry C</i> , 2021, 125, 19040-19047.	3.1	8

#	ARTICLE	IF	CITATIONS
55	Influence of Li <sub>2</sub> CO <sub>3</sub> additions to CaSiO <sub>3</sub> ·Al <sub>2</sub> O <sub>3</sub> ceramics on sintering temperature and microwave dielectric properties. Journal of the Ceramic Society of Japan, 2014, 122, 125-128.	1.1	7
56	The progress of single-band upconversion nanomaterials. RSC Advances, 2016, 6, 81076-81084.	3.6	7
57	Microstructure, Hardness Evolution, and Thermal Stability Mechanism of Mechanical Alloyed Cu-Nb Alloy during Heat Treatment. Metals, 2016, 6, 194.	2.3	6
58	Effect of Co <sup>2+</sup> substitution on sintering behavior and microwave dielectric properties of Ca(Mg <sub>0.92</sub> Co <sub>0.08</sub> ) <sub>2</sub> Si <sub>2</sub> O <sub>7</sub> ceramics. Journal of the Ceramic Society of Japan, 2015, 123, 1080-1083.	1.1	5
59	Tunable and white light emitting ALPO <sub>4</sub> mesoporous glass by design of inorganic/organic luminescent species. APL Materials, 2015, 3, 046101.	5.1	5
60	Efficient Controllable NIR-MIR Luminescence Conversion in Optical Nanostructured Silicate Glasses. Journal of Physical Chemistry C, 2019, 123, 14662-14668.	3.1	5
61	Synthesis and spectroscopic characterization of Ho <sup>3+</sup> /Tm <sup>3+</sup> /Pr <sup>3+</sup> doped fluorophosphate glass. Journal of Materials Science: Materials in Electronics, 2013, 24, 866-870.	2.2	4
62	Mid-Infrared 2.86- $\mu\text{m}$ Emission Characteristics in Highly Dy <sup>3+</sup> Doped Fluoroaluminate Glass. IEEE Photonics Technology Letters, 2016, 28, 429-432.	2.5	4
63	Enhanced single-band red upconversion emission in Yb/Er: Na <sub>3</sub> ZrF <sub>7</sub> @Yb: Na <sub>3</sub> ZrF <sub>7</sub> active-core/active-shell nanocrystals. Materials Letters, 2017, 199, 9-12.	2.6	4
64	Hydrothermal Synthesis and Upconversion Luminescence of Ho <sup>3+</sup> /Yb <sup>3+</sup> Co-doped PbTiO <sub>3</sub> . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2019, 645, 1111-1117.	1.2	4
65	Controlling red upconversion luminescence in Gd <sub>2</sub> O <sub>3</sub> :Yb <sup>3+</sup> Er <sup>3+</sup> nanoparticles by changing the different atmosphere. RSC Advances, 2016, 6, 101707-101713.	3.6	3
66	Simulation of Molten Glass Evolution from Spout Lip to Tin Bath. International Journal of Applied Glass Science, 2016, 7, 492-502.	2.0	3
67	Nanoscale engineering of ionic environment for efficient mid-infrared luminescence via electric polarization. Journal of Materials Chemistry C, 2019, 7, 490-494.	5.5	3
68	Tunable mid-infrared luminescence from Er <sup>3+</sup> -doped germanate glass. Luminescence, 2015, 30, 707-713.	2.9	2
69	Observation of Midinfrared 4- $\mu\text{m}$ Emission in Ho <sup>3+</sup> -Doped Fluoroaluminate Glasses. IEEE Photonics Technology Letters, 2015, 27, 959-962.	2.5	2
70	Combination of Ionic Liquid and Sonication: a Fast, Mild and Green Way to Fabricate Europium-doped Lanthanide Nanophosphates. ChemistrySelect, 2016, 1, 4861-4867.	1.5	2
71	Structural origins, tunable photoluminescence governed by impurities and white-light irradiation in transparent Pr <sup>3+</sup> :BaTiO <sub>3</sub> glass-ceramics. CrystEngComm, 2019, 21, 3613-3618.	2.6	2
72	Sintering behavior and dielectric properties of Al <sub>2</sub> O <sub>3</sub> ceramics with CaMgSi <sub>2</sub> O <sub>6</sub> addition. Journal of the Ceramic Society of Japan, 2012, 120, 268-271.	1.1	1

#	ARTICLE	IF	CITATIONS
73	Analysis of structure origin and luminescence properties of Yb <sup>3+</sup> /Er <sup>3+</sup> co-doped fluorophosphate glass. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 129, 235-240.	3.9	1
74	Reply to the Comments on "A New Method to Optimize Furnace Designs Using Daily Flow Rates to Maximize Energy Savings in the Steady Production". <i>Journal of the American Ceramic Society</i> , 2010, 93, 1804-1804.	3.8	0
75	Multiple logic gates system based on dual-wavelength triggered enhancing upconversion luminescence of Gd <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub> :Yb <sup>3+</sup> /Er <sup>3+</sup> . <i>Journal of the American Ceramic Society</i> , 0, , .	3.8	0
76	High efficient upconversion luminescence of NaGdF <sub>4</sub> : Yb <sup>3+</sup> /Er <sup>3+</sup> nanoparticle: first-principles calculation, dual-wavelength stimuli and logic gate application. <i>Materials Technology</i> , 0, , 1-10.	3.0	0