

Kanlayanee Sawanyawisuth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8263459/publications.pdf>

Version: 2024-02-01

61
papers

999
citations

471371

17
h-index

501076

28
g-index

61
all docs

61
docs citations

61
times ranked

1400
citing authors

#	ARTICLE	IF	CITATIONS
1	Annexin A1 Is a Potential Prognostic Marker for, and Enhances the Metastasis of, Cholangiocarcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2022, 23, 715-721.	0.5	1
2	Multiple actions of NMS-P715, the monopolar spindle 1 (MPS1) mitotic checkpoint inhibitor in liver fluke-associated cholangiocarcinoma cells. <i>European Journal of Pharmacology</i> , 2022, 922, 174899.	1.7	4
3	HMG3 represses transcription of epithelial regulators to promote migration of cholangiocarcinoma in a SNAI2-dependent manner. <i>FASEB Journal</i> , 2022, 36, .	0.2	3
4	A new secoiridoid glycoside and other constituents from the roots and flowers of <i>Fagraea fragrans</i> Roxb. (Gentianaceae). <i>Natural Product Research</i> , 2021, 35, 3908-3917.	1.0	6
5	Reversine, a selective MPS1 inhibitor, induced autophagic cell death via diminished glucose uptake and ATP production in cholangiocarcinoma cells. <i>PeerJ</i> , 2021, 9, e10637.	0.9	6
6	High Monopolar Spindle 1 Is Associated with Short Survival of Cholangiocarcinoma Patients and Enhances the Progression Via AKT and STAT3 Signaling Pathways. <i>Biomedicines</i> , 2021, 9, 68.	1.4	1
7	Epithelial-Mesenchymal Transition in Liver Fluke-Induced Cholangiocarcinoma. <i>Cancers</i> , 2021, 13, 791.	1.7	4
8	FOXM1c is the predominant FOXM1 isoform expressed in cholangiocarcinoma that associated with metastatic potential and poor prognosis of patients. <i>Heliyon</i> , 2021, 7, e06846.	1.4	7
9	Five-(Tetradecyloxy)-2-furoic Acid Alleviates Cholangiocarcinoma Growth by Inhibition of Cell-cycle Progression and Induction of Apoptosis. <i>Anticancer Research</i> , 2021, 41, 3389-3400.	0.5	1
10	High Glucose Induced Upregulation of Cyclin a Associating with a Short Survival of Patients with Cholangiocarcinoma: A Potential Target for Treatment of Patients with Diabetes Mellitus. <i>Nutrition and Cancer</i> , 2021, , 1-11.	0.9	1
11	FOXM1 inhibitor, Siomycin A, synergizes and restores 5-FU cytotoxicity in human cholangiocarcinoma cell lines via targeting thymidylate synthase. <i>Life Sciences</i> , 2021, 286, 120072.	2.0	9
12	CD147 augmented monocarboxylate transporter-1/4 expression through modulation of the Akt-FoxO3-NF- κ B pathway promotes cholangiocarcinoma migration and invasion. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 211-222.	2.1	13
13	The O-GalNAcylating enzyme GALNT5 mediates carcinogenesis and progression of cholangiocarcinoma via activation of AKT/ERK signaling. <i>Glycobiology</i> , 2020, 30, 312-324.	1.3	27
14	Clinical features and course of <i>Angiostrongylus cantonensis</i> eosinophilic meningitis in patients receiving supportive therapy. <i>Food and Waterborne Parasitology</i> , 2020, 21, e00095.	1.1	5
15	Functional and genetic characterization of three cell lines derived from a single tumor of an <i>Opisthorchis viverrini</i> -associated cholangiocarcinoma patient. <i>Human Cell</i> , 2020, 33, 695-708.	1.2	69
16	Role of inhaled corticosteroids for asthma exacerbation in children: An updated meta-analysis. <i>Journal of Emergencies, Trauma and Shock</i> , 2020, 13, 161.	0.3	1
17	Chromomycin A3 suppresses cholangiocarcinoma growth by induction of S phase cell cycle arrest and suppression of Sp1-related anti-apoptotic proteins. <i>International Journal of Molecular Medicine</i> , 2020, 45, 1005-1016.	1.8	2
18	Antitumor effects of flavopiridol, a cyclin-dependent kinase inhibitor, on human cholangiocarcinoma in vitro and in an in vivo xenograft model. <i>Heliyon</i> , 2019, 5, e01675.	1.4	20

#	ARTICLE	IF	CITATIONS
19	Terminal fucose mediates progression of human cholangiocarcinoma through EGF/EGFR activation and the Akt/Erk signaling pathway. <i>Scientific Reports</i> , 2019, 9, 17266.	1.6	17
20	Increase of MAL-II Binding Alpha2,3-Sialylated Glycan Is Associated with 5-FU Resistance and Short Survival of Cholangiocarcinoma Patients. <i>Medicina (Lithuania)</i> , 2019, 55, 761.	0.8	13
21	O-GlcNAc-induced nuclear translocation of hnRNP K is associated with progression and metastasis of cholangiocarcinoma. <i>Molecular Oncology</i> , 2019, 13, 338-357.	2.1	24
22	Blocking of methionine aminopeptidase-2 by TNP-470 induces apoptosis and increases chemosensitivity of cholangiocarcinoma. <i>Journal of Cancer Research and Therapeutics</i> , 2019, 15, 148.	0.3	3
23	Prognostic biomarkers for cholangiocarcinoma and their clinical implications. <i>Expert Review of Anticancer Therapy</i> , 2018, 18, 579-592.	1.1	10
24	Clinical significance of GalNAcylated glycans in cholangiocarcinoma: Values for diagnosis and prognosis. <i>Clinica Chimica Acta</i> , 2018, 477, 66-71.	0.5	8
25	The Importance of CYP19A1 in Estrogen Receptor-Positive Cholangiocarcinoma. <i>Hormones and Cancer</i> , 2018, 9, 408-419.	4.9	10
26	An aberrantly spliced isoform of anterior gradient-2, AGR2vH promotes migration and invasion of cholangiocarcinoma cell. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 109-116.	2.5	12
27	O-GlcNAcylation mediates metastasis of cholangiocarcinoma through FOXO3 and MAN1A1. <i>Oncogene</i> , 2018, 37, 5648-5665.	2.6	26
28	Artesunate and chloroquine induce cytotoxic activity on cholangiocarcinoma cells via different cell death mechanisms. <i>Cellular and Molecular Biology</i> , 2018, 64, 113-118.	0.3	5
29	Translational cancer research towards Thailand 4.0. <i>ScienceAsia</i> , 2018, 44S, 11.	0.2	0
30	Artesunate and chloroquine induce cytotoxic activity on cholangiocarcinoma cells via different cell death mechanisms. <i>Cellular and Molecular Biology</i> , 2018, 64, 113-118.	0.3	1
31	High glucose levels boost the aggressiveness of highly metastatic cholangiocarcinoma cells via O-GlcNAcylation. <i>Scientific Reports</i> , 2017, 7, 43842.	1.6	75
32	Upregulation of CD147 Promotes Metastasis of Cholangiocarcinoma by Modulating the Epithelial-to-Mesenchymal Transitional Process. <i>Oncology Research</i> , 2017, 25, 1047-1059.	0.6	14
33	Overexpression of lactate dehydrogenase A in cholangiocarcinoma is correlated with poor prognosis. <i>Histology and Histopathology</i> , 2017, 32, 503-510.	0.5	27
34	Metformin Exerts Antiproliferative and Anti-metastatic Effects Against Cholangiocarcinoma Cells by Targeting STAT3 and NF- κ B. <i>Anticancer Research</i> , 2017, 37, 115-124.	0.5	48
35	Suppression of trophoblast cell surface antigen 2 enhances proliferation and migration in liver fluke-associated cholangiocarcinoma. <i>Annals of Hepatology</i> , 2016, 15, 71-81.	0.6	18
36	Age is associated with latent tuberculosis in nurses. <i>Asian Pacific Journal of Tropical Disease</i> , 2016, 6, 940-942.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Establishment and characterization of a novel human cholangiocarcinoma cell line with high metastatic activity. <i>Oncology Reports</i> , 2016, 36, 1435-1446.	1.2	24
38	Mechanistic insights of O-GlcNAcylation that promote progression of cholangiocarcinoma cells via nuclear translocation of NF- κ B. <i>Scientific Reports</i> , 2016, 6, 27853.	1.6	43
39	Thymosin β 10 as a predictive biomarker of response to 5-fluorouracil chemotherapy in cholangiocarcinoma. <i>Annals of Hepatology</i> , 2016, 15, 577-85.	0.6	11
40	Secreted cyclophilin A mediates G1/S phase transition of cholangiocarcinoma cells via CD147/ERK1/2 pathway. <i>Tumor Biology</i> , 2015, 36, 849-859.	0.8	23
41	Improve discrimination power of serum markers for diagnosis of cholangiocarcinoma using data mining-based approach. <i>Clinical Biochemistry</i> , 2015, 48, 668-673.	0.8	27
42	Cancer biomarker discovery for cholangiocarcinoma: the high-throughput approaches. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014, 21, 388-396.	1.4	26
43	Association between cellular radiosensitivity and G1/G2 checkpoint proficiencies in human cholangiocarcinoma cell lines. <i>International Journal of Oncology</i> , 2014, 45, 1159-1166.	1.4	9
44	EFFECT OF THE ANTIPARASITIC DRUG MEBENDAZOLE ON CHOLANGIOCARCINOMA GROWTH. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2014, 45, 1264-70.	1.0	10
45	Suppression of thymosin β 10 increases cell migration and metastasis of cholangiocarcinoma. <i>BMC Cancer</i> , 2013, 13, 430.	1.1	21
46	How Can Clinicians Ensure the Diagnosis of Meningitic Angiostrongyliasis?. <i>Vector-Borne and Zoonotic Diseases</i> , 2012, 12, 73-75.	0.6	9
47	A novel carbohydrate antigen expression during development of <i>Opisthorchis viverrini</i> - associated cholangiocarcinoma in golden hamster: A potential marker for early diagnosis. <i>Parasitology International</i> , 2012, 61, 151-154.	0.6	17
48	Serial analysis of gene expression reveals promising therapeutic targets for liver fluke-associated cholangiocarcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13 Suppl, 89-93.	0.5	8
49	High expression of ABCC1 indicates poor prognosis in intrahepatic cholangiocarcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13 Suppl, 125-30.	0.5	10
50	Possible involvement of cyclophilin A processing in fumagillin-induced suppression of cholangiocarcinoma cell proliferation. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13 Suppl, 137-41.	0.5	0
51	Cepharanthine suppresses metastatic potential of human cholangiocarcinoma cell lines. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13 Suppl, 149-54.	0.5	8
52	Cyclophilin A enhances cell proliferation and tumor growth of liver fluke-associated cholangiocarcinoma. <i>Molecular Cancer</i> , 2011, 10, 102.	7.9	48
53	Specificity of immunoblotting analyses in eosinophilic meningitis. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011, 106, 570-572.	0.8	15
54	Peripheral eosinophilia as an indicator of meningitic angiostrongyliasis in exposed individuals. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2010, 105, 942-944.	0.8	16

#	ARTICLE	IF	CITATIONS
55	Drug Target in Eosinophilic Meningitis Caused by <i>Angiostrongylus cantonensis</i> . <i>Infectious Disorders - Drug Targets</i> , 2010, 10, 322-328.	0.4	3
56	Clinical Factors Predictive of Encephalitis Caused by <i>Angiostrongylus cantonensis</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 81, 698-701.	0.6	44
57	Can workplaces be predictors for recent onset latent tuberculosis in health care workers?. <i>Journal of Occupational Medicine and Toxicology</i> , 2009, 4, 20.	0.9	11
58	Genes and cholangiocarcinoma. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2009, 40, 701-12.	1.0	9
59	Treatment of angiostrongyliasis. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 990-996.	0.7	72
60	Decreased expression of galectin-3 is associated with metastatic potential of liver fluke-associated cholangiocarcinoma. <i>European Journal of Cancer</i> , 2008, 44, 619-626.	1.3	27
61	Methionine aminopeptidase 2 over-expressed in cholangiocarcinoma: Potential for drug target. <i>Acta Oncologica</i> , 2007, 46, 378-385.	0.8	16