

Marta Rava

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8263601/publications.pdf>

Version: 2024-02-01

52
papers

1,353
citations

331259

21
h-index

377514

34
g-index

55
all docs

55
docs citations

55
times ranked

2824
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictors of low-level HIV viraemia and virological failure in the era of integrase inhibitors: A Spanish nationwide cohort. <i>HIV Medicine</i> , 2022, 23, 825-836.	1.0	5
2	Low CD4/CD8 ratio is associated with increased morbidity and mortality in late and non-late presenters: results from a multicentre cohort study, 2004-2018. <i>BMC Infectious Diseases</i> , 2022, 22, 379.	1.3	5
3	Associations of modern initial antiretroviral drug regimens with all-cause mortality in adults with HIV in Europe and North America: a cohort study. <i>Lancet HIV</i> , 2022, 9, e404-e413.	2.1	10
4	Deciphering the complex interplay between pancreatic cancer, diabetes mellitus subtypes and obesity/BMI through causal inference and mediation analyses. <i>Gut</i> , 2021, 70, gutjnl-2019-319990.	6.1	36
5	Late presentation for HIV impairs immunological but not virological response to antiretroviral treatment. <i>Aids</i> , 2021, 35, 1283-1293.	1.0	13
6	Late presentation for HIV remains a major health issue in Spain: Results from a multicenter cohort study, 2004-2018. <i>PLoS ONE</i> , 2021, 16, e0249864.	1.1	25
7	COVID-19 in hospitalized HIV-positive and HIV-negative patients: A matched study. <i>HIV Medicine</i> , 2021, 22, 867-876.	1.0	21
8	Are Reduced Levels of Coagulation Proteins Upon Admission Linked to COVID-19 Severity and Mortality?. <i>Frontiers in Medicine</i> , 2021, 8, 718053.	1.2	7
9	Effects of first-line antiretroviral therapy on the CD4/CD8 ratio and CD8 cell counts in CoRIS: a prospective multicentre cohort study. <i>Lancet HIV</i> , 2020, 7, e565-e573.	2.1	42
10	Effectiveness and safety of first-line antiretroviral regimens in clinical practice: a multicentre cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 3004-3014.	1.3	5
11	High-Risk Sexual Practices Contribute to HIV-1 Double Infection Among Men Who Have Sex with Men in Madrid. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 896-904.	0.5	3
12	Immunohistochemistry-Based Taxonomical Classification of Bladder Cancer Predicts Response to Neoadjuvant Chemotherapy. <i>Cancers</i> , 2020, 12, 1784.	1.7	28
13	CD8+ Cytotoxic Immune Infiltrate in Non-Muscle Invasive Bladder Cancer: A Standardized Methodology to Study Association with Clinico-Pathological Features and Prognosis. <i>Bladder Cancer</i> , 2019, 5, 159-169.	0.2	5
14	Pancreatic cancer and autoimmune diseases: An association sustained by computational and epidemiological case-control approaches. <i>International Journal of Cancer</i> , 2019, 144, 1540-1549.	2.3	11
15	Diagnostic and Prognostic Performance of Secreted Protein Acidic and Rich in Cysteine (SPARC) Assay for Detecting Primary and Recurrent Urinary Bladder Cancer. <i>Proteomics - Clinical Applications</i> , 2019, 13, 1800148.	0.8	7
16	Risk of pancreatic cancer associated with family history of cancer and other medical conditions by accounting for smoking among relatives. <i>International Journal of Epidemiology</i> , 2018, 47, 473-483.	0.9	29
17	Asthma status is associated with decreased risk of aggressive urothelial bladder cancer. <i>International Journal of Cancer</i> , 2018, 142, 470-476.	2.3	10
18	Bladder Cancer Genetic Susceptibility. A Systematic Review. <i>Bladder Cancer</i> , 2018, 4, 215-226.	0.2	33

#	ARTICLE	IF	CITATIONS
19	Reduced risk of pancreatic cancer associated with asthma and nasal allergies. <i>Gut</i> , 2017, 66, 314-322.	6.1	56
20	Cured meat intake is associated with worsening asthma symptoms. <i>Thorax</i> , 2017, 72, 206-212.	2.7	38
21	Clinical markers of asthma and IgE assessed in parents before conception predict asthma and hayfever in the offspring. <i>Clinical and Experimental Allergy</i> , 2017, 47, 627-638.	1.4	12
22	Serum cytokine profiles as predictors of asthma control in adults from the EGEA study. <i>Respiratory Medicine</i> , 2017, 125, 57-64.	1.3	17
23	A systems approach identifies time-dependent associations of multimorbidities with pancreatic cancer risk. <i>Annals of Oncology</i> , 2017, 28, 1618-1624.	0.6	20
24	Genes Interacting with Occupational Exposures to Low Molecular Weight Agents and Irritants on Adult-Onset Asthma in Three European Studies. <i>Environmental Health Perspectives</i> , 2017, 125, 207-214.	2.8	23
25	Development and Validation of Urine-based Peptide Biomarker Panels for Detecting Bladder Cancer in a Multi-center Study. <i>Clinical Cancer Research</i> , 2016, 22, 4077-4086.	3.2	90
26	Inflammatory-Related Genetic Variants in Non-muscle-Invasive Bladder Cancer Prognosis: A Multimarker Bayesian Assessment. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1144-1150.	1.1	8
27	Women using bleach for home cleaning are at increased risk of non-allergic asthma. <i>Respiratory Medicine</i> , 2016, 117, 264-271.	1.3	50
28	Serum club cell protein 16 is associated with asymptomatic airway responsiveness in adults: Findings from the French epidemiological study on the genetics and environment of asthma. <i>Respirology</i> , 2015, 20, 1198-1205.	1.3	6
29	Measurement of a Urinary Marker (8-hydroxydeoxyguanosine, 8-OHdG) of DNA Oxidative Stress in Epidemiological Surveys: A Pilot Study. <i>International Journal of Biological Markers</i> , 2015, 30, 341-345.	0.7	31
30	A score for measuring health risk perception in environmental surveys. <i>Science of the Total Environment</i> , 2015, 527-528, 270-278.	3.9	25
31	Gene-environment interactions in the study of asthma in the postgenomewide association studies era. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2015, 15, 70-78.	1.1	34
32	Prospective cohort study of cured meat intake and asthma symptom score in the EGEA study. , 2015, . .		0
33	Exhaled nitric oxide, nitrite/nitrate levels, allergy, rhinitis and asthma in the EGEA study. <i>European Respiratory Journal</i> , 2014, 44, 351-360.	3.1	22
34	Use of household cleaning products, exhaled nitric oxide and lung function in females. <i>European Respiratory Journal</i> , 2014, 44, 816-818.	3.1	10
35	Inflammatory Biomarkers and Bladder Cancer Prognosis: A Systematic Review. <i>European Urology</i> , 2014, 66, 1078-1091.	0.9	86
36	Selection of genes for gene-environment interaction studies: a candidate pathway-based strategy using asthma as an example. <i>Environmental Health</i> , 2013, 12, 56.	1.7	11

#	ARTICLE	IF	CITATIONS
37	Serum levels of Clara cell secretory protein, asthma, and lung function in the adult general population. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 230-232.e6.	1.5	33
38	Foetal exposure to maternal stressful events increases the risk of having asthma and atopic diseases in childhood. <i>Pediatric Allergy and Immunology</i> , 2012, 23, 724-729.	1.1	86
39	Plasma and exhaled breath condensate nitrite/nitrate level in relation to environmental exposures in adults in the EGEA study. <i>Nitric Oxide - Biology and Chemistry</i> , 2012, 27, 169-175.	1.2	14
40	Proximity to wood industries and respiratory symptoms in children: A sensitivity analysis. <i>Environment International</i> , 2012, 38, 37-44.	4.8	13
41	Trends in the prevalence of asthma and allergic rhinitis in Italy between 1991 and 2010. <i>European Respiratory Journal</i> , 2012, 39, 883-892.	3.1	184
42	Spatial analysis of binary health indicators with local smoothing techniques. <i>Science of the Total Environment</i> , 2012, 414, 380-386.	3.9	10
43	Quality evaluation of JAMA Patient Pages on diabetes using the Ensuring Quality Information for Patient (EQIP) tool. <i>Primary Care Diabetes</i> , 2011, 5, 257-263.	0.9	21
44	Incidence of respiratory and allergic symptoms in Italian and immigrant children. <i>Respiratory Medicine</i> , 2011, 105, 204-210.	1.3	26
45	Proximity to wood factories and hospitalizations for respiratory diseases in children. <i>Science of the Total Environment</i> , 2011, 410-411, 80-86.	3.9	13
46	Does attainment status for the PM10 National Air Ambient Quality Standard change the trend in ambient levels of particulate matter?. <i>Air Quality, Atmosphere and Health</i> , 2011, 4, 133-143.	1.5	3
47	Proximity to chipboard industries increases the risk of respiratory and irritation symptoms in children. <i>Science of the Total Environment</i> , 2010, 408, 511-517.	3.9	35
48	Asthmatics and ex-smokers respond early, heavy smokers respond late to mailed surveys in Italy. <i>Respiratory Medicine</i> , 2010, 104, 172-179.	1.3	29
49	Proximity to Wood Factories and Respiratory Health Risks: The Viadana Study. <i>Epidemiology</i> , 2009, 20, S24-S25.	1.2	0
50	Mutagenic properties of PM2.5 air pollution in the Padana Plain (Italy) before and in the course of XX Winter Olympic Games of "Torino 2006". <i>Environment International</i> , 2008, 34, 966-970.	4.8	23
51	A predictive model for the home outdoor exposure to nitrogen dioxide. <i>Science of the Total Environment</i> , 2007, 384, 163-170.	3.9	8
52	Endothelial adhesion molecule expression is unaltered in the peripheral nerve from patients with AIDS and distal sensory polyneuropathy. <i>Journal of Neuroimmunology</i> , 2006, 178, 111-116.	1.1	2