

Da-Qing Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8264503/publications.pdf>

Version: 2024-02-01

105
papers

2,291
citations

172457

29
h-index

254184

43
g-index

106
all docs

106
docs citations

106
times ranked

1800
citing authors

#	ARTICLE	IF	CITATIONS
1	Visible-Light-Induced <i>para</i> -Difluoroalkylation of Aniline Derivatives. <i>Journal of Organic Chemistry</i> , 2022, 87, 3546-3554.	3.2	11
2	Palladium-Catalyzed Isoquinoline Synthesis by Tandem C-H Alkylation and Oxidative Cyclization of Benzylamines with Allyl Acetate. <i>Organic Letters</i> , 2021, 23, 4209-4213.	4.6	5
3	Direct <i>para</i> -Selective C-H Amination of Iodobenzenes: Highly Efficient Approach for the Synthesis of Diarylamines. <i>Journal of Organic Chemistry</i> , 2021, 86, 8226-8235.	3.2	2
4	Palladium-catalyzed <i>ortho</i> -selective C-H hydroxylation of carboxybenzyl-protected benzylamines. <i>Organic Chemistry Frontiers</i> , 2020, 7, 1703-1708.	4.5	9
5	The protecting group enabled <i>para</i> -selective C-H benzylation of anilides <i>via</i> iron(II) catalysis: a convenient approach for the synthesis of triarylmethanes. <i>Organic Chemistry Frontiers</i> , 2020, 7, 1823-1827.	4.5	7
6	Direct <i>ortho</i> -Selective C-H Functionalization of Carboxybenzyl-Protected Arylalkylamines via Ir(III)-Catalyzed C-H Activation. <i>Organic Letters</i> , 2018, 20, 2454-2458.	4.6	19
7	Ruthenium-Catalyzed Carbonylation of Oxalyl Amide-Protected Benzylamines with Isocyanate as the Carbonyl Source. <i>Journal of Organic Chemistry</i> , 2017, 82, 6831-6839.	3.2	41
8	Palladium-catalyzed direct <i>ortho</i> -alkynylation of arylalkylacid derivatives at \hat{I}^3 and \hat{I}^1 positions via an N,O-bidentate directing group. <i>Organic Chemistry Frontiers</i> , 2017, 4, 1931-1934.	4.5	14
9	Pd-Catalyzed regioselective sequential <i>meta</i> -, <i>ortho</i> -C-H functionalization of arenes: a predictable approach to the synthesis of polysubstituted \hat{I}^2 -arylethylamines. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 5112-5116.	2.8	9
10	Microwave-assisted synthesis of novel hetero[5]helicene-like molecules and coumarin derivatives. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 7909-7916.	2.8	7
11	Microwave-Assisted Regioselective Synthesis of 3-Functionalized Indole Derivatives via Three-Component Domino Reaction. <i>ACS Combinatorial Science</i> , 2017, 19, 708-713.	3.8	41
12	Highly regioselective <i>meta</i> arylation of oxalyl amide-protected \hat{I}^2 -arylethylamine via the Catellani reaction. <i>Chemical Communications</i> , 2016, 52, 6903-6906.	4.1	69
13	Rhodium(III)-Catalyzed Oxidative C-H/C-H Cross-Coupling of Heteroarenes and Masked Benzylamines. <i>Organic Letters</i> , 2016, 18, 5998-6001.	4.6	33
14	An Efficient Synthesis of Functionalized Chromeno[4,3-d]pyrazolo[3,4-b]pyridine Derivatives. <i>Heterocycles</i> , 2016, 92, 2235.	0.7	3
15	Multicomponent Strategy for the Preparation of Pyrrolo[1,2- <i>a</i>]pyrimidine Derivatives under Catalyst-Free and Microwave Irradiation Conditions. <i>Chinese Journal of Chemistry</i> , 2016, 34, 696-702.	4.9	10
16	Multicomponent Strategy to Pyrazolo[3,4- <i>e</i>]indolizine Derivatives under Microwave Irradiation. <i>Journal of Organic Chemistry</i> , 2015, 80, 8435-8442.	3.2	43
17	Palladium(II)-catalyzed Sequential <i>ortho</i> -olefination of \hat{I}^2 -arylethamines with assistance of oxalyl amide. <i>RSC Advances</i> , 2015, 5, 60646-60649.	3.6	14
18	Catalyst-Free Reaction in Water: Synthesis of Functionalized Tetrahydroindole Derivatives via Three-Component Domino Reaction. <i>Chinese Journal of Chemistry</i> , 2014, 32, 889-896.	4.9	6

#	ARTICLE	IF	CITATIONS
19	Oxalyl Amide Assisted Palladium-Catalyzed Arylation of C(sp ²)-H Bond at the Î Position. <i>Organic Letters</i> , 2014, 16, 5682-5685.	4.6	55
20	Highly site-selective sequential alkenylation of oxalyl amide protected phenylpropylamine derivatives via a seven-membered palladacycle. <i>Chemical Science</i> , 2014, 5, 4962-4967.	7.4	66
21	GAP chemistry for pyrrolyl coumarin derivatives: a highly efficient one-pot synthesis under catalyst-free conditions. <i>Green Chemistry</i> , 2013, 15, 3307.	9.0	64
22	Facile, Efficient, and Diastereoselective Synthesis of Heterohelicene-like Molecules. <i>Organic Letters</i> , 2013, 15, 1238-1241.	4.6	16
23	Efficient Synthesis of Functionalized Dihydro-1 <i>H</i> -indol-4(5 <i>H</i>)-ones via One-Pot Three-Component Reaction under Catalyst-Free Conditions. <i>ACS Combinatorial Science</i> , 2013, 15, 261-266.	3.8	76
24	Highly Efficient Synthesis of Polysubstituted Pyrroles via Four-Component Domino Reaction. <i>Organic Letters</i> , 2013, 15, 2542-2545.	4.6	86
25	KF-Montmorillonite-catalyzed Michael Addition Reaction of Malononitrile to Unsaturated Ketones. <i>Chinese Journal of Chemistry</i> , 2009, 27, 169-173.	4.9	5
26	A facile synthesis of furo[3,4 <i>e</i>]pyrazolo[3,4 <i>b</i>]pyridine-5(7 <i>H</i>)-one derivatives via three-component reaction in ionic liquid without any catalyst. <i>Journal of Heterocyclic Chemistry</i> , 2009, 46, 469-476.	2.6	35
27	One-pot synthesis of imidazo[1,2 <i>ac</i>]quinazoline derivatives from nitro-compounds reduced by zinc. <i>Journal of Heterocyclic Chemistry</i> , 2009, 46, 971-974.	2.6	7
28	An efficient and facile synthesis of pyrimidine and quinazoline derivatives via one-pot three-component reaction under solvent-free conditions. <i>Journal of Heterocyclic Chemistry</i> , 2009, 46, 152-157.	2.6	12
29	An efficient synthesis of pyrimido[4,5 <i>bc</i>]quinoline derivatives via three-component reaction in aqueous media. <i>Journal of Heterocyclic Chemistry</i> , 2009, 46, 237-242.	2.6	31
30	Three-Component One-Pot Synthesis of Polyhydroacrodine Derivatives in Aqueous Media. <i>Synthetic Communications</i> , 2009, 39, 664-675.	2.1	22
31	Ionic Liquid, [bmim]Br, as an Efficient Promoting Medium for Synthesis of 3-Acetoacetyl coumarin Derivatives Without the Use of Any Catalyst. <i>Synthetic Communications</i> , 2009, 39, 3500-3508.	2.1	14
32	Three-Component One-Pot Synthesis of Indeno[2 <i>a</i> ² ,1 <i>a</i> ² :5,6]Pyrido[2,3 <i>cd</i>]Pyrazole Derivatives in Aqueous Media. <i>Journal of the Chinese Chemical Society</i> , 2009, 56, 504-509.	1.4	13
33	An efficient synthesis of polyhydroacridine derivatives by the three-component reaction of aldehydes, amines and dimedone in ionic liquid. <i>Journal of Heterocyclic Chemistry</i> , 2008, 45, 653-660.	2.6	53
34	An efficient synthesis of quinoxaline derivatives mediated by stannous chloride. <i>Journal of Heterocyclic Chemistry</i> , 2008, 45, 1797-1801.	2.6	38
35	Efficient Synthesis of Quinoxaline Derivatives Catalyzed by <i>p</i> -Toluenesulfonic Acid Under Solvent-Free Conditions. <i>Synthetic Communications</i> , 2008, 38, 3329-3337.	2.1	31
36	One-Pot Synthesis of 4,6-Diaryl-2-oxo-1,2-dihydropyridine-3-carbonitriles via Three-Component Cyclocondensation under Solvent-Free Conditions. <i>Synthetic Communications</i> , 2008, 38, 217-224.	2.1	14

#	ARTICLE	IF	CITATIONS
37	Ionic Liquid as an Efficient Promoting Medium for Synthesis of Bis(2,3-Pyrazolo[3,4-b:4a-c',3a-e']Pyridines. Journal of the Chinese Chemical Society, 2008, 55, 755-760.	1.4	18
38	Solvent-Free Synthesis of 2,4-Dicarbonyl-5-methylbiphenyl by a Grinding Method. Synthetic Communications, 2008, 38, 1044-1050.	2.1	12
39	Synthesis and crystal structure of a trinuclear titanium(IV) μ_3 -diketonate complex with a six-membered $[\text{Ti}(\mu_3\text{-O})_3]$ ring. Journal of Coordination Chemistry, 2008, 61, 450-454.	2.2	1
40	A Clean Synthesis of 1,4-Diarylquinoline Derivatives Catalyzed by TEBAC in Aqueous Media. Journal of the Chinese Chemical Society, 2007, 54, 1033-1039.	1.4	9
41	An Efficient Synthesis of Pyrazolo[3,4-b:4a-c']Pyridine Derivatives in Aqueous Media. Journal of the Chinese Chemical Society, 2007, 54, 1341-1345.	1.4	8
42	Fast and Efficient Synthesis of 10-Aryl-2,7-dimethyl-4,5-dioxo-3,6,9-trioxo-3,4,5,6,9,10-hexahydroanthracene under Microwave Irradiation without Catalyst. Synthetic Communications, 2007, 37, 1603-1608.	2.1	6
43	Efficient Green Procedure for the Synthesis of Coumarin Derivatives by a One-Pot, Three-Component Reaction under Solvent-Free Conditions. Synthetic Communications, 2007, 37, 183-189.	2.1	19
44	Novel N,N' -Diacylhydrazine-Based Colorimetric Receptors for Selective Sensing of Fluoride and Acetate Anions. Chinese Journal of Chemistry, 2007, 25, 973-976.	4.9	6
45	A new synthesis method for benzo[<i>f</i>]quinolin-3-carbonyl urea and thiourea derivatives in aqueous media catalyzed by TEBAC. Journal of Heterocyclic Chemistry, 2007, 44, 441-447.	2.6	6
46	One-pot synthesis of pyrido[2,3- <i>d</i>]pyrimidines via efficient three-component reaction in aqueous media. Journal of Heterocyclic Chemistry, 2007, 44, 1083-1090.	2.6	47
47	An efficient and facile procedure for the synthesis of 4,6-diaryl-2(1- <i>H</i>)-pyridones under solvent-free conditions. Journal of Heterocyclic Chemistry, 2007, 44, 1505-1508.	2.6	14
48	An Efficient and Facile Synthesis of 2-Amino-5,6,7,8-tetrahydro-4-arylnaphthalene-1,3-dicarbonitrile and 5-Amino-2,3-dihydro-7-aryl-1H-indene-4,6-dicarbonitrile Via Multicomponent Coupling Reaction Under Solvent-Free Conditions. Letters in Organic Chemistry, 2007, 4, 296-299.	0.5	3
49	Reaction of Imines with 5,5-Dimethyl-1,3-cyclohexandione. Synthetic Communications, 2006, 36, 2345-2353.	2.1	12
50	Unexpected Ring-Opening of a 2-Pyrone Ring in the Synthesis of 3-[(<i>Z</i>)-1-Hydroxy-3-Oxobut-1-Enyl]-2H-chromen-2-One Derivatives Catalysed by Kf-Alumina. Journal of Chemical Research, 2006, 2006, 602-604.	1.3	7
51	An improved synthesis of reduced 9-arylacridine-1,8-diones from 3-amino-5,5-dimethylcyclohex-2-enone, arylaldehydes and 1,3-dicarbonyl compounds in aqueous medium. Journal of Chemical Research, 2006, 2006, 719-721.	1.3	6
52	Synthesis of 5,7-Diarylpyrido[2,3- <i>d</i>]Pyrimidine Derivatives catalysed by Kf-Alumina. Journal of Chemical Research, 2006, 2006, 440-442.	1.3	1
53	Crystal Structure of 7-(4-Fluorophenyl)-5,6,7,14-tetrahydroquinolino[4,3- <i>b</i>]-benzo[<i>f</i>]quinolin-6-one <i>N,N</i> -Dimethylformamide Solvate. Analytical Sciences: X-ray Structure Analysis Online, 2006, 22, X125-X126.	0.1	0
54	Efficient Green Procedure for the Knoevenagel Condensation under Solvent-Free Conditions. Synthetic Communications, 2006, 36, 2407-2412.	2.1	49

#	ARTICLE	IF	CITATIONS
55	The hydrogen bonding in 2-amino-3-cyano-4-(3-nitrophenyl)-4,6-dihydro-5H-pyrano[3,2-c]quinolin-5-one N,N-dimethylformamide solvate monohydrate. <i>Journal of Chemical Crystallography</i> , 2006, 36, 697-701.	1.1	2
56	Synthesis and Crystal Structure of a Tetranuclear Cubane-like Nickel(II) Complex with 2-Hydroxymethyl-N-salicylideneaniline. <i>Chinese Journal of Chemistry</i> , 2006, 24, 518-520.	4.9	5
57	Synthesis of 2-amino-4-aryl-7,7-dimethyl-5-oxo-5,6,7,8-tetrahydrobenzo[b]pyran derivatives in ionic liquid medium. <i>Journal of Heterocyclic Chemistry</i> , 2006, 43, 685-688.	2.6	19
58	A clean synthesis of polyhydroacridine and indenoquinoline derivatives catalyzed by triethylbenzylammonium chloride in aqueous media. <i>Journal of Heterocyclic Chemistry</i> , 2006, 43, 989-995.	2.6	18
59	One-Pot Synthesis of Pyrano[2,3-D]Pyrimidine Derivatives in Ionic Liquid Medium. <i>Journal of Chemical Research</i> , 2006, 2006, 157-159.	1.3	10
60	Synthesis of 3-Amino-1-Aryl-9-Methoxy-5,6-Dihydro-1H-Benzo[f]chromene-2-Carbonitriles in Aqueous Media. <i>Journal of Chemical Research</i> , 2006, 2006, 225-227.	1.3	2
61	A Convenient and Clean Procedure for the Synthesis of Pyran Derivatives in Aqueous Media Catalysed by Tebac. <i>Journal of Chemical Research</i> , 2006, 2006, 228-230.	1.3	13
62	A Novel Reductive Cross-coupling Reaction of 2-nitrobenzoic Hydrazides and Aldehydes or Ketones Promoted by the Low-valence Titanium Reagent: An Access to 2,3,4,5-tetrahydro-1H-1,3,4-benzotriazepine-5-one Derivatives. <i>Journal of Chemical Research</i> , 2005, 2005, 553-555.	1.3	1
63	The crystal structure and unclassical pyran conformation of 2-amino-7-methyl-4-(3-nitrophenyl)-5-oxo-4H,5H-pyran [4,3-b]pyran-3-carbonitrile. <i>Journal of Chemical Research</i> , 2005, 2005, 775-777.	1.3	1
64	A simple and clean procedure for the synthesis of polyhydroacridine and quinoline derivatives: reaction of Schiff base with 1,3-dicarbonyl compounds in aqueous medium. <i>Tetrahedron Letters</i> , 2005, 46, 7169-7173.	1.4	77
65	An efficient synthesis of quinazoline derivatives with the aid of low-valent titanium reagent. <i>Journal of Heterocyclic Chemistry</i> , 2005, 42, 173-183.	2.6	41
66	The structure of 2-amino-3-cyano-4-(4-methylphenyl)-6-methoxyl-1,4,9,10-tetrahydrobenzo[f]chromene. <i>Journal of Chemical Crystallography</i> , 2005, 35, 243-247.	1.1	2
67	Unclassical hydrogen bonds of C=H...sO and C=H...sN in the crystals of 2-amino-3-cyano-4-(3,4-dichlorophenyl)-5-oxo-1,4,5,6-tetrahydro-4H-pyrano[2,3-d]pyrimidine. <i>Journal of Chemical Crystallography</i> , 2005, 35, 999-1004.	1.1	2
68	Clean synthesis of pyrido[2,3-d]pyrimidines in aqueous media. <i>Journal of Chemical Research</i> , 2005, 2005, 648-650.	1.3	3
69	One Pot Three Component Synthesis of 9-aryl polyhydroacridine Derivatives in an Ionic Liquid Medium. <i>Journal of Chemical Research</i> , 2005, 2005, 600-602.	1.3	29
70	Synthesis of 4H,5H-pyrano[3,2-c]pyrano-5-ones in aqueous media. <i>Journal of Chemical Research</i> , 2005, 2005, 724-726.	1.3	3
71	Synthesis of Bis-1,4-Dihydropyridine Derivatives. <i>Synthetic Communications</i> , 2005, 35, 1011-1015.	2.1	3
72	A Novel Reaction of Aldeoxime with Dimedone Under Microwave Irradiation. <i>Synthetic Communications</i> , 2004, 34, 1289-1294.	2.1	12

#	ARTICLE	IF	CITATIONS
73	Facile Synthesis of Substituted Quinazolin-4(3H)-ones Using Low-Valence Titanium Reagent. <i>Synthetic Communications</i> , 2004, 34, 1759-1765.	2.1	6
74	Synthesis and crystal structures of 2-amino-3-cyano-4-(2-chlorophenyl)-1,4-dihydro-2H-pyrano[3,2-h]quinoline and 2-amino-3-cyano-4-(2-chlorophenyl)-8-(2-chlorobenzylidene)-1,4,5,6,7,8-hexahydrobenzo[b]pyran. <i>Journal of Chemical Crystallography</i> , 2004, 34, 159-165.	1.1	3
75	Three-Component One-Pot Synthesis of 1,4-Dihydropyrano[2,3-e]pyrazole Derivatives in Aqueous Media. <i>Synthetic Communications</i> , 2004, 34, 4557-4563.	2.1	80
76	The Reaction of Aromatic Dialdehyde with Dimedone Under Microwave Irradiation. <i>Synthetic Communications</i> , 2004, 34, 2617-2622.	2.1	10
77	Effective Synthesis of 7-Amino-6-cyano-5-aryl-5H-pyrano[2,3-d]pyrimidine-2,4(1H,3H)-diones Under Microwave Irradiation. <i>Synthetic Communications</i> , 2004, 34, 1295-1299.	2.1	61
78	One-pot synthesis of 2-amino-4-aryl-5-oxo-5,6,7,8-tetrahydro-4H-1-benzopyran-3-carbonitriles in aqueous media. <i>Journal of Chemical Research</i> , 2004, 2004, 821-823.	1.3	59
79	A synthesis of 10-aryl-2,7-dimethyl-4,5-dioxo-3,6,9-trioxo-3,4,5,6,9,10-hexahydroanthracene catalysed by KF-alumina. <i>Journal of Chemical Research</i> , 2004, 2004, 402-403.	1.3	7
80	Synthesis of 4H,5H-pyrano[3,2-c][1]benzopyran-5-ones in aqueous media. <i>Journal of Chemical Research</i> , 2004, 2004, 818-820.	1.3	18
81	A Convenient Synthesis of 2-Amino-3-Cyano-4-Aryl-9,10-Dihydrobenzo[f] Chromene Derivatives Catalysed by KF/Al ₂ O ₃ . <i>Journal of Chemical Research</i> , 2004, 2004, 679-680.	1.3	3
82	Michael-Addition Reaction of Malononitrile with α,β -Unsaturated Cycloketones Catalyzed by KF/Al ₂ O ₃ . <i>Chinese Journal of Chemistry</i> , 2004, 22, 122-125.	4.9	8
83	Dialdehyde in heterocyclic synthesis: Synthesis of compounds containing two 4H-benzopyran building blocks under microwave irradiation. <i>Chinese Journal of Chemistry</i> , 2004, 22, 622-626.	4.9	9
84	A novel reductive cyclization of α -nitrobenzamides and ketones promoted by low-valent titanium reagent. <i>Chinese Journal of Chemistry</i> , 2004, 22, 743-746.	4.9	0
85	Crystal structure of 4-methyl-2-phenylbenzo[de]cyclobut[i] isoquinoline-3,5(2H)-dione. <i>Journal of Chemical Crystallography</i> , 2003, 33, 263-267.	1.1	7
86	A Convenient Synthesis of 5-Oxo-5,6,7,8-tetrahydro-4H-benzo-[b]-pyran Derivatives Catalyzed by KF-Alumina. <i>Synthetic Communications</i> , 2003, 33, 119-126.	2.1	150
87	A facile synthesis of 1,2-dihydroquinazolin-4(3H)-ones with the aid of a low-valent titanium reagent. <i>Journal of Chemical Research</i> , 2003, 2003, 671-673.	1.3	19
88	Three-component processes for the synthesis of 4-aryl-7,7-dimethyl-5-oxo-3,4,5,6,7,8-hexahydrocoumarin in aqueous media. <i>Journal of Chemical Research</i> , 2003, 2003, 674-675.	1.3	20
89	Synthesis of 2-aminochromene derivatives catalyzed by KF/Al ₂ O ₃ . <i>Chinese Journal of Chemistry</i> , 2003, 21, 1114-1117.	4.9	17
90	A CONVENIENT SYNTHESIS OF 2-AMINO-1,3,3-TRICYANO-5-NITRO-4,6-DIARYLCYCLOHEXENES CATALYZED BY KF-ALUMINA. <i>Synthetic Communications</i> , 2002, 32, 3137-3142.	2.1	9

#	ARTICLE	IF	CITATIONS
91	A CONVENIENT SYNTHESIS OF 2-AMINO-5,6,7,8-TETRAHYDRO-5-OXO-4-ARYL-7,7-DIMETHYL-4H-BENZO-[b]-PYRAN-3-CARBONITRILE UNDER MICROWAVE IRRADIATION. <i>Synthetic Communications</i> , 2002, 32, 2137-2141.	2.1	62
92	A CONVENIENT SYNTHESIS OF 9-ARYL-3,3,6,6-TETRAMETHYL-1,2,3,4,5,6,7,8,9,10-DECAHYDROACRIDINE-1,8-DIONES UNDER MICROWAVE IRRADIATION WITHOUT SOLVENT. <i>Synthetic Communications</i> , 2002, 32, 2181-2185.	2.1	50
93	CONDENSATION OF AROMATIC ALDEHYDES WITH 5,5-DIMETHYL- 1,3-CYCLOHEXANEDIONE WITHOUT CATALYST. <i>Synthetic Communications</i> , 2002, 32, 3063-3067.	2.1	42
94	A NOVEL REDUCTIVE CYCLIZATION OF ARYLMETHYLIDENEMALONONITRILE PROMOTED BY LOW-VALENT TITANIUM. <i>Synthetic Communications</i> , 2002, 32, 3311-3317.	2.1	3
95	A CONVENIENT SYNTHESIS OF 2,4-DIARYLPOLYHYDROQUINOLINE DERIVATIONS IN THE PRESENCE OF AMMONIUM ACETATE. <i>Synthetic Communications</i> , 2002, 32, 3449-3454.	2.1	19
96	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2002, 32, 385-389.	1.1	2
97	Synthesis and crystal structure of 7,7-dimethyl-2,4-diphenyl-5-oxo-1,4,5,6,7,8-hexahydroquinolin. <i>Journal of Chemical Crystallography</i> , 2002, 32, 381-384.	1.1	8
98	THE SYNTHESIS OF NOVEL SUBSTITUTED 2,5-DIOXO-1,2,3,4,5,6,7,8-OCTAHYDROQUINOLINES WITHOUT SOLVENT UNDER MICROWAVE IRRADIATION. <i>Synthetic Communications</i> , 2001, 31, 2657-2661.	2.1	34
99	Microwave Assisted Synthesis of Pyridone Derivatives. <i>Chinese Journal of Chemistry</i> , 2001, 19, 714-715.	4.9	9
100	Condensation of Aromatic Aldehydes with Acidic Methylene Compounds without Catalyst. <i>Synthetic Communications</i> , 2000, 30, 713-726.	2.1	47
101	A Convenient Synthesis of 4-Arylidene- 2-Phenyloxazol-5-Ones Catalyzed by KF-Alumina. <i>Synthetic Communications</i> , 2000, 30, 707-712.	2.1	10
102	A Convenient Synthesis of 3-Aryl-3-(5,5-dimethyl-3-hydroxy-2-cyclohexene-1-one-2-yl) Propanic Esters Catalyzed by KF-Alumina. <i>Synthetic Communications</i> , 1998, 28, 3291-3298.	2.1	9
103	A Novel Synthesis of $\hat{\text{I}}^2$ -Arylthio Propanoic Esters Promoted by Low-Valent Titanium. <i>Synthetic Communications</i> , 1998, 28, 1073-1078.	2.1	21
104	A Convenient Synthesis of (3-Oxo-1,3-diaryl) Propylpropanedinitrile Catalyzed by Kf-Alumina. <i>Synthetic Communications</i> , 1998, 28, 4003-4007.	2.1	14
105	Low-Valent Titanium Induced Reductive Cyclization of 4,4-Dicyano-1,3-diaryl-1-butanone. Application to the Synthesis of 1-Amino-2-cyanocyclopentene Derivatives. <i>Synthetic Communications</i> , 1997, 27, 4121-4129.	2.1	25