

# Adarsh Nayarassery Narayanan

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8264504/adarsh-nayarassery-narayanan-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

1,583

citations

25

h-index

38

g-index

76

ext. papers

1,722

ext. citations

4.1

avg, IF

4.96

L-index

#	Paper	IF	Citations
66	Coordination complexes constructed from pyrazole-acetamide and pyrazole-quinoxaline: effect of hydrogen bonding on the self-assembly process and antibacterial activity.. <i>RSC Advances</i> , <b>2022</b> , 12, 5324-5339	3.7	1
65	Fabrication of ternary composites with polymeric carbon nitride/MoS <sub>2</sub> /reduced graphene oxide ternary hybrid aerogel as high-performance electrode materials for supercapacitors. <i>New Journal of Chemistry</i> , <b>2021</b> , 45, 20660-20671	3.6	0
64	New Bis-Pyrazole-Bis-Acetate Based Coordination Complexes: Influence of Counter-Anions and Metal Ions on the Supramolecular Structures. <i>Sustainability</i> , <b>2021</b> , 13, 288	3.6	1
63	Light-Triggered Metal Coordination Dynamics in Photoswitchable Dithienylethene-Ferrocene System. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 6086-6098	5.1	0
62	Exploring 1,2,4-Triazole-Thiourea-Based Ligands for the Self-Assembly of Photoluminescent Hg(II) Coordination Compounds. <i>Crystal Growth and Design</i> , <b>2021</b> , 21, 3562-3581	3.5	2
61	Ag/AgCl@MIL-88A(Fe) heterojunction ternary composites: towards the photocatalytic degradation of organic pollutants. <i>Dalton Transactions</i> , <b>2021</b> , 50, 2891-2902	4.3	10
60	Shape-Memory Polymer Nanocomposites of Poly( $\epsilon$ -caprolactone) with the Polystyrene-polybutadiene-polystyrene-tri- Copolymer Encapsulated with Metal Oxides. <i>ACS Omega</i> , <b>2021</b> , 6, 6261-6273	3.9	7
59	Carbon Nitride Quantum Dot-Embedded Poly(vinyl alcohol) Transparent Thin Films for Greenish-Yellow Light-Emitting Diodes. <i>ACS Omega</i> , <b>2021</b> , 6, 22840-22847	3.9	0
58	Solvent induced supramolecular polymorphism in Cu(II) coordination complex built from 1,2,4-triazolo[1,5-a]pyrimidine: Crystal structures and anti-oxidant activity. <i>Journal of Inorganic Biochemistry</i> , <b>2020</b> , 208, 111092	4.2	12
57	Exploring the Effect of Morphologies of Fe(III) Metal-Organic Framework MIL-88A(Fe) on the Photocatalytic Degradation of Rhodamine B. <i>ChemistrySelect</i> , <b>2020</b> , 5, 7534-7542	1.8	13
56	Co(II) and Zn(II) pyrazolyl-benzimidazole complexes with remarkable antibacterial activity. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 2210-2221	3.6	26
55	Exploring The Effect of Precursors of Polymeric Carbon Nitride Nanosheets on their Photo and Electrocatalytic Applications. <i>ChemistrySelect</i> , <b>2020</b> , 5, 12679-12689	1.8	1
54	One-Dimensional Looped Chain and Two-Dimensional Square Grid Coordination Polymers: Encapsulation of Bis(1,2,4-Triazole)-trans-cyclohexane into the Voids. <i>European Journal of Inorganic Chemistry</i> , <b>2019</b> , 2019, 543-543	2.3	
53	Porous Coordination Polymers. <i>Polymers and Polymeric Composites</i> , <b>2019</b> , 181-223	0.6	
52	Green Synthesis of a Metal-Free 0D/2D Heterojunction: A Cost-Effective Approach. <i>ChemistrySelect</i> , <b>2019</b> , 4, 11541-11547	1.8	6
51	Novel Co(II) and Cu(II) coordination complexes constructed from pyrazole-acetamide: Effect of hydrogen bonding on the self assembly process and antioxidant activity. <i>Journal of Inorganic Biochemistry</i> , <b>2019</b> , 191, 21-28	4.2	30
50	Porous Coordination Polymers. <i>Polymers and Polymeric Composites</i> , <b>2019</b> , 1-44	0.6	2

49	One-Dimensional Looped Chain and Two-Dimensional Square Grid Coordination Polymers: Encapsulation of Bis(1,2,4-Triazole)-trans-cyclohexane into the Voids. <i>European Journal of Inorganic Chemistry</i> , <b>2019</b> , 2019, 585-591	2.3	12
48	A hexa-quinoline based C-symmetric chemosensor for dual sensing of zinc(ii) and PPI in an aqueous medium via chelation induced "OFF-ON-OFF" emission. <i>Dalton Transactions</i> , <b>2018</b> , 47, 6819-6830	4.3	21
47	Spin-Crossover in an Exfoliated 2D Coordination Polymer and Its Implementation in Thermochromic Films. <i>ACS Applied Nano Materials</i> , <b>2018</b> , 1, 2662-2668	5.6	20
46	Novel 1D coordination polymers built from acyclic cryptate containing bis(1H-1,2,4-triazole) ligands and featuring coordinated counteranions. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 11324-11333	3.6	4
45	Ligand and solvent effects in the formation and self-assembly of a metallocsupramolecular cage. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 1179-1185	3.6	4
44	MetalOrganic Framework (MOF)Derived Metal Oxides for Supercapacitors <b>2017</b> , 165-192		5
43	Polyamide-Polyamine Cryptand as Dicarboxylate Receptor: Dianion Binding Studies in the Solid State, in Solution, and in the Gas Phase. <i>Journal of Organic Chemistry</i> , <b>2017</b> , 82, 10007-10014	4.2	14
42	A novel environment-friendly hybrid material based on a modified silica gel with a bispyrazole derivative for the removal of ZnII, PbII, CdII and CuII traces from aqueous solutions. <i>Inorganic Chemistry Frontiers</i> , <b>2017</b> , 4, 1821-1831	6.8	25
41	Crystal engineering of a series of complexes and coordination polymers based on pyrazole-carboxylic acid ligands. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 8232-8241	3.6	18
40	<sup>57</sup> Fe Mössbauer spectroscopy study of a 2D spin transition coordination polymer built from a tris-1R-tetrazole ligand. <i>Hyperfine Interactions</i> , <b>2017</b> , 238, 1	0.8	5
39	Coordination polymers built from 1,4-bis(imidazol-1-ylmethyl)benzene: from crystalline to amorphous. <i>Dalton Transactions</i> , <b>2016</b> , 45, 11233-55	4.3	31
38	Supramolecular homochiral helicity and zigzag hydrogen bonded chains in 1,2,4-triazole derived aminoester and aminoacid. <i>New Journal of Chemistry</i> , <b>2016</b> , 40, 9025-9029	3.6	3
37	Synthesis and crystal structures of mononuclear CuII/CoII coordination complexes from pyrazole-dicarboxylate acid derivatives. <i>Polyhedron</i> , <b>2015</b> , 85, 383-388	2.7	18
36	Single-walled metal-organic nanotube built from a simple synthon. <i>Chemistry - A European Journal</i> , <b>2015</b> , 21, 4300-7	4.8	34
35	Secondary Building Unit (SBU) Controlled Formation of a Catalytically Active MetalOrganic Polyhedron (MOP) Derived from a Flexible Tripodal Ligand. <i>Crystal Growth and Design</i> , <b>2014</b> , 14, 1331-1337	3.5	39
34	Crystal engineering of Fe(II) spin crossover coordination polymers derived from triazole or tetrazole ligands. <i>Chimia</i> , <b>2013</b> , 67, 411-8	1.3	33
33	CuII Coordination Polymers Capable of Gelation and Selective SO <sub>4</sub> <sup>2-</sup> Separation. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 4135-4143	3.5	28
32	Coordination polymers: what has been achieved in going from innocent 4,4'-bipyridine to bis-pyridyl ligands having a non-innocent backbone?. <i>Chemical Society Reviews</i> , <b>2012</b> , 41, 3039-60	58.5	186

31	Solvent-Driven Structural Diversities in ZnII Coordination Polymers and Complexes Derived from Bis-pyridyl Ligands Equipped with a Hydrogen-Bond-Capable Urea Backbone. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 6061-6067	3.5	29
30	A crystal engineering rationale in designing a CdII coordination polymer based metallogel derived from a C3 symmetric tris-amide-tris-carboxylate ligand. <i>Soft Matter</i> , <b>2012</b> , 8, 7623	3.6	40
29	A New Series of CuII Coordination Polymers Derived from Bis-pyridyl-bis-urea Ligands and Various Dicarboxylates and Their Role in Methanolysis of Epoxide Ring-Opening Catalysis. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 5546-5554	3.5	13
28	Sequestering Hydrated Fluoride in a Three-Dimensional Non-Interpenetrated Octahedral Coordination Polymer via a Single-Crystal-to-Single-Crystal Fashion. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 3369-3373	3.5	17
27	A New Series of ZnII Coordination Polymer Based Metallogels Derived from Bis-pyridyl-bis-amide Ligands: A Crystal Engineering Approach. <i>Crystal Growth and Design</i> , <b>2011</b> , 11, 328-336	3.5	69
26	Syntheses, structures and properties of two pentacoordinated $\mu_5$ bridged dinuclear metal(II)-dicyanamide (Mdca; M=Cu and Cd) compounds containing a tailored tetradentate bifunctional polyamine. <i>Journal of Molecular Structure</i> , <b>2011</b> , 1004, 138-145	3.4	7
25	Folding and unfolding movements in a [2]pseudorotaxane. <i>Journal of Organic Chemistry</i> , <b>2011</b> , 76, 138-44.2	4.2	39
24	Structural diversity of silver (I) azine complexes [Effect of substituents and counter anions. <i>Journal of Molecular Structure</i> , <b>2011</b> , 1000, 29-34	3.4	6
23	Chiral gels derived from secondary ammonium salts of (1R,3S)-(+)-camphoric acid. <i>Beilstein Journal of Organic Chemistry</i> , <b>2010</b> , 6, 848-58	2.5	6
22	3,3'-[Ethane-1,2-diylbis[carbonylbis(azanediyl)]]dipyridinium tetra-chloridoplatinate(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2010</b> , 66, m270		2
21	Is a Crystal Engineering Approach Useful in Designing Metallogels? A Case Study. <i>Crystal Growth and Design</i> , <b>2010</b> , 10, 4976-4986	3.5	75
20	Regioselective 1,3-Dipolar Cycloaddition Reaction of Azides with Alkoxy Alkynyl Fischer Carbene Complexes. <i>Organometallics</i> , <b>2010</b> , 29, 6619-6622	3.8	25
19	Copper(II) and nickel(II) complexes of beta-aminoketoxime ligand: syntheses, crystal structures, magnetism, and nickel(II) templated coupling of oxime with nitrile. <i>Inorganic Chemistry</i> , <b>2010</b> , 49, 541-515.1	5.1	28
18	A Borromean Weave Coordination Polymer Sustained by Urea-Sulfate Hydrogen Bonding and Its Selective Anion Separation Properties. <i>Crystal Growth and Design</i> , <b>2010</b> , 10, 483-487	3.5	48
17	A novel, air-stable phosphine ligand for the palladium-catalyzed Suzuki-Miyaura cross-coupling reaction of chloro arenes. <i>Journal of Organic Chemistry</i> , <b>2010</b> , 75, 5320-2	4.2	67
16	Metalla-macro-tricyclic cryptands: anion encapsulation and selective separation of sulfate via in situ crystallization. <i>New Journal of Chemistry</i> , <b>2010</b> , 34, 2458	3.6	27
15	Pyrazole-tethered phosphine ligands for Pd(0): useful catalysts for Stille, Kumada and Hiyama cross-coupling reactions. <i>Tetrahedron</i> , <b>2010</b> , 66, 5451-5458	2.4	36
14	Selective Separation of the Sulfate Anion by In Situ Crystallization of CdII Coordination Compounds Derived from Bis(pyridyl) Ligands Equipped with a Urea/Amide Hydrogen-Bonding Backbone. <i>European Journal of Inorganic Chemistry</i> , <b>2010</b> , 2010, 3770-3779	2.3	24

13	Synthesis of mono and doubly alkynyl substituted ferrocene and its crystal engineering using $\pi$ - $\pi$ supramolecular synthon. <i>Journal of Organometallic Chemistry</i> , <b>2010</b> , 695, 1059-1064	2.3	22
12	Coordination polymers derived from a bis-pyridyl-bis-amide ligand: Supramolecular structural diversities and anion binding properties. <i>Inorganica Chimica Acta</i> , <b>2010</b> , 363, 1367-1376	2.7	22
11	Wittig-selectivity in mixed ketones: exploring 1,3-interaction and enolization. <i>Tetrahedron</i> , <b>2010</b> , 66, 164-171	2.4	10
10	catena-Poly[[[triaqua-sulfatozinc(II)]- $\mu$ -3',3'-bis-(3-pyrid-yl)-1,1'-(m-phenyl-ene)diurea] methanol solvate monohydrate]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2010</b> , 66, m413-4		2
9	Microporous Nanotubular Self-Assembly of a Molecular Chair. <i>Crystal Growth and Design</i> , <b>2009</b> , 9, 2979-2983	2.3	23
8	Combinatorial library of primaryalkylammonium dicarboxylate gelators: a supramolecular synthon approach. <i>Langmuir</i> , <b>2009</b> , 25, 8742-50	4	39
7	Supramolecular synthons in noncovalent synthesis of a class of gelators derived from simple organic salts: instant gelation of organic fluids at room temperature via in situ synthesis of the gelators. <i>Journal of Organic Chemistry</i> , <b>2009</b> , 74, 7111-21	4.2	47
6	Metal-organic frameworks derived from bis-pyridyl-bis-amide ligands : Effect of positional isomerism of the ligands, hydrogen bonding backbone, counter anions on the supramolecular structures and selective crystallization of the sulfate anion. <i>CrystEngComm</i> , <b>2009</b> , 11, 796	3.3	67
5	An unprecedented all helical 3D network and a rarely observed non-interpenetrated octahedral network in homochiral Cu(II) MOFs: effect of steric bulk and $\pi$ -stacking interactions of the ligand backbone. <i>CrystEngComm</i> , <b>2009</b> , 11, 746	3.3	42
4	Zn(II) metal-organic frameworks (MOFs) derived from a bis-pyridyl-bis-urea ligand: effects of crystallization solvents on the structures and anion binding properties. <i>CrystEngComm</i> , <b>2008</b> , 10, 1565	3.3	58
3	Ligating topology and counter anion controlled formation of discrete metallo-macrocycle and 2D corrugated sheet in coordination compounds derived from a bis-pyridyl-bis-amide ligand and Cd (II)salts. <i>Inorganic Chemistry Communication</i> , <b>2008</b> , 11, 636-642	3.1	29
2	Composites of N,N'-bis-(pyridyl) urea-dicarboxylic acid as new hydrogelators- crystal engineering approach. <i>Tetrahedron</i> , <b>2007</b> , 63, 7386-7396	2.4	50
1	Nano-metal oxide fillers in thermo-responsive polycaprolactone-based polymer nanocomposites smart materials: Impact on thermo-mechanical, and shape memory properties. <i>Journal of Vinyl and Additive Technology</i> ,	2	2