

Wolfgang Blum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/826553/publications.pdf>

Version: 2024-02-01

116
papers

3,865
citations

109321

35
h-index

144013

57
g-index

119
all docs

119
docs citations

119
times ranked

1790
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | On the validity of the natural creep law at low stresses. <i>Materialia</i> , 2021, 15, 100958. | 2.7 | 2 |
| 2 | The Effect of Predeformation on Creep Strength of 9% Cr Steel. <i>Materials</i> , 2020, 13, 5330. | 2.9 | 6 |
| 3 | Creep behavior of an AlTiVNbZr0.25 high entropy alloy at 1073ÅK. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 783, 139291. | 5.6 | 21 |
| 4 | Strain Rate Contribution due to Dynamic Recovery of Ultrafine-Grained Cuâ€Zr as Evidenced by Load Reductions during Quasi-Stationary Deformation at 0.5 Tm. <i>Metals</i> , 2019, 9, 1150. | 2.3 | 6 |
| 5 | Quasi-Stationary Strength of ECAP-Processed Cu-Zr at 0.5Tm. <i>Metals</i> , 2019, 9, 1149. | 2.3 | 2 |
| 6 | Discussion: Activation volumes of plastic deformation of crystals. <i>Scripta Materialia</i> , 2018, 146, 27-30. | 5.2 | 21 |
| 7 | Dynamic grain coarsening in creep of pure Cu at $T > 0.42 T_m$ after predeformation by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 703, 139291. | 5.6 | 7 |
| 8 | Deformation Strength of Nanocrystalline Thin Films. <i>Journal of Materials Science and Technology</i> , 2017, 33, 718-722. | 10.7 | 5 |
| 9 | In situ study of thermally activated flow and dynamic restoration of ultrafine-grained pure Cu at 373 K. <i>Journal of Materials Research</i> , 2017, 32, 4514-4521. | 2.6 | 0 |
| 10 | Dynamic restoration of severely predeformed, ultrafine-grained pure Cu at 373 K observed in situ. <i>Materials Characterization</i> , 2017, 134, 329-334. | 4.4 | 5 |
| 11 | The influence of long-term annealing at room temperature on creep behaviour of ECAP-processed copper. <i>Materials Letters</i> , 2017, 188, 235-238. | 2.6 | 11 |
| 12 | Thermally activated flow in soft and hard regions: Getting information on work hardening strain and recovery strain from rate change tests. <i>Metallic Materials</i> , 2016, 53, 199-205. | 0.3 | 2 |
| 13 | Creep study of mechanisms involved in low-temperature superplasticity of UFG Ti-6Al-4V processed by SPD. <i>Materials Characterization</i> , 2016, 116, 84-90. | 4.4 | 19 |
| 14 | Grain size and alloying effects on dynamic recovery in nanocrystalline metals. <i>Acta Materialia</i> , 2016, 119, 104-114. | 7.9 | 12 |
| 15 | Effects of Grain Refinement by ECAP on the Deformation Resistance of Al Interpreted in Terms of Boundary-Mediated Processes. <i>Journal of Materials Science and Technology</i> , 2016, 32, 1309-1320. | 10.7 | 20 |
| 16 | Interpretation of unloading tests on nanocrystalline Cu in terms of two mechanisms of deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 665, 171-174. | 5.6 | 4 |
| 17 | Dynamic recovery in nanocrystalline Ni. <i>Acta Materialia</i> , 2015, 91, 91-100. | 7.9 | 49 |
| 18 | In situ study of microstructure and strength of severely predeformed pure Cu in deformation at 573ÅK. <i>Philosophical Magazine</i> , 2015, 95, 3696-3711. | 1.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Correct Interpretation of Creep Rates: A Case Study of Cu. Journal of Materials Science and Technology, 2015, 31, 1065-1068. | 10.7 | 7 |
| 20 | What is "stationary" deformation of pure Cu?. Journal of Materials Science, 2014, 49, 2987-2997. | 3.7 | 12 |
| 21 | Effect of grain refinement by ECAP on creep of pure Cu. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2014, 590, 423-432. | 5.6 | 35 |
| 22 | Influence of grain boundaries on the deformation resistance: insights from an investigation of deformation kinetics and microstructure of copper after predeformation by ECAP. Philosophical Magazine, 2013, 93, 4331-4354. | 1.6 | 22 |
| 23 | Deformation resistance in the transition from coarse-grained to ultrafine-grained Cu by severe plastic deformation up to 24 passes of ECAP. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 8621-8627. | 5.6 | 41 |
| 24 | Temperature dependence of the strength of fine- and ultrafine-grained materials. Acta Materialia, 2011, 59, 1300-1308. | 7.9 | 123 |
| 25 | Control of dynamic recovery and strength by subgrain boundaries " insights from stress-change tests on CaF ₂ single crystals. Philosophical Magazine, 2011, 91, 908-931. | 1.6 | 7 |
| 26 | A simple dislocation model of the influence of high-angle boundaries on the deformation behavior of ultrafine-grained materials. Journal of Physics: Conference Series, 2010, 240, 012136. | 0.4 | 6 |
| 27 | Stability of ultrafine-grained Cu to subgrain coarsening and recrystallization in annealing and deformation at elevated temperatures. Acta Materialia, 2009, 57, 5207-5217. | 7.9 | 55 |
| 28 | Development of new 11%Cr heat resistant ferritic steels with enhanced creep resistance for steam power plants with operating steam temperatures up to 650°C. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 510-511, 180-184. | 5.6 | 44 |
| 29 | Coarsening of precipitates and degradation of creep resistance in tempered martensite steels. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 510-511, 81-87. | 5.6 | 48 |
| 30 | Dislocation glide velocity in creep of Mg alloys derived from dip tests. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 510-511, 393-397. | 5.6 | 9 |
| 31 | Evolution of dislocation structure and deformation resistance in creep exemplified on single crystals of CaF ₂ . Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 510-511, 46-50. | 5.6 | 13 |
| 32 | New observations on high-temperature creep at very low stresses. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 510-511, 20-24. | 5.6 | 14 |
| 33 | A simple dislocation model of deformation resistance of ultrafine-grained materials explaining Hall-Petch strengthening and enhanced strain rate sensitivity. Acta Materialia, 2009, 57, 1966-1974. | 7.9 | 134 |
| 34 | Quantification of dislocation structures at high resolution by atomic force microscopy of dislocation etch pits. Philosophical Magazine Letters, 2009, 89, 391-398. | 1.2 | 7 |
| 35 | Dislocation mechanics of creep. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 510-511, 7-13. | 5.6 | 89 |
| 36 | Quantifying the distributions of dislocation spacings and cell sizes. Journal of Materials Science, 2008, 43, 2700-2707. | 3.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Transmission Electron Microscopy Study of Strain-Induced Low- and High-Angle Boundary Development in Equal-Channel Angular-Pressed Commercially Pure Aluminum. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2008, 39, 181-189. | 2.2 | 60 |
| 38 | Modelling the transition from strengthening to softening due to grain boundaries. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 483-484, 95-98. | 5.6 | 4 |
| 39 | On the elevated-temperature deformation behavior of polycrystalline Cu subjected to predeformation by multiple compression. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 483-484, 547-550. | 5.6 | 1 |
| 40 | Structural stability of ultrafine-grained copper. Scripta Materialia, 2008, 58, 53-56. | 5.2 | 15 |
| 41 | Mechanisms of creep deformation in steel. , 2008, , 365-402. | | 15 |
| 42 | Deformation kinetics of nanocrystalline nickel. Acta Materialia, 2007, 55, 5708-5717. | 7.9 | 75 |
| 43 | Harper's Dorn creep. International Journal of Plasticity, 2007, 23, 980-1000. | 8.8 | 62 |
| 44 | Deformation kinetics of coarse-grained and ultrafine-grained commercially pure Ti. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 462, 275-278. | 5.6 | 20 |
| 45 | Flow stress and creep rate of nanocrystalline Ni. Scripta Materialia, 2007, 57, 429-431. | 5.2 | 25 |
| 46 | Evolution of microstructure and deformation resistance in creep of tempered martensitic 9%Cr-2%W-5%Co steels. Acta Materialia, 2006, 54, 3003-3014. | 7.9 | 119 |
| 47 | Creep transients during stress changes in ultrafine-grained copper. Scripta Materialia, 2006, 54, 1803-1807. | 5.2 | 23 |
| 48 | On the Hall-Petch relation between flow stress and grain size. International Journal of Materials Research, 2006, 97, 1661-1666. | 0.3 | 16 |
| 49 | Effects of cyclic deformation on subgrain evolution and creep in 9%Cr-steels. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 406, 152-159. | 5.6 | 57 |
| 50 | Deformation kinetics of ultrafine-grained Cu and Ti. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 410-411, 451-456. | 5.6 | 34 |
| 51 | Bridging steady-state deformation behavior at low and high temperature by considering dislocation dipole annihilation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 400-401, 175-181. | 5.6 | 12 |
| 52 | Creep deformation mechanisms in high-pressure die-cast magnesium-aluminum-base alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2005, 36, 1721-1728. | 2.2 | 71 |
| 53 | Strain rate sensitivity of Cu after severe plastic deformation by multiple compression. Physica Status Solidi (A) Applications and Materials Science, 2005, 202, R119-R121. | 1.8 | 25 |
| 54 | Creep Simulation. , 2005, , 607-620. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Influence of grain boundaries on steady-state deformation resistance of ultrafine-grained Cu. <i>Physica Status Solidi A</i> , 2004, 201, 2915-2921. | 1.7 | 14 |
| 56 | On Coble creep in ultrafine-grained Cu. <i>Physica Status Solidi A</i> , 2004, 201, R114-R117. | 1.7 | 14 |
| 57 | Does nanocrystalline Cu deform by Coble creep near room temperature?. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 387-389, 585-589. | 5.6 | 38 |
| 58 | Transition from strengthening to softening by grain boundaries in ultrafine-grained Cu. <i>Acta Materialia</i> , 2004, 52, 5009-5018. | 7.9 | 161 |
| 59 | Subgrain structure during annealing and creep of the cast martensitic Cr-steel G-X12CrMoWVNbN 10-1-1. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 341, 211-215. | 5.6 | 35 |
| 60 | Influence of thermal history on precipitation of hardening phases in tempered martensite 10%Cr-steel X12CrMoWVNbN 10-1-1. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 348, 201-207. | 5.6 | 30 |
| 61 | Migration of subgrain boundaries under stress in bi- and multi-granular structures. <i>Physica Status Solidi A</i> , 2003, 200, 339-345. | 1.7 | 3 |
| 62 | Martensitic/Ferritic Super Heat-resistant 650.DEG.C. Steels. <i>Design and Testing of Model Alloys.. ISIJ International</i> , 2002, 42, 1505-1514. | 1.4 | 54 |
| 63 | Microstructure-based constitutive law of plastic deformation. <i>Computational Materials Science</i> , 2002, 25, 200-206. | 3.0 | 20 |
| 64 | New method of determining stress relaxation behavior in creep machines by controlled unloading. <i>International Journal of Materials Research</i> , 2002, 93, 649-653. | 0.8 | 1 |
| 65 | Understanding creep—a review. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 291-303. | 2.2 | 122 |
| 66 | Harper-dorn creep and specimen size. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 305-310. | 2.2 | 15 |
| 67 | Subgrain formation during deformation: Physical origin and consequences. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 319-327. | 2.2 | 67 |
| 68 | Creep of crystalline materials: experimental basis, mechanisms and models. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 319-321, 8-15. | 5.6 | 33 |
| 69 | Spontaneous Dislocation Annihilation Explains the Breakdown of the Power Law of Steady State Deformation. <i>Physica Status Solidi A</i> , 2001, 184, 257-261. | 1.7 | 8 |
| 70 | Deformation Induced Misorientations: Initial Stage of Subgrain Formation as a Plastic Instability. <i>Physica Status Solidi A</i> , 2001, 186, 1-16. | 1.7 | 16 |
| 71 | Creep of Die-Cast Light-Weight Mg-Al-base Alloy AZ91hp. <i>Advanced Engineering Materials</i> , 2000, 2, 349-355. | 3.5 | 59 |
| 72 | Dynamic recovery: sufficient mechanism in the hot deformation of Al (<99.99). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 290, 95-107. | 5.6 | 165 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | On the relaxation of the long-range internal stresses of deformed copper upon unloading. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 276, 186-194. | 5.6 | 27 |
| 74 | Harper-Dorn Creep – a Myth?. <i>Physica Status Solidi A</i> , 1999, 171, 467-474. | 1.7 | 48 |
| 75 | Evolution of dislocation structure in martensitic steels: the subgrain size as a sensor for creep strain and residual creep life. <i>Steel Research = Archiv für Das Eisenhüttenwesen</i> , 1999, 70, 274-278. | 0.3 | 22 |
| 76 | Internal stresses in dislocation subgrain structures. <i>Computational Materials Science</i> , 1998, 13, 148-153. | 3.0 | 11 |
| 77 | Comparison of Substructures in High Temperature Deformed Aluminium Alloys by Polarised Optical, Scanning and Transmission Electron Microscopes. <i>High Temperature Materials and Processes</i> , 1998, 17, . | 1.4 | 8 |
| 78 | Dynamics of Recovery and Recrystallization. <i>Materials Science Forum</i> , 1996, 217-222, 31-42. | 0.3 | 38 |
| 79 | Long-range internal stresses in cell and subgrain structures of copper during deformation at constant stress. <i>Acta Materialia</i> , 1996, 44, 4337-4350. | 7.9 | 63 |
| 80 | Geometric dynamic recrystallization in hot torsion of Al–5Mg–0.6Mn (AA5083). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996, 205, 23-30. | 5.6 | 159 |
| 81 | The influence of friction on plastic deformation in compression tests. <i>Physica Status Solidi A</i> , 1996, 156, 305-315. | 1.7 | 20 |
| 82 | Deformation kinetics at constant structure during work hardening and steady state deformation of pure aluminium. <i>Physica Status Solidi A</i> , 1996, 157, 329-337. | 1.7 | 6 |
| 83 | Microstructure and deformation rate during long-term cyclic creep of the martensitic steel X22CrMoV12-1. <i>Steel Research = Archiv für Das Eisenhüttenwesen</i> , 1995, 66, 394-401. | 0.3 | 10 |
| 84 | Composite modeling of stress change response in steady-state creep. <i>Physica Status Solidi A</i> , 1994, 144, 343-352. | 1.7 | 6 |
| 85 | Long-Range Internal Stresses in the Transition from Cell to Subgrain Structures. <i>Key Engineering Materials</i> , 1994, 97-98, 461-466. | 0.4 | 9 |
| 86 | Modelling high temperature creep of academic and industrial materials using the composite model. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993, 164, 290-294. | 5.6 | 21 |
| 87 | On the Constitutive Laws of Plastic Deformation of InP Single Crystals at High Temperatures. <i>Physica Status Solidi A</i> , 1993, 137, 363-379. | 1.7 | 4 |
| 88 | Dynamic grain growth a restoration mechanism in 99.999 Al. <i>Scripta Metallurgica Et Materialia</i> , 1993, 28, 1299-1304. | 1.0 | 35 |
| 89 | Long-range internal stresses in steady-state subgrain structures. <i>Scripta Metallurgica Et Materialia</i> , 1993, 29, 7-12. | 1.0 | 13 |
| 90 | Creep of Pure Materials and Alloys. <i>High Temperature Materials and Processes</i> , 1993, 12, 31-48. | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Subgrain-boundary migration during creep of lif III. Stress reduction experiments. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1992, 66, 717-728. | 0.6 | 27 |
| 92 | Subgrain boundary migration during creep of lif: I. Recombination of subgrain boundaries. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1992, 65, 757-770. | 0.6 | 26 |
| 93 | Subgrain boundary migration during creep of lif II. Constant-stress experiments. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1992, 66, 27-40. | 0.6 | 19 |
| 94 | Subgrain growth during creep of a tempered martensitic 12% Cr steel. Steel Research = Archiv für Das Eisenhüttenwesen, 1991, 62, 72-74. | 0.3 | 19 |
| 95 | Does the "natural" third power law of steady state creep hold for pure aluminium?. Scripta Metallurgica Et Materialia, 1990, 24, 1837-1842. | 1.0 | 57 |
| 96 | Two mechanisms of dislocation motion during creep. Acta Metallurgica, 1989, 37, 2439-2453. | 2.1 | 71 |
| 97 | Stress dependence of the creep rate at constant dislocation structure. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1989, 112, 93-106. | 5.6 | 38 |
| 98 | On the natural law of steady state creep. Scripta Metallurgica, 1989, 23, 1419-1424. | 1.2 | 23 |
| 99 | Subgrain Boundary Migration During Creep of LiF. , 1989, , 875-880. | | 2 |
| 100 | On the interpretation of the "Internal stress" determined from dip tests during creep of Al-5at.%Mg. Materials Science and Engineering, 1987, 86, 145-158. | 0.1 | 33 |
| 101 | Transient Creep of an Al-5at%Mg Solid Solution. , 1985, , 773-778. | | 8 |
| 102 | Double etching " a simple method of investigating subboundary migration during creep. Materials Science and Engineering, 1984, 67, L9-L14. | 0.1 | 8 |
| 103 | On the evolution of the dislocation structure during work hardening and creep. Scripta Metallurgica, 1984, 18, 1383-1388. | 1.2 | 28 |
| 104 | On modelling steady state and transient deformation at elevated temperature. Scripta Metallurgica, 1982, 16, 1353-1357. | 1.2 | 15 |
| 105 | New technique for evaluating long range internal back stresses. Acta Metallurgica, 1982, 30, 1705-1715. | 2.1 | 75 |
| 106 | Coarsening of the dislocation structure after stress reduction during creep of NaCl single crystals. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1981, 44, 1065-1084. | 0.6 | 36 |
| 107 | Comparison between the cell structures produced in aluminium by cycling and by monotonic creep. Acta Metallurgica, 1980, 28, 519-537. | 2.1 | 36 |
| 108 | Dislocation Structure in Polycrystalline AlZn During Transient and Steady State Creep. , 1979, , 265-270. | | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Stress dependence of the strain rate of Al-11 wt.% Zn at elevated temperature. Acta Metallurgica, 1977, 25, 1531-1538. | 2.1 | 25 |
| 110 | Dynamic recovery during and after steady state deformation of Al-11wt%Zn. Acta Metallurgica, 1976, 24, 1027-1039. | 2.1 | 95 |
| 111 | Transient creep and recovery after stress reduction during steady state creep of AlZn. Acta Metallurgica, 1976, 24, 293-297. | 2.1 | 58 |
| 112 | Activation analysis of the steady-state deformation of single- and polycrystalline sodium chloride. Philosophical Magazine and Journal, 1973, 28, 245-259. | 1.7 | 12 |
| 113 | Role of Dislocation Annihilation during Steady-State Deformation. Physica Status Solidi (B): Basic Research, 1971, 45, 561-571. | 1.5 | 75 |
| 114 | On the stress dependence of the stationary deformation rate. Acta Metallurgica, 1969, 17, 959-966. | 2.1 | 65 |
| 115 | Über das Kriechverhalten von NaCl-Einkristallen. Physica Status Solidi (B): Basic Research, 1967, 20, 629-642. | 1.5 | 89 |
| 116 | Structure Evolution and Deformation Resistance in Production and Application of Ultrafine-Grained Materials – the Concept of Steady-State Grains. Materials Science Forum, 0, 683, 163-181. | 0.3 | 5 |