

# Shin Fukudo

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8265566/shin-fukudo-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135  
papers

5,426  
citations

39  
h-index

71  
g-index

143  
ext. papers

6,569  
ext. citations

5.7  
avg, IF

5.62  
L-index

#	Paper	IF	Citations
135	Irritable bowel syndrome. <i>Nature Reviews Disease Primers</i> , <b>2016</b> , 2, 16014	51.1	429
134	Impact of corticotropin-releasing hormone on gastrointestinal motility and adrenocorticotrophic hormone in normal controls and patients with irritable bowel syndrome. <i>Gut</i> , <b>1998</b> , 42, 845-9	19.2	297
133	Worldwide Prevalence and Burden of Functional Gastrointestinal Disorders, Results of Rome Foundation Global Study. <i>Gastroenterology</i> , <b>2021</b> , 160, 99-114.e3	13.3	285
132	Altered profiles of intestinal microbiota and organic acids may be the origin of symptoms in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , <b>2010</b> , 22, 512-9, e114-5	4	266
131	Gender, age, society, culture, and the patient's perspective in the functional gastrointestinal disorders. <i>Gastroenterology</i> , <b>2006</b> , 130, 1435-46	13.3	263
130	The global prevalence of IBS in adults remains elusive due to the heterogeneity of studies: a Rome Foundation working team literature review. <i>Gut</i> , <b>2017</b> , 66, 1075-1082	19.2	242
129	Effect of a corticotropin releasing hormone receptor antagonist on colonic sensory and motor function in patients with irritable bowel syndrome. <i>Gut</i> , <b>2004</b> , 53, 958-64	19.2	206
128	Specific brain processing of facial expressions in people with alexithymia: an H2 15O-PET study. <i>Brain</i> , <b>2003</b> , 126, 1474-84	11.2	179
127	Asian consensus on irritable bowel syndrome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2010</b> , 25, 1189-205	4	122
126	Contributions of pain sensitivity and colonic motility to IBS symptom severity and predominant bowel habits. <i>American Journal of Gastroenterology</i> , <b>2008</b> , 103, 2550-61	0.7	121
125	Patients and nonconsulters with irritable bowel syndrome reporting a parental history of bowel problems have more impaired psychological distress. <i>Digestive Diseases and Sciences</i> , <b>2004</b> , 49, 1046-53	4	106
124	Role of corticotropin-releasing hormone in irritable bowel syndrome and intestinal inflammation. <i>Journal of Gastroenterology</i> , <b>2007</b> , 42 Suppl 17, 48-51	6.9	101
123	The alexithymic brain: the neural pathways linking alexithymia to physical disorders. <i>BioPsychoSocial Medicine</i> , <b>2013</b> , 7, 1	2.8	98
122	Brain-gut response to stress and cholinergic stimulation in irritable bowel syndrome. A preliminary study. <i>Journal of Clinical Gastroenterology</i> , <b>1993</b> , 17, 133-41	3	91
121	Colonic motility, autonomic function, and gastrointestinal hormones under psychological stress on irritable bowel syndrome. <i>Tohoku Journal of Experimental Medicine</i> , <b>1987</b> , 151, 373-85	2.4	91
120	Correlation between alexithymia and hypersensitivity to visceral stimulation in human. <i>Pain</i> , <b>2007</b> , 132, 252-263	8	90
119	Evidence-based clinical practice guidelines for irritable bowel syndrome. <i>Journal of Gastroenterology</i> , <b>2015</b> , 50, 11-30	6.9	84

118	Neural basis of impaired cognitive flexibility in patients with anorexia nervosa. <i>PLoS ONE</i> , <b>2013</b> , 8, e611087	13.3	73
117	Gender difference in association between polymorphism of serotonin transporter gene regulatory region and anxiety. <i>Journal of Psychosomatic Research</i> , <b>2006</b> , 60, 91-7	4.1	70
116	Ramosetron Reduces Symptoms of Irritable Bowel Syndrome With Diarrhea and Improves Quality of Life in Women. <i>Gastroenterology</i> , <b>2016</b> , 150, 358-66.e8	13.3	69
115	Gastrointestinal symptoms and disorders in patients with eating disorders. <i>Clinical Journal of Gastroenterology</i> , <b>2015</b> , 8, 255-63	1.1	69
114	Impact of serotonin transporter gene polymorphism on brain activation by colorectal distention. <i>NeuroImage</i> , <b>2009</b> , 47, 946-51	7.9	69
113	Lubiprostone increases spontaneous bowel movement frequency and quality of life in patients with chronic idiopathic constipation. <i>Clinical Gastroenterology and Hepatology</i> , <b>2015</b> , 13, 294-301.e5	6.9	68
112	Efficacy and safety of oral lubiprostone in constipated patients with or without irritable bowel syndrome: a randomized, placebo-controlled and dose-finding study. <i>Neurogastroenterology and Motility</i> , <b>2011</b> , 23, 544-e205	4	68
111	Altered cognitive function of prefrontal cortex during error feedback in patients with irritable bowel syndrome, based on fMRI and dynamic causal modeling. <i>Gastroenterology</i> , <b>2012</b> , 143, 1188-1198	13.3	67
110	Lifestyle and psychological factors related to irritable bowel syndrome in nursing and medical school students. <i>Journal of Gastroenterology</i> , <b>2011</b> , 46, 1403-10	6.9	63
109	Gene, environment, and brain-gut interactions in irritable bowel syndrome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2011</b> , 26 Suppl 3, 110-5	4	61
108	Decreased histamine H1 receptor binding in the brain of depressed patients. <i>European Journal of Neuroscience</i> , <b>2004</b> , 20, 803-10	3.5	61
107	Effect of ramosetron on stool consistency in male patients with irritable bowel syndrome with diarrhea. <i>Clinical Gastroenterology and Hepatology</i> , <b>2014</b> , 12, 953-9.e4	6.9	58
106	Stress and visceral pain: focusing on irritable bowel syndrome. <i>Pain</i> , <b>2013</b> , 154 Suppl 1, S63-S70	8	51
105	Corticotropin-releasing hormone receptor 1 antagonist blocks brain-gut activation induced by colonic distention in rats. <i>Gastroenterology</i> , <b>2005</b> , 129, 1533-43	13.3	49
104	Translation and validation of a Japanese version of the irritable bowel syndrome-quality of life measure (IBS-QOL-J). <i>BioPsychoSocial Medicine</i> , <b>2007</b> , 1, 6	2.8	48
103	Altered brain and gut responses to corticotropin-releasing hormone (CRH) in patients with irritable bowel syndrome. <i>Scientific Reports</i> , <b>2017</b> , 7, 12425	4.9	44
102	Sex differences in brain response to anticipated and experienced visceral pain in healthy subjects. <i>American Journal of Physiology - Renal Physiology</i> , <b>2013</b> , 304, G687-99	5.1	43
101	Effect of autogenic training on general improvement in patients with irritable bowel syndrome: a randomized controlled trial. <i>Applied Psychophysiology Biofeedback</i> , <b>2010</b> , 35, 189-98	3.4	41

100	Validation of the Japanese version of the Rome II modular questionnaire and irritable bowel syndrome severity index. <i>Journal of Gastroenterology</i> , <b>2006</b> , 41, 491-4	6.9	41
99	Effect of alpha-helical CRH on quantitative electroencephalogram in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , <b>2007</b> , 19, 471-83	4	40
98	Exaggerated motility of the descending colon with repetitive distention of the sigmoid colon in patients with irritable bowel syndrome. <i>Journal of Gastroenterology</i> , <b>2002</b> , 37 Suppl 14, 145-50	6.9	40
97	Injection of corticotropin-releasing hormone into the amygdala aggravates visceral nociception and induces noradrenaline release in rats. <i>Neurogastroenterology and Motility</i> , <b>2015</b> , 27, 30-9	4	39
96	Increased brain histamine H1 receptor binding in patients with anorexia nervosa. <i>Biological Psychiatry</i> , <b>2009</b> , 65, 329-35	7.9	39
95	Brain activity during distention of the descending colon in humans. <i>Neurogastroenterology and Motility</i> , <b>2004</b> , 16, 299-309	4	39
94	Understanding Neurogastroenterology From Neuroimaging Perspective: A Comprehensive Review of Functional and Structural Brain Imaging in Functional Gastrointestinal Disorders. <i>Journal of Neurogastroenterology and Motility</i> , <b>2018</b> , 24, 512-527	4.4	38
93	Corticotropin-releasing hormone receptor 1 antagonist blocks colonic hypersensitivity induced by a combination of inflammation and repetitive colorectal distension. <i>Neurogastroenterology and Motility</i> , <b>2008</b> , 20, 1147-56	4	38
92	High prevalence of irritable bowel syndrome in medical outpatients in Japan. <i>Journal of Clinical Gastroenterology</i> , <b>2008</b> , 42, 1010-6	3	38
91	Involvement of the 5-HT <sub>3</sub> receptor in CRH-induced defecation in rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>1998</b> , 274, G827-31	5.1	38
90	Effect of 5-HT <sub>4</sub> receptor agonist mosapride citrate on rectosigmoid sensorimotor function in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , <b>2011</b> , 23, 754-e332	4	35
89	Food-deprived activity stress decreased the activity of the histaminergic neuron system in rats. <i>Brain Research</i> , <b>2001</b> , 891, 32-41	3.7	35
88	Multicultural Aspects in Functional Gastrointestinal Disorders (FGIDs). <i>Gastroenterology</i> , <b>2016</b> ,	13.3	34
87	Abdominal bloating is the most bothersome symptom in irritable bowel syndrome with constipation (IBS-C): a large population-based Internet survey in Japan. <i>BioPsychoSocial Medicine</i> , <b>2016</b> , 10, 19	2.8	32
86	Second Asian Consensus on Irritable Bowel Syndrome. <i>Journal of Neurogastroenterology and Motility</i> , <b>2019</b> , 25, 343-362	4.4	31
85	Validity and Reliability of the Japanese Version of the Rome III Diagnostic Questionnaire for Irritable Bowel Syndrome and Functional Dyspepsia. <i>Journal of Neurogastroenterology and Motility</i> , <b>2015</b> , 21, 537-44	4.4	28
84	Epidemiology of irritable bowel syndrome. <i>Annals of Gastroenterology</i> , <b>2015</b> , 28, 158-159	2.2	26
83	Neural substrates of decision making as measured with the Iowa Gambling Task in men with alexithymia. <i>Psychosomatic Medicine</i> , <b>2011</b> , 73, 588-97	3.7	23

82	Development of a Japanese version of the Somatic Symptom Scale-8: Psychometric validity and internal consistency. <i>General Hospital Psychiatry</i> , <b>2017</b> , 45, 7-11	5.6	22
81	Gastrointestinal specific anxiety in irritable bowel syndrome: validation of the Japanese version of the visceral sensitivity index for university students. <i>BioPsychoSocial Medicine</i> , <b>2014</b> , 8, 10	2.8	22
80	Evidence-based clinical practice guidelines for irritable bowel syndrome 2020. <i>Journal of Gastroenterology</i> , <b>2021</b> , 56, 193-217	6.9	22
79	Colorectal distention induces hippocampal noradrenaline release in rats: an in vivo microdialysis study. <i>Brain Research</i> , <b>2002</b> , 947, 146-9	3.7	21
78	Safety and efficacy of the sodium-glucose cotransporter 1 inhibitor mizagliflozin for functional constipation: a randomised, placebo-controlled, double-blind phase 2 trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2018</b> , 3, 603-613	18.8	20
77	Differential Activation in Amygdala and Plasma Noradrenaline during Colorectal Distention by Administration of Corticotropin-Releasing Hormone between Healthy Individuals and Patients with Irritable Bowel Syndrome. <i>PLoS ONE</i> , <b>2016</b> , 11, e0157347	3.7	20
76	Corticotropin-releasing hormone receptor 1 gene variants in irritable bowel syndrome. <i>PLoS ONE</i> , <b>2012</b> , 7, e42450	3.7	19
75	Influence of Uncertain Anticipation on Brain Responses to Aversive Rectal Distension in Patients With Irritable Bowel Syndrome. <i>Psychosomatic Medicine</i> , <b>2017</b> , 79, 988-999	3.7	18
74	Effects of personality traits on the manifestations of irritable bowel syndrome. <i>BioPsychoSocial Medicine</i> , <b>2012</b> , 6, 20	2.8	18
73	Role of histaminergic neurons in hypnotic modulation of brain processing of visceral perception. <i>Neurogastroenterology and Motility</i> , <b>2007</b> , 19, 831-8	4	17
72	Corticotropin-Releasing Hormone Receptor 2 Gene Variants in Irritable Bowel Syndrome. <i>PLoS ONE</i> , <b>2016</b> , 11, e0147817	3.7	17
71	Determining an optimal dose of linaclotide for use in Japanese patients with irritable bowel syndrome with constipation: A phase II randomized, double-blind, placebo-controlled study. <i>Neurogastroenterology and Motility</i> , <b>2018</b> , 30, e13275	4	16
70	Effect of ramosetron in female patients with irritable bowel syndrome with diarrhea: a phase III long-term study. <i>Journal of Gastroenterology</i> , <b>2016</b> , 51, 874-82	6.9	16
69	Can modulating corticotropin releasing hormone receptors alter visceral sensitivity?. <i>Gut</i> , <b>2006</b> , 55, 146-89.2	16	16
68	Lewy body constipation. <i>Journal of the Anus, Rectum and Colon</i> , <b>2019</b> , 3, 10-17	3.7	15
67	Common and distinct neural representations of aversive somatic and visceral stimulation in healthy individuals. <i>Nature Communications</i> , <b>2020</b> , 11, 5939	17.4	15
66	Association Between Alexithymia and Functional Gastrointestinal Disorders. <i>Frontiers in Psychology</i> , <b>2018</b> , 9, 599	3.4	14
65	A randomized controlled and long-term linaclotide study of irritable bowel syndrome with constipation patients in Japan. <i>Neurogastroenterology and Motility</i> , <b>2018</b> , 30, e13444	4	14

64	Survey of clinical practice for irritable bowel syndrome in East asian countries. <i>Digestion</i> , <b>2015</b> , 91, 99-109	9.6	13
63	Effect of 5-hydroxytryptamine receptor 4 agonist mosapride on human gastric accommodation. <i>Neurogastroenterology and Motility</i> , <b>2015</b> , 27, 1303-9	4	13
62	Abnormal visceral perception in patients with functional dyspepsia: use of cerebral potentials evoked by electrical stimulation of the oesophagus. <i>Neurogastroenterology and Motility</i> , <b>2000</b> , 12, 87-94	4	13
61	Effects of preceding stimulation on brain activation in response to colonic distention in humans. <i>Psychosomatic Medicine</i> , <b>2013</b> , 75, 453-62	3.7	12
60	High-dose linaclotide is effective and safe in patients with chronic constipation: A phase III randomized, double-blind, placebo-controlled study with a long-term open-label extension study in Japan. <i>Neurogastroenterology and Motility</i> , <b>2019</b> , 31, e13487	4	12
59	Optimal dose of ramosetron in female patients with irritable bowel syndrome with diarrhea: A randomized, placebo-controlled phase II study. <i>Neurogastroenterology and Motility</i> , <b>2017</b> , 29, e13023	4	11
58	Associations between Single-Nucleotide Polymorphisms in Corticotropin-Releasing Hormone-Related Genes and Irritable Bowel Syndrome. <i>PLoS ONE</i> , <b>2016</b> , 11, e0149322	3.7	11
57	Greater Overlap of Rome IV Disorders of Gut-Brain Interactions Leads to Increased Disease Severity and Poorer Quality of Life. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> ,	6.9	11
56	Differential responding of autonomic function to histamine H <sub>1</sub> antagonism in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , <b>2010</b> , 22, 1284-91, e335	4	10
55	Management and pathophysiology of functional gastrointestinal disorders. <i>Digestion</i> , <b>2012</b> , 85, 85-9	3.6	10
54	Dose-finding study of linaclotide in Japanese patients with chronic constipation: A phase II randomized, double-blind, and placebo-controlled study. <i>Neurogastroenterology and Motility</i> , <b>2018</b> , 30, e13442	4	9
53	Maladjustment to Academic Life and Employment Anxiety in University Students with Irritable Bowel Syndrome. <i>PLoS ONE</i> , <b>2015</b> , 10, e0129345	3.7	9
52	Serotonin Transporter Gene Polymorphism Modulates Activity and Connectivity within an Emotional Arousal Network of Healthy Men during an Aversive Visceral Stimulus. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123183	3.7	9
51	Insula Activity to Visceral Stimulation and Endocrine Stress Responses as Associated With Alexithymia in Patients With Irritable Bowel Syndrome. <i>Psychosomatic Medicine</i> , <b>2020</b> , 82, 29-38	3.7	9
50	Efficacy and Safety of 5-HT <sub>4</sub> Receptor Agonist Minesapride for Irritable Bowel Syndrome with Constipation in a Randomized Controlled Trial. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 538-548	6.9	9
49	Impact of symptoms by gender and age in Japanese subjects with irritable bowel syndrome with constipation (IBS-C): a large population-based internet survey. <i>BioPsychoSocial Medicine</i> , <b>2018</b> , 12, 12	2.8	9
48	Classical conditioned response of rectosigmoid motility and regional cerebral activity in humans. <i>Neurogastroenterology and Motility</i> , <b>2005</b> , 17, 705-13	4	8
47	Clinical Usefulness of Endoscopy, Barium Fluoroscopy, and Chest Computed Tomography for the Correct Diagnosis of Achalasia. <i>Internal Medicine</i> , <b>2020</b> , 59, 323-328	1.1	8

46	Influence of the requirement for abdominal pain in the diagnosis of irritable bowel syndrome with constipation (IBS-C) under the Rome IV criteria using data from a large Japanese population-based internet survey. <i>BioPsychoSocial Medicine</i> , <b>2018</b> , 12, 18	2.8	8
45	Parasympathetic activity correlates with subjective and brain responses to rectal distension in healthy subjects but not in non-constipated patients with irritable bowel syndrome. <i>Scientific Reports</i> , <b>2019</b> , 9, 7358	4.9	7
44	A neurological approach to biopsychosocial medicine: Lessons from irritable bowel syndrome. <i>BioPsychoSocial Medicine</i> , <b>2011</b> , 5, 1	2.8	7
43	Enhanced auditory brainstem response and parental bonding style in children with gastrointestinal symptoms. <i>PLoS ONE</i> , <b>2012</b> , 7, e32913	3.7	6
42	Cognitive behavioral therapy with interoceptive exposure and complementary video materials for irritable bowel syndrome (IBS): protocol for a multicenter randomized controlled trial in Japan. <i>BioPsychoSocial Medicine</i> , <b>2019</b> , 13, 14	2.8	5
41	Resting state functional connectivity of the pain matrix and default mode network in irritable bowel syndrome: a graph theoretical analysis. <i>Scientific Reports</i> , <b>2020</b> , 10, 11015	4.9	5
40	Relationship between sympathoadrenal and pituitary-adrenal response during colorectal distention in the presence of corticotropin-releasing hormone in patients with irritable bowel syndrome and healthy controls. <i>PLoS ONE</i> , <b>2018</b> , 13, e0199698	3.7	5
39	Dai-Kenchu-To, a Herbal Medicine, Attenuates Colorectal Distention-induced Visceromotor Responses in Rats. <i>Journal of Neurogastroenterology and Motility</i> , <b>2016</b> , 22, 686-693	4.4	5
38	Efficacy and safety of a crystalline lactulose preparation (SK-1202) in Japanese patients with chronic constipation: a randomized, double-blind, placebo-controlled, dose-finding study. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 530-540	6.9	5
37	Effect of attention bias modification on brain function and anxiety in patients with irritable bowel syndrome: A preliminary electroencephalogram and psycho-behavioral study. <i>Neurogastroenterology and Motility</i> , <b>2017</b> , 29, e13131	4	4
36	The effects of locomotor activity on gastrointestinal symptoms of irritable bowel syndrome among younger people: An observational study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0234089	3.7	4
35	Imaging Brain Mechanisms of Functional Somatic Syndromes: Potential as a Biomarker?. <i>Tohoku Journal of Experimental Medicine</i> , <b>2020</b> , 250, 137-152	2.4	4
34	Randomised clinical trial: minesapride vs placebo for irritable bowel syndrome with predominant constipation. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2020</b> , 52, 430-441	6.1	4
33	Effect of attention bias modification on event-related potentials in patients with irritable bowel syndrome: A preliminary brain function and psycho-behavioral study. <i>Neurogastroenterology and Motility</i> , <b>2018</b> , 30, e13402	4	4
32	Effect of repetitive transcranial magnetic stimulation on rectal function and emotion in humans. <i>Journal of Gastroenterology</i> , <b>2011</b> , 46, 1071-80	6.9	4
31	Randomized, placebo-controlled, phase IV pilot study of ramosetron to evaluate the co-primary end points in male patients with irritable bowel syndrome with diarrhea. <i>BioPsychoSocial Medicine</i> , <b>2017</b> , 11, 8	2.8	3
30	A Questionnaire-Based Survey on the Impact of the COVID-19 Pandemic on Gastrointestinal Endoscopy in Asia. <i>Digestion</i> , <b>2021</b> , 1-15	3.6	3
29	Linaclotide is Effective and Safe for Patients with Irritable Bowel Syndrome with Constipation in Japan: A Phase III Randomized, Double-Blind, and Placebo-Controlled and Long-Term Extension Study. <i>Gastroenterology</i> , <b>2017</b> , 152, S714	13.3	2

28	Evaluation of the irritable bowel syndrome severity index in Japanese male patients with irritable bowel syndrome with diarrhea. <i>BioPsychoSocial Medicine</i> , <b>2017</b> , 11, 7	2.8	2
27	Mo1281 Optimal Dose of Ramosetron in Female Patients With Irritable Bowel Syndrome With Diarrhea: A Randomized, Placebo-Controlled Phase II Trial. <i>Gastroenterology</i> , <b>2015</b> , 148, S-659	13.3	2
26	Exaggerated viscerosensory evoked potentials in irritable bowel syndrome. <i>Gastroenterology</i> , <b>2001</b> , 120, A750	13.3	2
25	Exaggerated viscerosensory evoked potentials in irritable bowel syndrome. <i>Gastroenterology</i> , <b>2001</b> , 120, A750-A750	13.3	2
24	Modification of rectal function and emotion by repetitive transcranial magnetic stimulation in humans. <i>Neuroscience Research</i> , <b>2021</b> , 168, 54-63	2.9	2
23	Oxytocin antagonist induced visceral pain and corticotropin-releasing hormone neuronal activation in the central nucleus of the amygdala during colorectal distention in mice. <i>Neuroscience Research</i> , <b>2021</b> , 168, 41-53	2.9	2
22	Effectiveness of enhanced cognitive behavior therapy for bulimia nervosa in Japan: a randomized controlled trial protocol. <i>BioPsychoSocial Medicine</i> , <b>2020</b> , 14, 2	2.8	1
21	Future Possibility of Mizagliflozin on Functional Constipation and/or Irritable Bowel Syndrome With Constipation. <i>Gastroenterology</i> , <b>2019</b> , 157, 898-899	13.3	1
20	Eating Disorder Neuroimaging Initiative (EDNI): a multicentre prospective cohort study protocol for elucidating the neural effects of cognitive-behavioural therapy for eating disorders. <i>BMJ Open</i> , <b>2021</b> , 11, e042685	3	1
19	Hybrid Cognitive Behavioral Therapy With Interoceptive Exposure for Irritable Bowel Syndrome: A Feasibility Study. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 673939	5	1
18	Pharmacological and psychosomatic treatments for an elderly patient with severe nausea and vomiting in reaction to postoperative stress. <i>Clinical Journal of Gastroenterology</i> , <b>2015</b> , 8, 275-9	1.1	0
17	Randomized, double-blind, placebo-controlled study vs data in the daily practice using linaclotide in patients with irritable bowel syndrome with constipation. <i>Neurogastroenterology and Motility</i> , <b>2018</b> , 30, e13363	4	0
16	Concordant pattern of the HPA axis response to visceral stimulation and CRH administration. <i>Neuroscience Research</i> , <b>2021</b> , 168, 32-40	2.9	0
15	Effect of Mizagliflozin on Postprandial Plasma Glucose in Patients With Functional Constipation. <i>Journal of Neurogastroenterology and Motility</i> , <b>2019</b> , 25, 332-333	4.4	
14	Reply: To PMID 25158925. <i>Clinical Gastroenterology and Hepatology</i> , <b>2015</b> , 13, 1379	6.9	
13	Evaluation of Kampo medicine in the clinical practice guideline for irritable bowel syndrome. <i>Journal of Gastroenterology</i> , <b>2015</b> , 50, 817-8	6.9	
12	OC-067 Phenotyping visceral pain in humans using brain imaging. <i>Gut</i> , <b>2010</b> , 59, A28.1-A28	19.2	
11	Role of Brain-Gut Axis in Irritable Bowel Syndrome. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, SY71-2	0	



- 10 VII. How to Treat Chronic Constipation with Intestinal Secretagogues or Inhibitor of Ileal Bile Acid Transporter. *The Journal of the Japanese Society of Internal Medicine*, **2019**, 108, 46-54 ○
- 9 Histamine Neuroimaging in Stress-Related Disorders.. *Current Topics in Behavioral Neurosciences*, **2022**, 1 3-4
- 8 Rehabilitation Medicine for Abnormal Visceral Sensitivity in Irritable Bowel Syndrome(IBS). *The Japanese Journal of Rehabilitation Medicine*, **2021**, 58, 1383-1390 ○
- 7 The effects of locomotor activity on gastrointestinal symptoms of irritable bowel syndrome among younger people: An observational study **2020**, 15, e0234089
- 6 The effects of locomotor activity on gastrointestinal symptoms of irritable bowel syndrome among younger people: An observational study **2020**, 15, e0234089
- 5 The effects of locomotor activity on gastrointestinal symptoms of irritable bowel syndrome among younger people: An observational study **2020**, 15, e0234089
- 4 The effects of locomotor activity on gastrointestinal symptoms of irritable bowel syndrome among younger people: An observational study **2020**, 15, e0234089
- 3 The effects of locomotor activity on gastrointestinal symptoms of irritable bowel syndrome among younger people: An observational study **2020**, 15, e0234089
- 2 The effects of locomotor activity on gastrointestinal symptoms of irritable bowel syndrome among younger people: An observational study **2020**, 15, e0234089
- 1 Letter: placebo run-in for IBS clinical trials - is it useful? AuthorsSreply. *Alimentary Pharmacology and Therapeutics*, **2020**, 52, 1239-1240 6.1