

# Phil Greer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8266214/publications.pdf>

Version: 2024-02-01

25  
papers

3,140  
citations

393982

19  
h-index

580395

25  
g-index

25  
all docs

25  
docs citations

25  
times ranked

3806  
citing authors

#	ARTICLE	IF	CITATIONS
1	Estrogen-Related Receptor $\hat{1}^3$ Maintains Pancreatic Acinar Cell Function and Identity by Regulating Cellular Metabolism. <i>Gastroenterology</i> , 2022, 163, 239-256.	0.6	7
2	Low serum trypsinogen levels in chronic pancreatitis: Correlation with parenchymal loss, exocrine pancreatic insufficiency, and diabetes but not CT-based cambridge severity scores for fibrosis. <i>Pancreatology</i> , 2020, 20, 1368-1378.	0.5	11
3	Nutrition and Inflammatory Biomarkers in Chronic Pancreatitis Patients. <i>Nutrition in Clinical Practice</i> , 2019, 34, 387-399.	1.1	32
4	Genetic Risk Score in Diabetes Associated With Chronic Pancreatitis Versus Type 2 Diabetes Mellitus. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00057.	1.3	35
5	Association of Dietary Habits with Severity of Acute Pancreatitis. <i>Current Developments in Nutrition</i> , 2018, 2, nzy075.	0.1	4
6	Known genetic susceptibility factors for chronic pancreatitis in patients of European ancestry are rare in patients of African ancestry. <i>Pancreatology</i> , 2018, 18, 528-535.	0.5	17
7	Clinical outcomes of isolated renal failure compared to other forms of organ failure in patients with severe acute pancreatitis. <i>World Journal of Gastroenterology</i> , 2017, 23, 5431.	1.4	19
8	Cognitive impact of genetic variation of the serotonin transporter in primates is associated with differences in brain morphology rather than serotonin neurotransmission. <i>Molecular Psychiatry</i> , 2010, 15, 512-522.	4.1	116
9	Prospective reports of chronic life stress predict decreased grey matter volume in the hippocampus. <i>NeuroImage</i> , 2007, 35, 795-803.	2.1	264
10	Higher blood pressure predicts lower regional grey matter volume: Consequences on short-term information processing. <i>NeuroImage</i> , 2006, 31, 754-765.	2.1	117
11	Normal Brain Tissue Volumes after Long-Term Recovery in Anorexia and Bulimia Nervosa. <i>Biological Psychiatry</i> , 2006, 59, 291-293.	0.7	151
12	Gender differences in a fenfluramine-activated FDG PET study of borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2005, 138, 183-195.	0.9	43
13	Estradiol Effects on the Postmenopausal Brain. <i>American Journal of Psychiatry</i> , 2004, 161, 2136-2136.	4.0	1
14	Impulsivity and prefrontal hypometabolism in borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 123, 153-163.	0.9	210
15	Widespread increases of cortical serotonin type 2A receptor availability after hormone therapy in euthymic postmenopausal women. <i>Fertility and Sterility</i> , 2003, 80, 554-559.	0.5	75
16	Brain Morphometric Abnormalities in Geriatric Depression: Long-Term Neurobiological Effects of Illness Duration. <i>American Journal of Psychiatry</i> , 2002, 159, 1424-1427.	4.0	315
17	Reduced 5-HT <sub>2A</sub> receptor binding after recovery from anorexia nervosa. <i>Biological Psychiatry</i> , 2002, 52, 896-906.	0.7	197
18	Gender-specific aging effects on the serotonin 1A receptor. <i>Brain Research</i> , 2001, 895, 9-17.	1.1	99

#	ARTICLE	IF	CITATIONS
19	A fenfluramine-activated FDG-PET study of borderline personality disorder. <i>Biological Psychiatry</i> , 2000, 47, 540-547.	0.7	257
20	Regional cerebral blood flow after recovery from bulimia nervosa. <i>Psychiatry Research - Neuroimaging</i> , 2000, 100, 31-39.	0.9	17
21	Serotonin type-1A receptor imaging in depression. <i>Nuclear Medicine and Biology</i> , 2000, 27, 499-507.	0.3	182
22	Effects of estradiol and progesterone administration on human serotonin 2A receptor binding: a PET study. <i>Biological Psychiatry</i> , 2000, 48, 854-860.	0.7	152
23	Brain Tumor Volume Measurement: Comparison of Manual and Semiautomated Methods. <i>Radiology</i> , 1999, 212, 811-816.	3.6	100
24	Pet imaging of serotonin 1A receptor binding in depression. <i>Biological Psychiatry</i> , 1999, 46, 1375-1387.	0.7	598
25	Reduced binding of [18F]altanserin to serotonin type 2A receptors in aging: persistence of effect after partial volume correction. <i>Brain Research</i> , 1998, 813, 167-171.	1.1	121