
## Tchavdar Nikolov Shalganov

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8267028/publications.pdf

Version: 2024-02-01



TCHAVDAR NIKOLOV

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Q waves are the strongest electrocardiographic variable associated with primary prophylactic<br>implantable cardioverter-defibrillator benefit: a prospective multicentre study. Europace, 2022, 24,<br>774-783.  | 0.7 | 5         |
| 2  | Left free wallâ€sided Mahaim type fiber and Aâ€V nodal reentry tachycardia: Unusual but not impossible<br>combination. Clinical Case Reports (discontinued), 2022, 10, e05753.  | 0.2 | 2         |
| 3  | Interventional electrophysiology in Bulgaria in 2021: data from the electronic registry BC-EPHY.<br>Bulgarian Cardiology, 2022, 28, 69-78.  | 0.0 | 0         |
| 4  | Magnetic resonance imaging of MINOCA in underlying non-ischemic dilated cardiomyopathy: a case report. Bulgarian Cardiology, 2022, 28, 130-136.   | 0.0 | 0         |
| 5  | Relation of outcomes to ABC (Atrial Fibrillation Better Care) pathway adherent care in European<br>patients with atrial fibrillation: an analysis from the ESC-EHRA EORP Atrial Fibrillation General<br>Long-Term (AFGen LT) Registry. Europace, 2021, 23, 174-183. | 0.7 | 74        |
| 6  | 2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in<br>collaboration with the European Association for Cardio-Thoracic Surgery (EACTS). European Heart<br>Journal, 2021, 42, 373-498.  | 1.0 | 5,583     |
| 7  | Review of interventional electrophysiology in Bulgaria in 2019 and 2020: data from the electronic ablation registry BG-EPHYÂ. Bulgarian Cardiology, 2021, 27, 31-42.  | 0.0 | 0         |
| 8  | Anatomic variants of pulmonary venous drainage and their relation to recurrences of atrial fibrillation after pulmonary vein isolation. Bulgarian Cardiology, 2021, 27, 55-68.  | 0.0 | 0         |
| 9  | Left atrial thrombosis in patients with atrial fibrillation during uninterrupted oral anticoagulation.<br>Bulgarian Cardiology, 2021, 27, 88-98.  | 0.0 | Ο         |
| 10 | Catheter ablation of macroreentrant atrial tachycardias following transconduit puncture access in<br>a patient after total cavopulmonary connection with an extracardiac conduit. Bulgarian Cardiology,<br>2021, 27, 113-122.                                       | 0.0 | 0         |
| 11 | Impact of clinical phenotypes on management and outcomes in European atrial fibrillation patients: a<br>report from the ESC-EHRA EURObservational Research Programme in AF (EORP-AF) General Long-Term<br>Registry. BMC Medicine, 2021, 19, 256.                    | 2.3 | 22        |
| 12 | High-sensitivity cardiac troponin and C-reactive protein dynamics after cardiac electrophysiological procedures. Bulgarian Cardiology, 2021, 27, 43-54.   | 0.0 | 0         |
| 13 | Appropriate Shocks and Mortality in Patients With Versus Without Diabetes With Prophylactic<br>Implantable Cardioverter Defibrillators. Diabetes Care, 2020, 43, 196-200.   | 4.3 | 11        |
| 14 | Clinical effectiveness of primary prevention implantable cardioverter-defibrillators: results of the EU-CERT-ICD controlled multicentre cohort study. European Heart Journal, 2020, 41, 3437-3447.  | 1.0 | 78        |
| 15 | Catheter Ablation of Idiopathic Ventricular Arrhythmias Originating from the Para-Hisian area - QRS<br>Morphology Change and Late Effect of the Ablation: Case Series. Folia Medica, 2020, 62, 185-189.   | 0.2 | Ο         |
| 16 | Catheter ablation of atrial tachycardia via extracardiac access. Bulgarian Cardiology, 2020, 26, 53-57.   | 0.0 | 0         |
| 17 | Recurrences of atrial fibrillation after first radiofrequency pulmonary vein isolation in patients with paroxysmal atrial fibrillation: single center follow-up. Bulgarian Cardiology, 2020, 26, 13-25.   | 0.0 | 0         |
| 18 | Distribution and area of low voltage and dense scar zones and their relation to left atrial<br>enlargement in ablation-naÃ <sup>-</sup> ve patients with paroxysmal atrial fibrillation. Bulgarian Cardiology, 2020,<br>26, 52-64.                                  | 0.0 | 0         |

TCHAVDAR NIKOLOV

| #  | Article  | IF               | CITATIONS        |
|----|--|------------------|------------------|
| 19 | Present criteria for prophylactic ICD implantation: Insights from the EU-CERT-ICD (Comparative) Tj ETQq1 1 0.784   | 1314 rgBT<br>0.4 | /Overlock 1<br>1 |
| 20 | Atrial fibrillation history impact on catheter ablation outcome. Findings from the ESCâ€EHRA Atrial<br>Fibrillation Ablation Longâ€Term Registry. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 313-320.   | 0.5              | 9                |
| 21 | Rationale and design of the EUâ€CERTâ€ŀCD prospective study: comparative effectiveness of prophylactic<br>ICD implantation. ESC Heart Failure, 2019, 6, 182-193.   | 1.4              | 18               |
| 22 | Contemporary stroke prevention strategies in 11 096 European patients with atrial fibrillation: a<br>report from the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) Long-Term<br>General Registry. Europace, 2018, 20, 747-757.  | 0.7              | 118              |
| 23 | Correlation between the sudden jump-like increases of the atrio-Hisian interval induced during burst<br>atrial pacing and during programmed atrial stimulation in patients with atrioventricular nodal<br>reentrant tachycardia. Indian Pacing and Electrophysiology Journal, 2018, 18, 49-53. | 0.3              | 1                |
| 24 | Evolution of the electrocardiogram in a patient with arrhythmogenic right ventricular cardiomyopathy. Hellenic Journal of Cardiology, 2017, 58, 165-166.   | 0.4              | 2                |
| 25 | The non-fluoroscopic navigation reduces significantly not only the fluoroscopic exposure during catheter ablation of the cavotricuspid isthmus but the total radiofrequency time as well. Acta Cardiologica, 2017, 72, 167-171.  | 0.3              | 1                |
| 26 | 2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS.<br>European Heart Journal, 2016, 37, 2893-2962.   | 1.0              | 5,689            |
| 27 | 2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death. European Heart Journal, 2015, 36, 2793-2867.   | 1.0              | 3,187            |
| 28 | Effect of Vericiguat, a Soluble Guanylate Cyclase Stimulator, on Natriuretic Peptide Levels in Patients<br>With Worsening Chronic Heart Failure and Reduced Ejection Fraction. JAMA - Journal of the American<br>Medical Association, 2015, 314, 2251.   | 3.8              | 288              |
| 29 | The presence of extensive atrial scars hinders the differential diagnosis of focal or macroreentrant atrial tachycardias in patients with complex congenital heart disease. Europace, 2014, 16, 893-898.   | 0.7              | 15               |
| 30 | Rationale and design of the <scp>SOluble</scp> guanylate Cyclase <scp>stimulatoR</scp> in<br><scp>heArT failurE</scp> Studies ( <scp>SOCRATES</scp> ). European Journal of Heart Failure, 2014, 16,<br>1026-1038.  | 2.9              | 119              |
| 31 | Inadvertent isolation of a focal tachycardia within the superior vena cava. World Journal of<br>Cardiovascular Diseases, 2012, 02, 316-320.  | 0.0              | 0                |
| 32 | Unusual site of origin of a non-automatic focal right ventricular tachycardia. Hellenic Journal of<br>Cardiology, 2012, 53, 74-6.  | 0.4              | 0                |
| 33 | Electrogram analysis at the His bundle region and the proximal coronary sinus as a tool to predict left atrial origin of focal atrial tachycardias. Europace, 2011, 13, 1022-1027.   | 0.7              | 8                |
| 34 | Poster Session 4. Europace, 2011, 13, NP-NP.   | 0.7              | 0                |
| 35 | Selective slow pathway ablation using transseptal approach in a patient with surgically corrected partial atrioventricular canal defect and atrioventricular nodal reentrant tachycardia of the common type. Europace, 2010, 12, 756-757.  | 0.7              | 8                |
| 36 | Incisional atrial tachycardia masquerading as counter-clockwise atrial flutter. Indian Pacing and<br>Electrophysiology Journal, 2010, 10, 139-42.  | 0.3              | 0                |

TCHAVDAR NIKOLOV

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Percutaneous Coronary Intervention for Acute Myocardial Infarction in a Single Coronary Artery<br>Anomaly. Clinical Cardiology, 2009, 32, E49-51.  | 0.7 | 3         |
| 38 | Bi-atrial and right atrial activation times help to differentiate focal from macroreentrant right atrial<br>tachycardias. Acta Cardiologica, 2009, 64, 17-21.  | 0.3 | 2         |
| 39 | Transseptal Access to the Left Atrium From the Left Femoral Vein. Revista Espanola De Cardiologia<br>(English Ed ), 2008, 61, 988-989.   | 0.4 | 0         |
| 40 | Acceso transeptal a la aurÃcula izquierda desde la vena femoral izquierda. Revista Espanola De<br>Cardiologia, 2008, 61, 988-989.  | 0.6 | 0         |
| 41 | Substrate-based catheter ablation in previously undiagnosed arrhythmogenic right ventricular<br>dysplasia by means of an electroanatomic mapping system using cutaneous patches. Cardiology<br>Journal, 2008, 15, 567-8.       | 0.5 | 0         |
| 42 | Evolution of left ventricular function in paediatric patients with permanent right ventricular pacing for isolated congenital heart block: a medium term follow-up. Europace, 2007, 9, 228-232.                                | 0.7 | 36        |
| 43 | Mid-term echocardiographic follow up of left ventricular function with permanent right ventricular pacing in pediatric patients with and without structural heart disease. Cardiovascular Ultrasound, 2007, 5, 13.             | 0.5 | 17        |
| 44 | lce mapping during tachycardia in close proximity to the AV node is safe and offers advantages for transcatheter ablation procedures. Acta Cardiologica, 2007, 62, 587-591.  | 0.3 | 5         |
| 45 | P4-109. Heart Rhythm, 2006, 3, S255.   | 0.3 | 1         |
| 46 | Unusual Wenckebach phenomenon due to an atrial tachycardia arising from the apex of Koch's<br>triangle in the presence of dual AV nodal physiology. Journal of Interventional Cardiac<br>Electrophysiology, 2006, 15, 197-200. | 0.6 | 1         |
| 47 | A simple algorithm for defining the mechanism and the chamber of origin in atrial tachycardias.<br>Journal of Electrocardiology, 2006, 39, 369-376.  | 0.4 | 8         |
| 48 | Right diaphragmatic paralysis following endocardial cryothermal ablation of inappropriate sinus tachycardia. Europace, 2006, 8, 904-906.   | 0.7 | 22        |
| 49 | Preventing complicated transseptal puncture with intracardiac echocardiography: case report.<br>Cardiovascular Ultrasound, 2005, 3, 5.   | 0.5 | 19        |