Darren A Dewalt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8268333/publications.pdf

Version: 2024-02-01

203 papers 20,953 citations

14614 66 h-index 138 g-index

203 all docs

203 docs citations

times ranked

203

20282 citing authors

#	Article	IF	CITATIONS
1	1295: DELIRIUM. Critical Care Medicine, 2022, 50, 648-648.	0.4	О
2	Transition Readiness Not Associated With Measures of Health in Youth With IBD. Inflammatory Bowel Diseases, 2021, 27, 49-57.	0.9	15
3	Association between Food Insecurity and Health-Related Quality of Life: a Nationally Representative Survey. Journal of General Internal Medicine, 2021, 36, 1638-1647.	1.3	21
4	Clinician engagement in the ADAPTABLE (Aspirin Dosing: A Patient-centric Trial Assessing Benefits and) Tj ETQq0	0 0 rgBT /	Overlock 10 ⁻
5	A Person-Centered Interdisciplinary Plan-of-Care Program for Dialysis: Implementation and Preliminary Testing. Kidney Medicine, 2021, 3, 193-205.e1.	1.0	9
6	Spontaneous Pneumomediastinum in a Patient with COVID-19 Pneumonia. Journal of General Internal Medicine, 2021, 36, 2845-2846.	1.3	1
7	Comparative Effectiveness of Aspirin Dosing in Cardiovascular Disease. New England Journal of Medicine, 2021, 384, 1981-1990.	13.9	145
8	The Association of Readmission Reduction Activities with Primary Care Practice Readmission Rates. Journal of General Internal Medicine, 2021, , 1.	1.3	3
9	Pre-Post Evaluation of Collaborative Oncology Palliative Care for Patients With Stage IV Cancer. Journal of Pain and Symptom Management, 2021, 62, e56-e64.	0.6	1
10	Practice level factors associated with enhanced engagement with practice facilitators; findings from the heart health now study. BMC Health Services Research, 2020, 20, 695.	0.9	4
11	A controlled trial of dissemination and implementation of a cardiovascular risk reduction strategy in small primary care practices. Health Services Research, 2020, 55, 944-953.	1.0	15
12	Feasibility of Tablet-Based Patient-Reported Symptom Data Collection Among Hemodialysis Patients. Kidney International Reports, 2020, 5, 1026-1039.	0.4	5
13	Development of a person-centered interdisciplinary plan-of-careÂprogram for dialysis. Nephrology Dialysis Transplantation, 2020, 35, 1426-1435.	0.4	5
14	PROMIS pediatric measures validated in a longitudinal study design in pediatric oncology. Pediatric Blood and Cancer, 2019, 66, e27606.	0.8	51
15	PROMIS® Adult Health Profiles: Efficient Short-Form Measures of Seven Health Domains. Value in Health, 2019, 22, 537-544.	0.1	335
16	Using PROMIS \hat{A}^{\otimes} to create clinically meaningful profiles of nephrotic syndrome patients Health Psychology, 2019, 38, 410-421.	1.3	16
17	Longitudinal Effect of Ambient Air Pollution and Pollen Exposure on Asthma Control: The Patient-Reported Outcomes Measurement Information System (PROMIS) Pediatric Asthma Study. Academic Pediatrics, 2019, 19, 615-623.	1.0	24
18	A multi-component, family-focused and literacy-sensitive intervention to improve medication adherence in patients with heart failure–A randomized controlled trial. Heart and Lung: Journal of Acute and Critical Care, 2019, 48, 507-514.	0.8	22

#	Article	IF	Citations
19	Health-related quality of life in glomerular disease. Kidney International, 2019, 95, 1209-1224.	2.6	38
20	Determining a transitional scoring link between PROMIS® pediatric and adult physical health measures. Quality of Life Research, 2019, 28, 1217-1229.	1.5	23
21	More Evidence to Help Guide Decision Making About Aspirin for Primary Prevention. Annals of Internal Medicine, 2019, 171, 149.	2.0	0
22	CureGN Study Rationale, Design, and Methods: Establishing a Large Prospective Observational Study of Glomerular Disease. American Journal of Kidney Diseases, 2019, 73, 218-229.	2.1	68
23	Recruiting for a pragmatic trial using the electronic health record and patient portal: successes and lessons learned. Journal of the American Medical Informatics Association: JAMIA, 2019, 26, 44-49.	2.2	46
24	Race-Specific Patterns of Treatment Intensification Among Hypertensive Patients Using Home Blood Pressure Monitoring: Analysis Using Defined Daily Doses in the Heart Healthy Lenoir Study. Annals of Pharmacotherapy, 2019, 53, 333-340.	0.9	5
25	A population approach using cholesterol imputation to identify adults with high cardiovascular risk: a report from AHRQ's EvidenceNow initiative. Journal of the American Medical Informatics Association: JAMIA, 2019, 26, 155-158.	2.2	3
26	Development and content validity of a hemodialysis symptom patient-reported outcome measure. Quality of Life Research, 2019, 28, 253-265.	1.5	19
27	Responsiveness of PROMIS® to change in chronic obstructive pulmonary disease. Journal of Patient-Reported Outcomes, 2019, 3, 65.	0.9	11
28	Organizational Leadership and Adaptive Reserve in Blood Pressure Control: The Heart Health NOW Study. Annals of Family Medicine, 2018, 16, S29-S34.	0.9	5
29	The effect of a practiceâ€based multicomponent intervention that includes health coaching on medication adherence and blood pressure control in rural primary care. Journal of Clinical Hypertension, 2018, 20, 757-764.	1.0	20
30	Assessing responsiveness over time of the PROMIS® pediatric symptom and function measures in cancer, nephrotic syndrome, and sickle cell disease. Quality of Life Research, 2018, 27, 249-257.	1.5	45
31	Point of View: Early Effects of Medicare's Bundled Payment for Care Improvement Program for Lumbar Fusion. Spine, 2018, 43, 712.	1.0	0
32	Comparison of Legacy Fatigue Measures With the PROMIS Pediatric Fatigue Short Form. Oncology Nursing Forum, 2018, 45, 106-114.	0.5	10
33	A Longitudinal Study of PROMIS Pediatric Symptom Clusters in Children Undergoing Chemotherapy. Journal of Pain and Symptom Management, 2018, 55, 359-367.	0.6	37
34	Improvement Science Takes Advantage of Methods beyond the Randomized Controlled Trial. Pediatric Quality & Safety, 2018, 3, e082.	0.4	1
35	More Evidence to Help Guide Decision Making About Aspirin for Primary Prevention. Annals of Internal Medicine, 2018, 169, 804.	2.0	3
36	Meal Delivery Programs Reduce The Use Of Costly Health Care In Dually Eligible Medicare And Medicaid Beneficiaries. Health Affairs, 2018, 37, 535-542.	2.5	124

#	Article	IF	CITATIONS
37	Applicability of Precision Medicine Approaches to Managing Hypertension in Rural Populations. Journal of Personalized Medicine, 2018, 8, 16.	1.1	5
38	Pediatrician Maintenance of Certification Using American Board of Pediatrics' Performance Improvement Modules. Academic Pediatrics, 2017, 17, 550-561.	1.0	4
39	Impaired Patient-Reported Outcomes Predict Poor School Functioning and Daytime Sleepiness: The PROMIS Pediatric Asthma Study. Academic Pediatrics, 2017, 17, 850-854.	1.0	12
40	The Medication Optimization Value Proposition. North Carolina Medical Journal, 2017, 78, 168-172.	0.1	8
41	Association of consistently suboptimal quality of life with consistently poor asthma control in children with asthma. Annals of Allergy, Asthma and Immunology, 2017, 119, 562-564.e1.	0.5	11
42	Successful long-term weight loss among participants with diabetes receiving an intervention promoting an adapted Mediterranean-style dietary pattern: the Heart Healthy Lenoir Project. BMJ Open Diabetes Research and Care, 2017, 5, e000339.	1.2	7
43	The association of health literacy and blood pressure reduction in a cohort of patients with hypertension: The heart healthy lenoir trial. Patient Education and Counseling, 2017, 100, 542-549.	1.0	40
44	A multicomponent quality improvement intervention to improve blood pressure and reduce racial disparities in rural primary care practices. Journal of Clinical Hypertension, 2017, 19, 351-360.	1.0	16
45	Practice Level Costs of Office-Based Hypertension Performance Improvement. Journal of Healthcare Management, 2017, 62, 136-150.	0.4	0
46	Responsiveness of the PROMIS® measures to changes in disease status among pediatric nephrotic syndrome patients: a Midwest pediatric nephrology consortium study. Health and Quality of Life Outcomes, 2017, 15, 166.	1.0	19
47	Leveraging pediatric PROMIS item banks to assess physical functioning in children at risk for severe functional loss. Journal of Patient-Reported Outcomes, 2017, 1, 10.	0.9	5
48	Lessons Learned From Implementing Health Coaching in The Heart Healthy Lenoir Hypertension Study. Progress in Community Health Partnerships: Research, Education, and Action, 2016, 10, 559-567.	0.2	6
49	The Association of English Functional Health Literacy and the Receipt of Mammography among Hispanic Women Compared to Non-Hispanic U.SBorn White Women. PLoS ONE, 2016, 11, e0164307.	1.1	6
50	Perceived Social Standing, Medication Nonadherence, and Systolic Blood Pressure in the Rural South. Journal of Rural Health, 2016, 32, 156-163.	1.6	16
51	Responsiveness of PROMIS ^{$\hat{A}^{@}$} Pediatric Measures to Hospitalizations for Sickle Pain and Subsequent Recovery. Pediatric Blood and Cancer, 2016, 63, 1038-1045.	0.8	51
52	Initial Evaluation of the Pediatric PROMIS® Health Domains in Children and Adolescents With Sickle Cell Disease. Pediatric Blood and Cancer, 2016, 63, 1031-1037.	0.8	73
53	What Are Effective Program Characteristics of Self-Management Interventions in Patients With Heart Failure? An Individual Patient Data Meta-analysis. Journal of Cardiac Failure, 2016, 22, 861-871.	0.7	78
54	Responsiveness to Change in PROMIS® Measures among Children with Asthma: A Report from the PROMIS® Pediatric Asthma Study. Value in Health, 2016, 19, 192-201.	0.1	20

#	Article	IF	Citations
55	Are children with asthma overconfident that they are using their inhalers correctly?. Journal of Asthma, 2016, 53, 107-112.	0.9	26
56	Patient-Reported Outcomes Measurement Information System in Children with Crohn's Disease. Journal of Pediatrics, 2016, 174, 153-159.e2.	0.9	25
57	An item-level response shift study on the change of health state with the rating of asthma-specific quality of life: a report from the PROMIS® Pediatric Asthma Study. Quality of Life Research, 2016, 25, 1349-1359.	1.5	8
58	Type 2 Diabetes Self-management Among Spanish-Speaking Hispanic Immigrants. Journal of Immigrant and Minority Health, 2016, 18, 1392-1403.	0.8	13
59	Linkage between the PROMIS® pediatric and adult emotional distress measures. Quality of Life Research, 2016, 25, 823-833.	1.5	38
60	Caregiver word reading literacy and health outcomes among children treated in a pediatric nephrology practice. CKJ: Clinical Kidney Journal, 2016, 9, 510-515.	1.4	20
61	Patterns of care for clinically distinct segments of high cost Medicare beneficiaries. Healthcare, 2016, 4, 160-165.	0.6	16
62	The PROMIS satisfaction with social participation measures demonstrated responsiveness in diverse clinical populations. Journal of Clinical Epidemiology, 2016, 73, 135-141.	2.4	97
63	Mode effects between computer self-administration and telephone interviewer-administration of the PROMIS® pediatric measures, self- and proxy report. Quality of Life Research, 2016, 25, 1655-1665.	1.5	22
64	Known-groups validity of the Patient-Reported Outcomes Measurement Information System (PROMIS®) in adolescents and young adults with special healthcare needs. Quality of Life Research, 2016, 25, 1815-1823.	1.5	9
65	Using Tailored Videos to Teach Inhaler Technique to Children With Asthma: Results From a School Nurse-Led Pilot Study. Journal of Pediatric Nursing, 2016, 31, 380-389.	0.7	22
66	Do Self-Management Interventions Work in Patients With Heart Failure?. Circulation, 2016, 133, 1189-1198.	1.6	212
67	Longitudinal associations among asthma control, sleep problems, and health-related quality of life in children with asthma: a report from the PROMIS® Pediatric Asthma Study. Sleep Medicine, 2016, 20, 41-50.	0.8	23
68	PROMIS measures of pain, fatigue, negative affect, physical function, and social function demonstrated clinical validity across a range of chronic conditions. Journal of Clinical Epidemiology, 2016, 73, 89-102.	2.4	327
69	Health Literacy Mediates the Relationship Between Age and Health Outcomes in Patients With Heart Failure. Circulation: Heart Failure, 2016, 9, e002250.	1.6	47
70	Associations between subjective social status and physical and mental health functioning among patients with hypertension. Journal of Health Psychology, 2016, 21, 2624-2635.	1.3	18
71	Estimating minimally important difference (MID) in PROMIS pediatric measures using the scale-judgment method. Quality of Life Research, 2016, 25, 13-23.	1.5	148
72	Functional Health Literacy, Chemotherapy Decisions, and Outcomes among a Colorectal Cancer Cohort. Cancer Control, 2015, 22, 95-101.	0.7	52

#	Article	IF	Citations
73	Material Need Insecurities, Control of Diabetes Mellitus, and Use of Health Care Resources. JAMA Internal Medicine, 2015, 175, 257.	2.6	158
74	Family member accompaniment to routine medical visits is associated with better self-care in heart failure patients. Chronic Illness, 2015, 11, 21-32.	0.6	35
75	Correlation of PROMIS scales and clinical measures among chronic obstructive pulmonary disease patients with and without exacerbations. Quality of Life Research, 2015, 24, 999-1009.	1.5	20
76	Item-level informant discrepancies between children and their parents on the PROMIS® pediatric scales. Quality of Life Research, 2015, 24, 1921-1937.	1.5	63
77	Material Need Support Interventions for Diabetes Prevention and Control: a Systematic Review. Current Diabetes Reports, 2015, 15, 574.	1.7	53
78	Comparison of Brief Health Literacy Screens in the Emergency Department. Journal of Health Communication, 2015, 20, 539-545.	1.2	16
79	The impact of disease duration on quality of life in children with nephrotic syndrome: a Midwest Pediatric Nephrology Consortium study. Pediatric Nephrology, 2015, 30, 1467-1476.	0.9	49
80	PROMIS® pediatric self-report scales distinguish subgroups of children within and across six common pediatric chronic health conditions. Quality of Life Research, 2015, 24, 2195-2208.	1.5	188
81	A Failure to Communicate: A Qualitative Exploration of Care Coordination Between Hospitalists and Primary Care Providers Around Patient Hospitalizations. Journal of General Internal Medicine, 2015, 30, 417-424.	1.3	110
82	Development and Validation of the Proxy-Reported Pulmonary Outcomes Scale for Premature Infants. American Journal of Perinatology, 2015, 32, 583-590.	0.6	0
83	Cancer Care Delivery Research: Building the Evidence Base to Support Practice Change in Community Oncology. Journal of Clinical Oncology, 2015, 33, 2705-2711.	0.8	45
84	Learning Systems at Scale. JAMA - Journal of the American Medical Association, 2015, 314, 2131.	3.8	5
85	Patient and Practice Perspectives on Strategies for Controlling Blood Pressure, North Carolina, 2010–2012. Preventing Chronic Disease, 2014, 11, E69; quiz E69.	1.7	9
86	Using item response theory to enrich and expand the PROMIS® pediatric self report banks. Health and Quality of Life Outcomes, 2014, 12, 160.	1.0	92
87	Getting hip to vitamin D: A hospitalist project for improving the assessment and treatment of vitamin D deficiency in elderly patients with hip fracture. Journal of Hospital Medicine, 2014, 9, 714-719.	0.7	2
88	Patterns of symptoms and functional impairments in children with cancer. Pediatric Blood and Cancer, 2014, 61, 1282-1288.	0.8	65
89	Feasibility and Acceptability of the Patient-Reported Outcomes Measurement Information System Measures in Children and Adolescents in Active Cancer Treatment and Survivorship. Cancer Nursing, 2014, 37, 66-74.	0.7	37
90	More Extensive Implementation of the Chronic Care Model is Associated with Better Lipid Control in Diabetes. Journal of the American Board of Family Medicine, 2014, 27, 34-41.	0.8	28

#	Article	IF	CITATIONS
91	Who Needs Inpatient Detox? Development and Implementation of a Hospitalist Protocol for the Evaluation of Patients for Alcohol Detoxification. Journal of General Internal Medicine, 2014, 29, 587-593.	1.3	14
92	Clinic-Based Versus Outsourced Implementation of a Diabetes Health Literacy Intervention. Journal of General Internal Medicine, 2014, 29, 59-67.	1.3	24
93	Self-reported recall and daily diary-recorded measures of weight monitoring adherence: associations with heart failure-related hospitalization. BMC Cardiovascular Disorders, 2014, 14, 12.	0.7	35
94	PROMIS® Parent Proxy Report Scales for children ages 5–7Âyears: an item response theory analysis of differential item functioning across age groups. Quality of Life Research, 2014, 23, 349-361.	1.5	59
95	A singleâ€item selfâ€report medication adherence question predicts hospitalisation and death in patients with heart failure. Journal of Clinical Nursing, 2014, 23, 2554-2564.	1.4	30
96	Disease-related distress, self-care and clinical outcomes among low-income patients with diabetes. Journal of Epidemiology and Community Health, 2014, 68, 557-564.	2.0	89
97	Influence of Caregivers and Children's Entry Into the Dental Care System. Pediatrics, 2014, 133, e1268-e1276.	1.0	31
98	Gaining the Patient Reported Outcomes Measurement Information System (PROMIS) perspective in chronic kidney disease: a Midwest Pediatric Nephrology Consortium study. Pediatric Nephrology, 2014, 29, 2347-2356.	0.9	47
99	Psychometric properties of the PROMIS $\hat{A}^{\text{@}}$ pediatric scales: precision, stability, and comparison of different scoring and administration options. Quality of Life Research, 2014, 23, 1233-1243.	1.5	184
100	Implementation Science Workshop: Primary Care-Based Multidisciplinary Readmission Prevention Program. Journal of General Internal Medicine, 2014, 29, 798-804.	1.3	29
101	Evaluation of the Patient-Reported Outcomes Measurement Information System in a Large Cohort of Patients With Inflammatory Bowel Diseases. Clinical Gastroenterology and Hepatology, 2014, 12, 1315-1323.e2.	2.4	148
102	Single-item or two-item literacy screener to predict the S-TOFHLA among adult hemodialysis patients. Patient Education and Counseling, 2014, 94, 71-75.	1.0	28
103	New English and Spanish social health measures will facilitate evaluating health determinants Health Psychology, 2014, 33, 490-499.	1.3	240
104	Caregivers' Health Literacy and Gaps in Children's Medicaid Enrollment: Findings from the Carolina Oral Health Literacy Study. PLoS ONE, 2014, 9, e110178.	1.1	14
105	Abstract 12229: Health Literacy, Adherence to Self-Care Behaviors, and Ten-Year Cardiovascular Disease Risk in Central Appalachian Residents. Circulation, 2014, 130, .	1.6	0
106	PROMIS pediatric measures in pediatric oncology: Valid and clinically feasible indicators of patientâ€reported outcomes. Pediatric Blood and Cancer, 2013, 60, 402-408.	0.8	167
107	Gaining the PROMIS perspective from children with nephrotic syndrome: a Midwest pediatric nephrology consortium study. Health and Quality of Life Outcomes, 2013, 11, 30.	1.0	51
108	Promising insights into the health related quality of life for children with severe obesity. Health and Quality of Life Outcomes, 2013, 11, 29.	1.0	41

#	Article	IF	Citations
109	Development and psychometric properties of the PROMIS® pediatric fatigue item banks. Quality of Life Research, 2013, 22, 2417-2427.	1.5	128
110	A cross sectional study examining social desirability bias in caregiver reporting of children's oral health behaviors. BMC Oral Health, 2013, 13, 24.	0.8	49
111	Exploring factors influencing asthma control and asthma-specific health-related quality of life among children. Respiratory Research, 2013, 14, 26.	1.4	68
112	Low Literacy Is Associated with Increased Risk of Hospitalization and Death Among Individuals with Heart Failure. Journal of General Internal Medicine, 2013, 28, 1174-1180.	1.3	118
113	Self-Care Confidence Mediates the Relationship Between Perceived Social Support and Self-Care Maintenance in Adults With Heart Failure. Journal of Cardiac Failure, 2013, 19, 202-210.	0.7	53
114	The relationships between asthma control, daytime sleepiness, and quality of life among children with asthma: a path analysis. Sleep Medicine, 2013, 14, 641-647.	0.8	31
115	Lost in Translation: Are We Reaching the Target Audience with Internet-based Education Materials?. Journal of Vascular and Interventional Radiology, 2013, 24, 474-475.	0.2	0
116	Upper-Extremity and Mobility Subdomains From the Patient-Reported Outcomes Measurement Information System (PROMIS) Adult Physical Functioning Item Bank. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2291-2296.	0.5	107
117	Adaptation of the health literacy universal precautions toolkit for rheumatology and cardiology – Applications for pharmacy professionals to improve self-management and outcomes in patients with chronic disease. Research in Social and Administrative Pharmacy, 2013, 9, 597-608.	1.5	26
118	The association between health literacy and indicators of cognitive impairment in a diverse sample of primary care patients. Patient Education and Counseling, 2013, 93, 319-326.	1.0	21
119	Left Behind. JAMA Internal Medicine, 2013, 173, 583.	2.6	3
120	Food Insecurity in Relation to Changes in Hemoglobin A1c, Self-Efficacy, and Fruit/Vegetable Intake During a Diabetes Educational Intervention. Diabetes Care, 2013, 36, 1448-1453.	4.3	78
121	Transitional Care Cut Hospital Readmissions For North Carolina Medicaid Patients With Complex Chronic Conditions. Health Affairs, 2013, 32, 1407-1415.	2.5	81
122	PROMIS Pediatric Peer Relationships Scale: Development of a peer relationships item bank as part of social health measurement Health Psychology, 2013, 32, 1093-1103.	1.3	153
123	The heart healthy lenoir project-an intervention to reduce disparities in hypertension control: study protocol. BMC Health Services Research, 2013, 13, 441.	0.9	27
124	Satisfaction with electronic health records is associated with job satisfaction among primary care physicians. Informatics in Primary Care, 2013, 21, 18.	1.1	11
125	Associations Between Low Literacy and Health Status Measures: Cross-Sectional Analyses of Two Physical Activity Trials. Journal of Health Communication, 2012, 17, 230-245.	1.2	7
126	Multisite Randomized Trial of a Single-Session Versus Multisession Literacy-Sensitive Self-Care Intervention for Patients With Heart Failure. Circulation, 2012, 125, 2854-2862.	1.6	98

#	Article	IF	Citations
127	Diabetes Implementation of a Self-management Program in Resource Poor and Rural Community Clinics. Journal of Primary Care and Community Health, 2012, 3, 239-242.	1.0	6
128	PROMIS® Parent Proxy Report Scales: an item response theory analysis of the parent proxy report item banks. Quality of Life Research, 2012, 21, 1223-1240.	1.5	105
129	Is Adherence to Weight Monitoring or Weight-Based Diuretic Self-Adjustment Associated With Fewer Heart Failure-Related Emergency Department Visits or Hospitalizations?. Journal of Cardiac Failure, 2012, 18, 576-584.	0.7	53
130	Literacy-Sensitive Intervention for COPD Patients. Journal of General Internal Medicine, 2012, 27, 1104-1104.	1.3	0
131	PROMIS Pediatric Anger Scale: an item response theory analysis. Quality of Life Research, 2012, 21, 697-706.	1.5	87
132	Development of six PROMIS pediatrics proxy-report item banks. Health and Quality of Life Outcomes, 2012, 10, 22.	1.0	217
133	A Randomized Controlled Trial of a Literacy-Sensitive Self-Management Intervention for Chronic Obstructive Pulmonary Disease Patients. Journal of General Internal Medicine, 2012, 27, 190-195.	1.3	68
134	Assessing Literacy in Clinical and Community Settings: The Patient Perspective. Journal of Health Communication, 2011, 16, 124-134.	1.2	12
135	"Teach to Goal― Theory and Design Principles of an Intervention to Improve Heart Failure Self-Management Skills of Patients with Low Health Literacy. Journal of Health Communication, 2011, 16, 73-88.	1.2	70
136	The Effect of Progressive, Reinforcing Telephone Education and Counseling Versus Brief Educational Intervention on Knowledge, Self-Care Behaviors and Heart Failure Symptoms. Journal of Cardiac Failure, 2011, 17, 789-796.	0.7	93
137	Construction of the eight-item patient-reported outcomes measurement information system pediatric physical function scales: built using item response theory. Journal of Clinical Epidemiology, 2011, 64, 794-804.	2.4	164
138	Developing and testing the health literacy universal precautions toolkit. Nursing Outlook, 2011, 59, 85-94.	1.5	219
139	Using the PedsQLâ,,¢ 3.0 asthma module to obtain scores comparable with those of the PROMIS pediatric asthma impact scale (PAIS). Quality of Life Research, 2011, 20, 1497-1505.	1.5	48
140	Relationship Between Literacy, Knowledge, Self-Care Behaviors, and Heart Failure-Related Quality of Life Among Patients With Heart Failure. Journal of General Internal Medicine, 2011, 26, 979-986.	1.3	206
141	Development of a proxy-reported pulmonary outcome scale for preterm infants with bronchopulmonary dysplasia. Health and Quality of Life Outcomes, 2011, 9, 55.	1.0	2
142	Personal Disaster Preparedness of Dialysis Patients in North Carolina. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 2478-2484.	2.2	44
143	The Influence of Literacy on Patient-Reported Experiences of Diabetes Self-Management Support. Nursing Research, 2010, 59, 356-363.	0.8	29
144	Screening for Low Literacy in a Rheumatology Setting. Journal of Clinical Rheumatology, 2010, 16, 359-364.	0.5	30

#	Article	IF	CITATIONS
145	The role of helplessness, outcome expectation for exercise and literacy in predicting disability and symptoms in older adults with arthritis. Patient Education and Counseling, 2010, 81, 73-78.	1.0	16
146	Sampling plan and patient characteristics of the PROMIS pediatrics large-scale survey. Quality of Life Research, 2010, 19, 585-594.	1.5	142
147	An item response analysis of the pediatric PROMIS anxiety and depressive symptoms scales. Quality of Life Research, 2010, 19, 595-607.	1.5	365
148	Collaboration in Pennsylvania: Rapidly spreading improved chronic care for patients to practices. Journal of Continuing Education in the Health Professions, 2010, 30, 114-125.	0.4	20
149	Designing a large-scale multilevel improvement initiative: The improving performance in practice program *. Journal of Continuing Education in the Health Professions, 2010, 30, 187-196.	0.4	21
150	Ensuring Safe and Effective Use of Medication and Health Care. JAMA - Journal of the American Medical Association, 2010, 304, 2641.	3.8	21
151	Impact of Caregiver Literacy on Children's Oral Health Outcomes. Pediatrics, 2010, 126, 107-114.	1.0	139
152	Interventions to Improve Diabetes Outcomes for People With Low Literacy and Numeracy: A Systematic Literature Review. Diabetes Spectrum, 2010, 23, 228-237.	0.4	13
153	The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005–2008. Journal of Clinical Epidemiology, 2010, 63, 1179-1194.	2.4	3,521
154	PROMIS Pediatric Pain Interference Scale: An Item Response Theory Analysis of the Pediatric Pain Item Bank. Journal of Pain, 2010, 11, 1109-1119.	0.7	258
155	Construction of the Pediatric Asthma Impact Scale (PAIS) for the Patient-Reported Outcomes Measurement Information System (PROMIS). Journal of Asthma, 2010, 47, 295-302.	0.9	88
156	Leveling the field: addressing health disparities through diabetes disease management. American Journal of Managed Care, 2010, 16, 42-8.	0.8	8
157	Addressing Literacy and Numeracy to Improve Diabetes Care. Diabetes Care, 2009, 32, 2149-2155.	4.3	142
158	Comparison of a one-time educational intervention to a teach-to-goal educational intervention for self-management of heart failure: design of a randomized controlled trial. BMC Health Services Research, 2009, 9, 99.	0.9	29
159	Goal setting in diabetes self-management: Taking the baby steps to success. Patient Education and Counseling, 2009, 77, 218-223.	1.0	107
160	Literacy-appropriate educational materials and brief counseling improve diabetes self-management. Patient Education and Counseling, 2009, 75, 328-333.	1.0	103
161	Health Literacy and Child Health Outcomes: A Systematic Review of the Literature. Pediatrics, 2009, 124, S265-S274.	1.0	494
162	Cognitive interviewing methodology in the development of a pediatric item bank: a patient reported outcomes measurement information system (PROMIS) study. Health and Quality of Life Outcomes, 2009, 7, 3.	1.0	217

#	Article	IF	Citations
163	The use of focus groups in the development of the PROMIS pediatrics item bank. Quality of Life Research, 2008, 17, 725-735.	1.5	90
164	Content validity in the PROMIS social-health domain: a qualitative analysis of focus-group data. Quality of Life Research, 2008, 17, 737-749.	1.5	76
165	Cognitive interviewing in the evaluation of fatigue items: Results from the patient-reported outcomes measurement information system (PROMIS). Quality of Life Research, 2008, 17, 1239-1246.	1.5	82
166	Development and validation of the Diabetes Numeracy Test (DNT). BMC Health Services Research, 2008, 8, 96.	0.9	141
167	Association of Numeracy and Diabetes Control. Annals of Internal Medicine, 2008, 148, 737.	2.0	344
168	Item response theory detected differential item functioning between healthy and ill children in quality-of-life measures. Journal of Clinical Epidemiology, 2008, 61, 268-276.	2.4	50
169	Increasing Monofilament Examinations as a Means of Teaching Quality Improvement. Clinical Diabetes, 2008, 26, 167-169.	1.2	0
170	Evaluation of Item Candidates. Medical Care, 2007, 45, S12-S21.	1.1	632
171	A comparison of lipid and lipoprotein measurements in the fasting and nonfasting states in patients with type 2 diabetes. Current Medical Research and Opinion, 2007, 23, 2689-2695.	0.9	12
172	Low Parental Literacy Is Associated With Worse Asthma Care Measures in Children. Academic Pediatrics, 2007, 7, 25-31.	1.7	215
173	Parents With Low Literacy Report Higher Quality of Parent-Provider Relationships in a Residency Clinic. Academic Pediatrics, 2007, 7, 51-55.	1.7	20
174	Health Literacy and Heart Failure Care in Minority Communities. Annals of Internal Medicine, 2007, 146, 312.	2.0	4
175	Use of patient flow analysis to improve patient visit efficiency by decreasing wait time in a primary care-based disease management programs for anticoagulation and chronic pain: a quality improvement study. BMC Health Services Research, 2007, 7, 8.	0.9	33
176	Literacy and its relationship with self-efficacy, trust, and participation in medical decision making. American Journal of Health Behavior, 2007, 31 Suppl 1, S27-35.	0.6	71
177	Facilitating behavior change with low-literacy patient education materials. American Journal of Health Behavior, 2007, 31 Suppl 1, S69-78.	0.6	53
178	Literacy and Its Relationship With Self-efficacy, Trust, and Participation in Medical Decision Making. American Journal of Health Behavior, 2007, 31, 27-35.	0.6	104
179	Facilitating Behavior Change With Low-literacy Patient Education Materials. American Journal of Health Behavior, 2007, 31, 69-78.	0.6	94
180	Addressing health literacy through improved patient-practitioner communication. North Carolina Medical Journal, 2007, 68, 319-26.	0.1	2

#	Article	IF	Citations
181	Low health literacy: epidemiology and interventions. North Carolina Medical Journal, 2007, 68, 327-30.	0.1	7
182	Seleted data related to health literacy in North Carolina. North Carolina Medical Journal, 2007, 68, 377-8.	0.1	2
183	Literacy and health outcomes. Journal of General Internal Medicine, 2006, 21, 896-897.	1.3	63
184	A heart failure self-management program for patients of all literacy levels: A randomized, controlled trial [ISRCTN11535170]. BMC Health Services Research, 2006, 6, 30.	0.9	271
185	Predictors of opioid misuse in patients with chronic pain: a prospective cohort study. BMC Health Services Research, 2006, 6, 46.	0.9	425
186	Quality Improvement Strategies for Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2006, 296, 2680.	3.8	0
187	Labor characteristics and program costs of a successful diabetes disease management program. American Journal of Managed Care, 2006, 12, 277-83.	0.8	32
188	Interventions to improve health outcomes for patients with low literacy. Journal of General Internal Medicine, 2005, 20, 185-192.	1.3	266
189	A primary care, multi-disciplinary disease management program for opioid-treated patients with chronic non-cancer pain and a high burden of psychiatric comorbidity. BMC Health Services Research, 2005, 5, 3.	0.9	102
190	Quick Assessment of Literacy in Primary Care: The Newest Vital Sign. Annals of Family Medicine, 2005, 3, 514-522.	0.9	1,757
191	The Spoken Knowledge in Low Literacy in Diabetes Scale. The Diabetes Educator, 2005, 31, 215-224.	2.6	137
192	Use of Serum Electrolyte Panels in Gastroenteritis. Pediatrics, 2005, 115, 1108-1108.	1.0	2
193	Reading Is Fundamental. Archives of Internal Medicine, 2005, 165, 1943.	4.3	81
194	A randomized trial of a primary care-based disease management program to improve cardiovascular risk factors and glycated hemoglobin levels in patients with diabetes. American Journal of Medicine, 2005, 118, 276-284.	0.6	236
195	Significance of Medicare and Medicaid programs for the practice of medicine. Health Care Financing Review, 2005, 27, 79-90.	1.8	6
196	The role of literacy in health and health care. American Family Physician, 2005, 72, 387-8.	0.1	18
197	The Relationship Between Literacy and Glycemic Control in a Diabetes Disease-Management Program. The Diabetes Educator, 2004, 30, 263-273.	2.6	120
198	Influence of Patient Literacy on the Effectiveness of a Primary Care–Based Diabetes Disease Management Program. JAMA - Journal of the American Medical Association, 2004, 292, 1711.	3.8	331

#	Article	IF	CITATIONS
199	Literacy and health outcomes. Journal of General Internal Medicine, 2004, 19, 1228-1239.	1.3	1,596
200	Development and pilot testing of a disease management program for low literacy patients with heart failure. Patient Education and Counseling, 2004, 55, 78-86.	1.0	98
201	Is This Child Dehydrated?. JAMA - Journal of the American Medical Association, 2004, 291, 2746.	3.8	295
202	Health Literacy and Diabetic Control. JAMA - Journal of the American Medical Association, 2002, 288, 2687.	3.8	20
203	Health literacy and diabetic control. JAMA - Journal of the American Medical Association, 2002, 288, 2687-8.	3.8	11