

Kaori Ikeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8269880/publications.pdf>

Version: 2024-02-01

33
papers

569
citations

759190

12
h-index

642715

23
g-index

33
all docs

33
docs citations

33
times ranked

998
citing authors

#	ARTICLE	IF	CITATIONS
1	Urinary sodium-to-potassium ratio associates with hypertension and current disease activity in patients with rheumatoid arthritis: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2021, 23, 96.	3.5	12
2	Habitual fish intake negatively correlates with prevalence of frailty among patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2021, 11, 5104.	3.3	12
3	Variant Angina with Spontaneously Documented Ischemia- and Tachycardia-induced "Lambda" Waves. <i>Internal Medicine</i> , 2021, 60, 1409-1415.	0.7	1
4	Voxel-based specific regional analysis system for Alzheimer's disease utility as a screening tool for unrecognized cognitive dysfunction of elderly patients in diabetes outpatient clinics: Multicenter retrospective exploratory study. <i>Journal of Diabetes Investigation</i> , 2021, , .	2.4	3
5	Influence of dietary habits on depression among patients with rheumatoid arthritis: A cross-sectional study using KURAMA cohort database. <i>PLoS ONE</i> , 2021, 16, e0255526.	2.5	4
6	Development of a Method for Quantitation of Glyceraldehyde in Various Body Compartments of Rodents and Humans. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 13246-13254.	5.2	1
7	Serum vitamin D status inversely associates with a prevalence of severe sarcopenia among female patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2021, 11, 20485.	3.3	12
8	The work style and living condition survey of diabetologists and the expectations for the Japan Diabetes Society: results of questionnaires about the current state and the future prospect of their carrier in 2017. <i>Diabetology International</i> , 2020, 11, 299-308.	1.4	0
9	Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis. <i>PLoS ONE</i> , 2020, 15, e0228852.	2.5	7
10	Pyroglutamyl leucine, a peptide in fermented foods, attenuates dysbiosis by increasing host antimicrobial peptide. <i>Npj Science of Food</i> , 2019, 3, 18.	5.5	22
11	Amount of Collagen in the Meat Contained in Japanese Daily Dishes and the Collagen Peptide Content in Human Blood after Ingestion of Cooked Fish Meat. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 2831-2838.	5.2	28
12	Novel psychosocial factor involved in diabetes self-care in the Japanese cultural context. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1102-1107.	2.4	2
13	Dietary habits associated with reduced insulin resistance: The Nagahama study. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 26-34.	2.8	18
14	Cross-cultural comparison of predictors for self-care behaviors in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1212-1215.	2.4	6
15	Effects of three major amino acids found in Japanese broth on glucose metabolism and gastric emptying. <i>Nutrition</i> , 2018, 46, 153-158.e1.	2.4	10
16	Reduction in Gastroesophageal Reflux Disease Symptoms Is Associated with Miso Soup Intake in a Population-Based Cross-Sectional Study: The Nagahama Study. <i>Journal of Nutritional Science and Vitaminology</i> , 2018, 64, 367-373.	0.6	7
17	The Effect of White Rice and White Bread as Staple Foods on Gut Microbiota and Host Metabolism. <i>Nutrients</i> , 2018, 10, 1323.	4.1	15
18	Characteristics of the Japanese Diet Described in Epidemiologic Publications: A Qualitative Systematic Review. <i>Journal of Nutritional Science and Vitaminology</i> , 2018, 64, 129-137.	0.6	45

#	ARTICLE	IF	CITATIONS
19	Hepatitis C Treatment with Sofosbuvir and Ledipasvir Accompanied by Immediate Improvement in Hemoglobin A1c. <i>Digestion</i> , 2017, 96, 228-230.	2.3	21
20	Changes in Energy Metabolism after Continuous Positive Airway Pressure for Obstructive Sleep Apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 194, 729-738.	5.6	83
21	Once Daily Self-Monitoring of Blood Glucose (SMBG) Improves Glycemic Control in Oral Hypoglycemic Agents (OHA)-Treated Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 378-382.	2.2	8
22	Carbohydrate intake is associated with time spent in the euglycemic range in patients with type 1 diabetes. <i>Journal of Diabetes Investigation</i> , 2015, 6, 678-686.	2.4	6
23	Glycemic Variability Is Associated With Quality of Life and Treatment Satisfaction in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2015, 38, e1-e2.	8.6	34
24	Effects of CPAP on energy balance in patients with obstructive sleep apnea. , 2015, , .		1
25	Social Orientation and Diabetes-Related Distress in Japanese and American Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2014, 9, e109323.	2.5	10
26	A new equation to estimate basal energy expenditure of patients with diabetes. <i>Clinical Nutrition</i> , 2013, 32, 777-782.	5.0	23
27	Relationship of homocysteine and homocysteine-related vitamins to bone mineral density in Japanese patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2011, 2, 233-239.	2.4	9
28	Utility of indices using C-peptide levels for indication of insulin therapy to achieve good glycemic control in Japanese patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2011, 2, 297-303.	2.4	47
29	Analysis of factors influencing postprandial C-peptide levels in Japanese patients with type 2 diabetes: Comparison with C-peptide levels after glucagon load. <i>Journal of Diabetes Investigation</i> , 2011, 2, 429-434.	2.4	14
30	Impact of endogenous and exogenous insulin on basal energy expenditure in patients with type 2 diabetes under standard treatment. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1513-1518.	4.7	20
31	Analysis of factors influencing pancreatic β -cell function in Japanese patients with type 2 diabetes: Association with body mass index and duration of diabetic exposure. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, 353-358.	2.8	84
32	Evaluation of a 1 step TRAb Assay for the Detection of High-affinity Components to hTSHR: Evidences Indicating Superiority of the Assay in the Lower TRAb Range. <i>Endocrine Journal</i> , 2006, 53, 147-155.	1.6	2
33	GC79 / TRPS1 and tumorigenesis in humans. <i>American Journal of Medical Genetics, Part A</i> , 2005, 134A, 341-343.	1.2	2