Carla C Baan

List of Publications by Citations

Source: https://exaly.com/author-pdf/8270037/carla-c-baan-publications-by-citations.pdf
Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

220 papers	6,019 citations	44 h-index	65 g-index
249 ext. papers	7,105 ext. citations	3.9 avg, IF	5.62 L-index

#	Paper	IF	Citations
220	Regulatory T cells contribute to the impaired immune response in patients with chronic hepatitis B virus infection. *Hepatology*, **2005**, 41, 771-8	11.2	404
219	Immunomodulation By Therapeutic Mesenchymal Stromal Cells (MSC) Is Triggered Through Phagocytosis of MSC By Monocytic Cells. *Stem Cells*, **2018**, 36, 602-615	5.8	231
218	Differential effect of calcineurin inhibitors, anti-CD25 antibodies and rapamycin on the induction of FOXP3 in human T cells. *Transplantation*, **2005**, 80, 110-7	1.8	184
217	The immunomodulatory properties of mesenchymal stem cells and their use for immunotherapy. *International Immunopharmacology*, **2010**, 10, 1496-500	5.8	183
216	Mesenchymal stem cells induce an inflammatory response after intravenous infusion. *Stem Cells and Development*, **2013**, 22, 2825-35	4.4	89
215	The chemokine and chemokine receptor profile of infiltrating cells in the wall of arteries with cardiac allograft vasculopathy is indicative of a memory T-helper 1 response. *Circulation*, **2006**, 114, 1599-607	16.7	88
214	Donor-derived mesenchymal stem cells suppress alloreactivity of kidney transplant patients. *Transplantation*, **2009**, 87, 896-906	1.8	85
213	Human mesenchymal stem cells are susceptible to lysis by CD8(+) T cells and NK cells. *Cell Transplantation*, **2011**, 20, 1547-59	4	83
212	Inactivated Mesenchymal Stem Cells Maintain Immunomodulatory Capacity. *Stem Cells and Development*, **2016**, 25, 1342-54	4.4	82
211	Effects of Hypoxia on the Immunomodulatory Properties of Adipose Tissue-Derived Mesenchymal Stem cells. *Frontiers in Immunology*, **2013**, 4, 203	8.4	81
210	Susceptibility of human mesenchymal stem cells to tacrolimus, mycophenolic acid, and rapamycin. *Transplantation*, **2008**, 86, 1283-91	1.8	79
209	Impact of immunosuppressive drugs on CD4+CD25+FOXP3+ regulatory T cells: does in vitro evidence translate to the clinical setting?. *Transplantation*, **2008**, 85, 783-9	1.8	79
208	Human adipose tissue-derived mesenchymal stem cells induce explosive T-cell proliferation. *Stem Cells and Development*, **2010**, 19, 1843-53	4.4	78
207	End-stage renal failure and regulatory activities of CD4+CD25bright+FoxP3+ T-cells. *Nephrology Dialysis Transplantation*, **2009**, 24, 1969-78	4.3	76
206	Fundamental role for HO-1 in the self-protection of renal allografts. *American Journal of Transplantation*, **2004**, 4, 811-8	8.7	70
205	Pharmacokinetic considerations related to therapeutic drug monitoring of tacrolimus in kidney transplant patients. *Expert Opinion on Drug Metabolism and Toxicology*, **2017**, 13, 1225-1236	5.5	69
204	Uremia causes premature ageing of the T cell compartment in end-stage renal disease patients. *Immunity and Ageing*, **2012**, 9, 19	9.7	68

203	Inflammatory Conditions Dictate the Effect of Mesenchymal Stem or Stromal Cells on B Cell Function. *Frontiers in Immunology*, **2017**, 8, 1042	8.4	67
202	Conversion from calcineurin inhibitor to mycophenolate mofetil-based immunosuppression changes the frequency and phenotype of CD4+FOXP3+ regulatory T cells. *Transplantation*, **2009**, 87, 1062-8	1.8	67
201	Differential expression of heme oxygenase-1 and vascular endothelial growth factor in cadaveric and living donor kidneys after ischemia-reperfusion. *Journal of the American Society of Nephrology: JASN*, **2003**, 14, 3278-87	12.7	67
200	Potential of mesenchymal stem cells as immune therapy in solid-organ transplantation. *Transplant International*, **2009**, 22, 365-76	3	66
199	On the interactions between mesenchymal stem cells and regulatory T cells for immunomodulation in transplantation. *Frontiers in Immunology*, **2012**, 3, 126	8.4	60
198	Renal failure after clinical heart transplantation is associated with the TGF-beta 1 codon 10 gene polymorphism. *Journal of Heart and Lung Transplantation*, **2000**, 19, 866-72	5.8	59
197	Update on controls for isolation and quantification methodology of extracellular vesicles derived from adipose tissue mesenchymal stem cells. *Frontiers in Immunology*, **2014**, 5, 525	8.4	58
196	Toward MSC in solid organ transplantation: 2008 position paper of the MISOT study group. *Transplantation*, **2009**, 88, 614-9	1.8	58
195	Advancement of mesenchymal stem cell therapy in solid organ transplantation (MISOT). *Transplantation*, **2010**, 90, 124-6	1.8	57
194	No evidence for circulating mesenchymal stem cells in patients with organ injury. *Stem Cells and Development*, **2014**, 23, 2328-35	4.4	56
193	Cytokine treatment optimises the immunotherapeutic effects of umbilical cord-derived MSC for treatment of inflammatory liver disease. *Stem Cell Research and Therapy*, **2017**, 8, 140	8.3	53
192	Mesenchymal stromal cells for organ transplantation: different sources and unique characteristics?. *Current Opinion in Organ Transplantation*, **2014**, 19, 41-6	2.5	53
191	The Jak inhibitor CP-690,550 preserves the function of CD4CD25FoxP3 regulatory T cells and inhibits effector T cells. *American Journal of Transplantation*, **2010**, 10, 1785-95	8.7	52
190	Effects of Freeze-Thawing and Intravenous Infusion on Mesenchymal Stromal Cell Gene Expression. *Stem Cells and Development*, **2016**, 25, 586-97	4.4	51
189	Toward Development of iMesenchymal Stem Cells for Immunomodulatory Therapy. *Frontiers in Immunology*, **2015**, 6, 648	8.4	51
188	Membrane particles generated from mesenchymal stromal cells modulate immune responses by selective targeting of pro-inflammatory monocytes. *Scientific Reports*, **2017**, 7, 12100	4.9	48
187	Mesenchymal stem cells derived from adipose tissue are not affected by renal disease. *Kidney International*, **2012**, 82, 748-58	9.9	48
186	Interaction between adipose tissue-derived mesenchymal stem cells and regulatory T-cells. *Cell Transplantation*, **2013**, 22, 41-54	4	48

185	Aging of bone marrow- and umbilical cord-derived mesenchymal stromal cells during expansion. *Cytotherapy*, **2017**, 19, 798-807	4.8	47
184	The transforming growth factor-beta1 codon 10 gene polymorphism and accelerated graft vascular disease after clinical heart transplantation. *Transplantation*, **2001**, 71, 1463-7	1.8	47
183	Pretransplant identification of acute rejection risk following kidney transplantation. *Transplant International*, **2014**, 27, 129-38	3	46
182	Regulatory T cells after organ transplantation: where does their action take place?. *Human Immunology*, **2008**, 69, 389-98	2.3	46
181	The effect of rabbit anti-thymocyte globulin induction therapy on regulatory T cells in kidney transplant patients. *Nephrology Dialysis Transplantation*, **2009**, 24, 1635-44	4.3	45
180	Cell contact interaction between adipose-derived stromal cells and allo-activated T lymphocytes. *European Journal of Immunology*, **2009**, 39, 3436-46	6.1	45
179	Intragraft FOXP3 mRNA expression reflects antidonor immune reactivity in cardiac allograft patients. *Transplantation*, **2007**, 83, 1477-84	1.8	45
178	The effects of chronic kidney disease and renal replacement therapy on circulating dendritic cells. *Nephrology Dialysis Transplantation*, **2005**, 20, 1868-73	4.3	44
177	Uremia-associated immunological aging is stably imprinted in the T-cell system and not reversed by kidney transplantation. *Transplant International*, **2014**, 27, 1272-84	3	42
176	Monotherapy rapamycin allows an increase of CD4 CD25 FoxP3 T cells in renal recipients. *Transplant International*, **2009**, 22, 884-91	3	42
175	The effect of the JAK inhibitor CP-690,550 on peripheral immune parameters in stable kidney allograft patients. *Transplantation*, **2009**, 87, 79-86	1.8	42
174	Review of the Clinical Pharmacokinetics and Pharmacodynamics of Alemtuzumab and Its Use in Kidney Transplantation. *Clinical Pharmacokinetics*, **2018**, 57, 191-207	6.2	41
173	CD4+ CXCR5+ T cells in chronic HCV infection produce less IL-21, yet are efficient at supporting B cell responses. *Journal of Hepatology*, **2015**, 62, 303-10	13.4	41
172	The detection of cytotoxic T cells with high-affinity receptors for donor antigens in the transplanted heart as a prognostic factor for graft rejection. *Transplantation*, **1993**, 56, 1223-9	1.8	41
171	A Randomized Controlled Clinical Trial Comparing Belatacept With Tacrolimus After De Novo Kidney Transplantation. *Transplantation*, **2017**, 101, 2571-2581	1.8	40
170	Anti-CD25 therapy reveals the redundancy of the intragraft cytokine network after clinical heart transplantation. *Transplantation*, **1999**, 67, 870-6	1.8	40
169	Intragraft cytokine gene expression: implications for clinical transplantation. *Transplant International*, **1998**, 11, 169-180	3	39
168	Prediction of mortality in heart transplant recipients by stress technetium-99m tetrofosmin myocardial perfusion imaging. *American Journal of Cardiology*, **2002**, 89, 964-8	3	38

167	Allosuppressive donor CD4+CD25+ regulatory T cells detach from the graft and circulate in recipients after liver transplantation. *Journal of Immunology*, **2007**, 178, 6066-72	5.3	37
166	Human monocytes produce interferon-gamma upon stimulation with LPS. *Cytokine*, **2014**, 67, 7-12	4	36
165	Targeting the Monocyte-Macrophage Lineage in Solid Organ Transplantation. *Frontiers in Immunology*, **2017**, 8, 153	8.4	36
164	The impact of induction therapy on the homeostasis and function of regulatory T cells in kidney transplant patients. *Nephrology Dialysis Transplantation*, **2014**, 29, 1587-97	4.3	36
163	Tacrolimus inhibits NF-B activation in peripheral human T cells. *PLoS ONE*, **2013**, 8, e60784	3.7	35
162	Culture expansion induces non-tumorigenic aneuploidy in adipose tissue-derived mesenchymal stromal cells. *Cytotherapy*, **2013**, 15, 1352-61	4.8	33
161	Monitoring of the immunomodulatory effect of CP-690,550 by analysis of the JAK/STAT pathway in kidney transplant patients. *Transplantation*, **2009**, 88, 1002-9	1.8	33
160	Genetic polymorphisms in ABCB1 influence the pharmacodynamics of tacrolimus. *Therapeutic Drug Monitoring*, **2013**, 35, 459-65	3.2	32
159	IL-21 Receptor Antagonist Inhibits Differentiation of B Cells toward Plasmablasts upon Alloantigen Stimulation. *Frontiers in Immunology*, **2017**, 8, 306	8.4	31
158	FOXP3 mRNA expression analysis in the peripheral blood and allograft of heart transplant patients. *Transplant Immunology*, **2008**, 18, 250-4	1.7	31
157	The impact of transforming growth factor-beta1 gene polymorphism on end-stage renal failure after heart transplantation. *Transplantation*, **2006**, 82, 1744-8	1.8	31
156	Mesenchymal Stromal Cells as Anti-Inflammatory and Regenerative Mediators for Donor Kidneys During Normothermic Machine Perfusion. *Stem Cells and Development*, **2017**, 26, 1162-1170	4.4	30
155	T Follicular Helper Cells As a New Target for Immunosuppressive Therapies. *Frontiers in Immunology* , **2017**, 8, 1510	8.4	30
154	Kinetics of homeostatic proliferation and thymopoiesis after rATG induction therapy in kidney transplant patients. *Transplantation*, **2013**, 96, 904-13	1.8	29
153	The impact of mesenchymal stem cell therapy in transplant rejection and tolerance. *Current Opinion in Organ Transplantation*, **2012**, 17, 355-61	2.5	29
152	Human Bone Marrow- and Adipose Tissue-derived Mesenchymal Stromal Cells are Immunosuppressive and in a Humanized Allograft Rejection Model. *Journal of Stem Cell Research & Therapy*, **2013**, Suppl 6, 20780	1	29
151	Hepatitis B vaccine-specific CD4(+) T cells can be detected and characterised at the single cell level: limited usefulness of dendritic cells as signal enhancers. *Journal of Immunological Methods*, **2008**, 330, 1-11	2.5	26
150	Interleukin-21: an interleukin-2 dependent player in rejection processes. *Transplantation*, **2007**, 83, 1485-92	1.8	26

149	Clinical impact of cytokine gene polymorphisms in heart and lung transplantation. *Journal of Heart and Lung Transplantation*, **2004**, 23, 1017-26	5.8	26
148	Loss of CD28 on Peripheral T Cells Decreases the Risk for Early Acute Rejection after Kidney Transplantation. *PLoS ONE*, **2016**, 11, e0150826	3.7	26
147	A shift towards pro-inflammatory CD16+ monocyte subsets with preserved cytokine production potential after kidney transplantation. *PLoS ONE*, **2013**, 8, e70152	3.7	25
146	T-cell ageing in end-stage renal disease patients: Assessment and clinical relevance. *World Journal of Nephrology*, **2014**, 3, 268-76	3.6	25
145	The Effect of Tacrolimus and Mycophenolic Acid on CD14+ Monocyte Activation and Function. *PLoS ONE*, **2017**, 12, e0170806	3.7	24
144	Characterization of donor and recipient CD8+ tissue-resident memory T cells in transplant nephrectomies. *Scientific Reports*, **2019**, 9, 5984	4.9	23
143	Adipose Tissue-Derived Mesenchymal Stem Cells Have a Heterogenic Cytokine Secretion Profile. *Stem Cells International*, **2017**, 2017, 4960831	5	23
142	Intrahepatic detection of FOXP3 gene expression after liver transplantation using minimally invasive aspiration biopsy. *Transplantation*, **2007**, 83, 819-23	1.8	23
141	Liquid Biopsies to Monitor Solid Organ Transplant Function: A Review of New Biomarkers. *Therapeutic Drug Monitoring*, **2018**, 40, 515-525	3.2	23
140	Efficacy of immunotherapy with mesenchymal stem cells in man: a systematic review. *Expert Review of Clinical Immunology*, **2015**, 11, 617-36	5.1	22
139	Inosine monophosphate dehydrogenase messenger RNA expression is correlated to clinical outcomes in mycophenolate mofetil-treated kidney transplant patients, whereas inosine monophosphate dehydrogenase activity is not. *Therapeutic Drug Monitoring*, **2009**, 31, 549-56	3.2	22
138	Effects of Normothermic Machine Perfusion Conditions on Mesenchymal Stromal Cells. *Frontiers in Immunology*, **2019**, 10, 765	8.4	21
137	Generation of donor-specific regulatory T-cell function in kidney transplant patients. *Transplantation*, **2009**, 87, 376-83	1.8	21
136	Anti-CD25 monoclonal antibody therapy affects the death signals of graft-infiltrating cells after clinical heart transplantation. *Transplantation*, **2003**, 75, 1704-10	1.8	21
135	Conversion from cyclosporin A to tacrolimus is safe and decreases blood pressure, cholesterol levels and TGF-beta 1 type I receptor expression. *Clinical Transplantation*, **2001**, 15, 276-83	3.8	21
134	Functional responses of T cells blocked by anti-CD25 antibody therapy during cardiac rejection. *Transplantation*, **2000**, 69, 331-6	1.8	21
133	Down-Regulation of Surface CD28 under Belatacept Treatment: An Escape Mechanism for Antigen-Reactive T-Cells. *PLoS ONE*, **2016**, 11, e0148604	3.7	21
132	An Acute Cellular Rejection With Detrimental Outcome Occurring Under Belatacept-Based Immunosuppressive Therapy: An Immunological Analysis. *Transplantation*, **2016**, 100, 1111-9	1.8	21

131	CD16+ Monocytes and Skewed Macrophage Polarization toward M2 Type Hallmark Heart Transplant Acute Cellular Rejection. *Frontiers in Immunology*, **2017**, 8, 346	8.4	20
130	Belatacept Does Not Inhibit Follicular T Cell-Dependent B-Cell Differentiation in Kidney Transplantation. *Frontiers in Immunology*, **2017**, 8, 641	8.4	20
129	Phosphospecific flow cytometry for pharmacodynamic drug monitoring: analysis of the JAK-STAT signaling pathway. *Clinica Chimica Acta*, **2012**, 413, 1398-405	6.2	20
128	Functional CD25(bright+) alloresponsive T cells in fully immunosuppressed renal allograft recipients. *Clinical Transplantation*, **2007**, 21, 63-71	3.8	20
127	T cells activate the tumor necrosis factor-alpha system during hemodialysis, resulting in tachyphylaxis. *Kidney International*, **2001**, 59, 883-92	9.9	20
126	Two doses of daclizumab are sufficient for prolonged interleukin-2Ralpha chain blockade. *Transplantation*, **2001**, 72, 1709-10	1.8	20
125	Therapeutic Drug Monitoring of Belatacept in Kidney Transplantation. *Therapeutic Drug Monitoring*, **2015**, 37, 560-7	3.2	19
124	Discontinuation of calcineurin inhibitors treatment allows the development of FOXP3+ regulatory T-cells in patients after kidney transplantation. *Clinical Transplantation*, **2011**, 25, 40-6	3.8	19
123	Inadequate immune regulatory function of CD4+CD25bright+FoxP3+ T cells in heart transplant patients who experience acute cellular rejection. *Transplantation*, **2009**, 87, 1191-200	1.8	19
122	The beneficial effects of recipient-derived vascular endothelial growth factor on graft survival after kidney transplantation. *Transplantation*, **2005**, 79, 1221-5	1.8	19
121	Rejection of a kidney graft mismatched only for the HLA-C locus and an HLA-BW22 split. *Transplantation*, **1993**, 55, 438-9	1.8	19
120	The Biological Effects of IL-21 Signaling on B-Cell-Mediated Responses in Organ Transplantation. *Frontiers in Immunology*, **2016**, 7, 319	8.4	19
119	Targeting JAK/STAT Signaling to Prevent Rejection After Kidney Transplantation: A Reappraisal. *Transplantation*, **2016**, 100, 1833-9	1.8	19
118	The Number of Donor-Specific IL-21 Producing Cells Before and After Transplantation Predicts Kidney Graft Rejection. *Frontiers in Immunology*, **2019**, 10, 748	8.4	18
117	Donor-derived cell-free DNA detects kidney transplant rejection during nivolumab treatment **2019**, 7, 182		18
116	T Follicular Helper Cells in Transplantation: The Target to Attenuate Antibody-Mediated Allogeneic Responses?. *Current Transplantation Reports*, **2014**, 1, 166-172	1.5	18
115	Clinical potential of DNA methylation in organ transplantation. *Journal of Heart and Lung Transplantation*, **2016**, 35, 843-50	5.8	17
114	Functional analysis of CD4+ CD25bright T cells in kidney transplant patients: improving suppression of donor-directed responses after transplantation. *Clinical Transplantation*, **2008**, 22, 579-86	3.8	17

113	Living kidney donors and hypoxia-inducible factor-1alpha. *Transplantation*, **2003**, 75, 570-1	1.8	17
112	The RECOVAC Immune-response Study: The Immunogenicity, Tolerability, and Safety of COVID-19 Vaccination in Patients With Chronic Kidney Disease, on Dialysis, or Living With a Kidney Transplant. *Transplantation*, **2021**, 106,	1.8	17
111	Interleukin-17-producing CD4(+) cells home to the graft early after human heart transplantation. *Journal of Heart and Lung Transplantation*, **2015**, 34, 933-40	5.8	16
110	Substantial proliferation of human renal tubular epithelial cell-reactive CD4+CD28null memory T cells, which is resistant to tacrolimus and everolimus. *Transplantation*, **2014**, 97, 47-55	1.8	16
109	The calcineurin inhibitor tacrolimus allows the induction of functional CD4CD25 regulatory T cells by rabbit anti-thymocyte globulins. *Clinical and Experimental Immunology*, **2010**, 161, 364-77	6.2	16
108	Characterization of rabbit antithymocyte globulins-induced CD25+ regulatory T cells from cells of patients with end-stage renal disease. *Transplantation*, **2010**, 89, 655-66	1.8	16
107	Ficoll-separated mononuclear cells from sepsis patients are contaminated with granulocytes. *Intensive Care Medicine*, **2008**, 34, 912-6	14.5	16
106	Epigenetic changes in umbilical cord mesenchymal stromal cells upon stimulation and culture expansion. *Cytotherapy*, **2018**, 20, 919-929	4.8	16
105	Differential effects of activated human renal epithelial cells on T-cell migration. *PLoS ONE*, **2013**, 8, e64916	3.6	15
104	Pharmacodynamic analysis of tofacitinib and basiliximab in kidney allograft recipients. *Transplantation*, **2012**, 94, 465-72	1.8	15
103	Tapering immunosuppression in recipients of living donor kidney transplants. *Nephrology Dialysis Transplantation*, **2004**, 19 Suppl 4, iv61-3	4.3	15
102	Differential intragraft cytokine messenger RNA profiles during rejection and repair of clinical heart transplants. A longitudinal study. *Transplant International*, **2003**, 16, 9-14	3	15
101	IL-1 and IL-6 Are Highly Expressed in RF+IgE+ Systemic Lupus Erythematous Subtype. *Journal of Immunology Research*, **2017**, 2017, 5096741	4.5	14
100	End stage renal disease patients have a skewed T cell receptor Vβ repertoire. *Immunity and Ageing*, **2015**, 12, 28	9.7	14
99	Inhibitory effect of tacrolimus on p38 mitogen-activated protein kinase signaling in kidney transplant recipients measured by whole-blood phosphospecific flow cytometry. *Transplantation*, **2012**, 93, 1245-51	1.8	14
98	Functional heme oxygenase-1 promoter polymorphism in relation to heart failure and cardiac transplantation. *Journal of Heart and Lung Transplantation*, **2005**, 24, 493-7	5.8	14
97	Mesenchymal Stromal Cells Are Retained in the Porcine Renal Cortex Independently of Their Metabolic State After Renal Intra-Arterial Infusion. *Stem Cells and Development*, **2019**, 28, 1224-1235	4.4	13
96	Genetic variants of FOXP3 influence graft survival in kidney transplant patients. *Human Immunology* , **2013**, 74, 751-7	2.3	13

95	Regulatory T cells in alloreactivity after clinical heart transplantation. *Current Opinion in Organ Transplantation*, **2009**, 14, 577-82	2.5	13
94	Human Allogeneic Bone Marrow and Adipose Tissue Derived Mesenchymal Stromal Cells Induce CD8+ Cytotoxic T Cell Reactivity. *Journal of Stem Cell Research & Therapy*, **2013**, 3, 004	1	13
93	Costimulation Blockade in Kidney Transplant Recipients. *Drugs*, **2020**, 80, 33-46	12.1	13
92	Allogeneic Mature Human Dendritic Cells Generate Superior Alloreactive Regulatory T Cells in the Presence of IL-15. *Journal of Immunology*, **2015**, 194, 5282-93	5.3	12
91	Quantitative flow cytometry shows activation of the TNF-alpha system but not of the IL-2 system at the single cell level in renal replacement therapy. *Nephrology Dialysis Transplantation*, **2001**, 16, 1430-5	4.3	12
90	Mesenchymal stromal cell treatment of donor kidneys during ex vivo normothermic machine perfusion: A porcine renal autotransplantation study. *American Journal of Transplantation*, **2021**, 21, 2348-2359	8.7	12
89	Variations in DNA methylation of interferon gamma and programmed death 1 in allograft rejection after kidney transplantation. *Clinical Epigenetics*, **2016**, 8, 116	7.7	12
88	Highly sensitive and rapid determination of tacrolimus in peripheral blood mononuclear cells by liquid chromatography-tandem mass spectrometry. *Biomedical Chromatography*, **2019**, 33, e4416	1.7	12
87	Human kidney organoids produce functional renin. *Kidney International*, **2021**, 99, 134-147	9.9	12
86	Differentially methylated regions in T cells identify kidney transplant patients at risk for de novo skin cancer. *Clinical Epigenetics*, **2018**, 10, 81	7.7	11
85	End-Stage Renal Disease Causes Skewing in the TCR VβRepertoire Primarily within CD8 T Cell Subsets. *Frontiers in Immunology*, **2017**, 8, 1826	8.4	11
84	Limited efficacy of immunosuppressive drugs on CD8+ T cell-mediated and natural killer cell-mediated lysis of human renal tubular epithelial cells. *Transplantation*, **2014**, 97, 1110-8	1.8	11
83	Phospho-specific flow cytometry for pharmacodynamic monitoring of immunosuppressive therapy in transplantation. *Transplantation Research*, **2012**, 1, 20		11
82	Failure to down-regulate intragraft cytokine mRNA expression shortly after clinical heart transplantation is associated with high incidence of acute rejection. *Journal of Heart and Lung Transplantation*, **2001**, 20, 503-10	5.8	11
81	The RECOVAC IR study: the immune response and safety of the mRNA-1273 COVID-19 vaccine in patients with chronic kidney disease, on dialysis or living with a kidney transplant. *Nephrology Dialysis Transplantation*, **2021**, 36, 1761-1764	4.3	11
80	Immunomics of Renal Allograft Acute T Cell-Mediated Rejection Biopsies of Tacrolimus- and Belatacept-Treated Patients. *Transplantation Direct*, **2019**, 5, e418	2.3	11
79	The role of follicular T helper cells in the humoral alloimmune response after clinical organ transplantation. *Hla*, **2019**, 94, 407-414	1.9	10
78	Impact of low tacrolimus exposure and high tacrolimus intra-patient variability on the development of anti-HLA donor-specific antibodies in kidney transplant recipients. *Expert Review of Clinical Immunology*, **2019**, 15, 1323-1331	5.1	10

77	Thymus-Derived Regulatory T Cells Infiltrate the Cardiac Allograft Before Rejection. *Transplantation*, **2015**, 99, 1839-46	1.8	10
76	No prominent role for terminal complement activation in the early myocardial reperfusion phase following cardiac surgery. *European Journal of Cardio-thoracic Surgery*, **2012**, 41, e117-25	3	10
75	Effect of HLA-DR matching on acute rejection after clinical heart transplantation might be influenced by an IL-2 gene polymorphism. *Transplantation*, **2002**, 73, 1353-6	1.8	10
74	Reparative effect of mesenchymal stromal cells on endothelial cells after hypoxic and inflammatory injury. *Stem Cell Research and Therapy*, **2020**, 11, 352	8.3	10
73	Inhibition of T Helper Cell Differentiation by Tacrolimus or Sirolimus Results in Reduced B-Cell Activation: Effects on T Follicular Helper Cells. *Transplantation Proceedings*, **2019**, 51, 3463-3473	1.1	10
72	pERK-dependent defective TCR-mediated activation of CD4 T cells in end-stage renal disease patients. *Immunity and Ageing*, **2017**, 14, 14	9.7	9
71	Interferon-Gamma DNA Methylation Is Affected by Mycophenolic Acid but Not by Tacrolimus after T-Cell Activation. *Frontiers in Immunology*, **2017**, 8, 822	8.4	9
70	T cells Exhibit Reduced Signal Transducer and Activator of Transcription 5 Phosphorylation and Upregulated Coinhibitory Molecule Expression After Kidney Transplantation. *Transplantation*, **2015**, 99, 1995-2003	1.8	9
69	Apoptotic death of infiltrating cells in human cardiac allografts is regulated by IL-2, FASL, and FLIP. *Transplantation Proceedings*, **2004**, 36, 3143-8	1.1	9
68	Intragraft heme oxygenase-1 and coronary artery disease after heart transplantation. *Transplant Immunology*, **2004**, 13, 265-72	1.7	9
67	Differential T Cell Signaling Pathway Activation by Tacrolimus and Belatacept after Kidney Transplantation: Post Hoc Analysis of a Randomised-Controlled Trial. *Scientific Reports*, **2017**, 7, 15135	4.9	8
66	Deficient TNF-alpha and IFN-gamma production correlates with nondetectable donor-specific cytotoxicity after clinical kidney transplantation. *Transplantation*, **2009**, 87, 1451-4	1.8	8
65	The Importance of Dosing, Timing, and (in)Activation of Adipose Tissue-Derived Mesenchymal Stromal Cells on Their Immunomodulatory Effects. *Stem Cells and Development*, **2020**, 29, 38-48	4.4	8
64	Analysis of NFATc1 amplification in T cells for pharmacodynamic monitoring of tacrolimus in kidney transplant recipients. *PLoS ONE*, **2018**, 13, e0201113	3.7	7
63	How does auxiliary liver transplantation regulate alloreactivity in sensitized kidney transplant patients?. *Transplantation*, **2011**, 91, 823-4	1.8	7
62	Intragraft platelet-derived growth factor-alpha and transforming growth factor-beta1 during the development of accelerated graft vascular disease after clinical heart transplantation. *Transplant Immunology*, **1999**, 7, 201-5	1.7	7
61	Characteristics of graft-infiltrating lymphocytes after human heart transplantation. HLA mismatches and the cellular immune response within the transplanted heart. *Human Immunology*, **1994**, 39, 233-42	2.3	7
60	Immunosuppression Has Long-Lasting Effects on Circulating Follicular Regulatory T Cells in Kidney Transplant Recipients. *Frontiers in Immunology*, **2020**, 11, 1972	8.4	7

59	Alemtuzumab as Antirejection Therapy: T Cell Repopulation and Cytokine Responsiveness. *Transplantation Direct*, **2016**, 2, e83	2.3	7
58	Nanoparticle Release by Extended Criteria Donor Kidneys During Normothermic Machine Perfusion. *Transplantation*, **2019**, 103, e110-e111	1.8	7
57	The effect of rabbit antithymocyte globulin on human mesenchymal stem cells. *Transplant International*, **2013**, 26, 651-8	3	6
56	Kinetics of IL-2 and IL-4 mRNA and protein production by graft-infiltrating lymphocytes responsible for rejection after clinical heart transplantation. *Transplant Immunology*, **1997**, 5, 97-103	1.7	6
55	After discontinuation of calcineurin inhibitors, tapering of mycophenolate mofetil further impairs donor-directed cytotoxicity. *Clinical Transplantation*, **2008**, 22, 129-35	3.8	6
54	Sequential monitoring of intragraft cytokine mRNA expression in relation to diastolic left ventricular wall thickness and function early after heart transplantation. *Clinical Transplantation*, **2002**, 16, 433-41	3.8	6
53	Intragraft cytokine gene expression: implications for clinical transplantation. *Transplant International*, **1998**, 11, 169-80	3	6
52	Ex Vivo Administration of Mesenchymal Stromal Cells in Kidney Grafts Against Ischemia-reperfusion Injury-Effective Delivery Without Kidney Function Improvement Posttransplant. *Transplantation*, **2021**, 105, 517-528	1.8	6
51	The Effects of an IL-21 Receptor Antagonist on the Alloimmune Response in a Humanized Mouse Skin Transplant Model. *Transplantation*, **2019**, 103, 2065-2074	1.8	6
50	Monitoring the tacrolimus concentration in peripheral blood mononuclear cells of kidney transplant recipients. *British Journal of Clinical Pharmacology*, **2021**, 87, 1918-1929	3.8	6
49	Molecular Analysis of Renal Allograft Biopsies: Where Do We Stand and Where Are We Going?. *Transplantation*, **2020**, 104, 2478-2486	1.8	5
48	Improved Glucose Tolerance in a Kidney Transplant Recipient With Type 2 Diabetes Mellitus After Switching From Tacrolimus To Belatacept: A Case Report and Review of Potential Mechanisms. *Transplantation Direct*, **2018**, 4, e350	2.3	5
47	Conversion to Once-Daily Tacrolimus Results in Increased p38MAPK Phosphorylation in T Lymphocytes of Kidney Transplant Recipients. *Therapeutic Drug Monitoring*, **2016**, 38, 280-4	3.2	5
46	Donor-specific cytotoxic hyporesponsiveness associated with high interleukin-10 messenger RNA expression in cardiac allograft patients. *Journal of Heart and Lung Transplantation*, **2006**, 25, 955-64	5.8	5
45	A Pilot Study of Postoperative Animal Welfare as a Guidance Tool in the Development of a Kidney Autotransplantation Model With Extended Warm Ischemia. *Transplantation Direct*, **2019**, 5, e495	2.3	5
44	Pharmacodynamic Monitoring of Tacrolimus-Based Immunosuppression in CD14+ Monocytes After Kidney Transplantation. *Therapeutic Drug Monitoring*, **2017**, 39, 463-471	3.2	4
43	T-Cell Composition of the Lymph Node Is Associated with the Risk for Early Rejection after Renal Transplantation. *Frontiers in Immunology*, **2017**, 8, 1416	8.4	4
42	FoxP3 T cells and the pathophysiologic effects of brain death and warm ischemia in donor kidneys. *Clinical Journal of the American Society of Nephrology: CJASN*, **2012**, 7, 1481-9	6.9	4

41	Differential intragraft cytokine messenger RNA profiles during rejection and repair of clinical heart transplants. A longitudinal study. *Transplant International*, **2003**, 16, 9-14	3	4
40	Comparison of Alemtuzumab and Anti-thymocyte Globulin Treatment for Acute Kidney Allograft Rejection. *Frontiers in Immunology*, **2020**, 11, 1332	8.4	3
39	Early Immunological Effects of Ischemia-Reperfusion Injury: No Modulation by Ischemic Preconditioning in a Randomised Crossover Trial in Healthy Humans. *International Journal of Molecular Sciences*, **2019**, 20,	6.3	3
38	Altered specificity of alloreactive cardiac graft-infiltrating cells by prophylactic treatment with OKT3 or horse antilymphocyte globulin. *Transplantation*, **1993**, 55, 154-8	1.8	3
37	An overview of T follicular cells in transplantation: spotlight on their clinical significance. *Expert Review of Clinical Immunology*, **2019**, 15, 1249-1262	5.1	3
36	The Efficacy of Rabbit Anti-Thymocyte Globulin for Acute Kidney Transplant Rejection in Patients Using Calcineurin Inhibitor and Mycophenolate Mofetil-Based Immunosuppressive Therapy. *Annals of Transplantation*, **2018**, 23, 577-590	1.4	2
35	Variations in DNA methylation and allograft rejection. *Current Opinion in Organ Transplantation*, **2021**, 26, 30-36	2.5	2
34	Mesenchymal Stromal Cell Derived Membrane Particles Are Internalized by Macrophages and Endothelial Cells Through Receptor-Mediated Endocytosis and Phagocytosis. *Frontiers in Immunology*, **2021**, 12, 651109	8.4	2
33	Membrane Particles Derived From Adipose Tissue Mesenchymal Stromal Cells Improve Endothelial Cell Barrier Integrity. *Frontiers in Immunology*, **2021**, 12, 650522	8.4	2
32	Pre-transplant donor-reactive IL-21 producing T cells as a tool to identify an increased risk for acute rejection. *Scientific Reports*, **2021**, 11, 12445	4.9	2
31	Current State of Renal Regenerative Therapies. *Transplantation*, **2019**, 103, 250-261	1.8	1
30	In Case you Missed It-Basic Science Advances in Transplantation 2017. *Transplantation*, **2018**, 102, 932-934	1.8	1
29	Rotterdam: main port for organ transplantation research in the Netherlands. *Transplant Immunology*, **2014**, 31, 200-6	1.7	1
28	iTregs by vitamins: commentary on 'retinoic acid attenuates acute heart rejection by increasing regulatory T cell and repressing differentiation of Th17 in the presence of TGF-β' *Transplant International*, **2010**, 23, 984-5	3	1
27	Monitoring Intracellular Tacrolimus Concentrations And Its Relationship With Rejection In The Early Phase After Renal Transplantation. *Clinical Biochemistry*, **2021**,	3.5	1
26	Chronic-active Antibody-mediated Rejection: To Belatacept or Not, That Is the HOT Question. *Transplantation*, **2021**, 105, 478-479	1.8	1
25	Therapeutic drug monitoring of immunosuppressive drugs in hepatology and gastroenterology. *Baillieres Best Practice and Research in Clinical Gastroenterology*, **2021**, 54-55, 101756	2.5	1
24	A systematic review and meta-analysis of enzyme-linked immunosorbent spot (ELISPOT) assay for BK polyomavirus immune response monitoring after kidney transplantation. *Journal of Clinical Virology*, **2021**, 140, 104848	14.5	1

23	Targeted Proteomic Analysis Detects Acute T Cell-Mediated Kidney Allograft Rejection in Belatacept-Treated Patients. *Therapeutic Drug Monitoring*, **2019**, 41, 243-248	3.2	1
22	Repairing and Regenerating Organs for Transplantation Has Become a Reality. *Transplantation*, **2019**, 103, 224-226	1.8	1
21	Advanced Research Models to Study the Role of Endothelial Cells in Solid Organ Transplantation. *Frontiers in Immunology*, **2021**, 12, 607953	8.4	1
20	Tissue-Resident Memory T Cells of Donor Origin are Short-Lived in Renal Allografts after Transplantation. *Transplantation*, **2018**, 102, S146	1.8	1
19	Donor-specific ELISPOT assay for predicting acute rejection and allograft function after kidney transplantation: A systematic review and meta-analysis. *Clinical Biochemistry*, **2021**, 94, 1-11	3.5	1
18	Membrane particles from mesenchymal stromal cells reduce the expression of fibrotic markers on pulmonary cells. *PLoS ONE*, **2021**, 16, e0248415	3.7	0
17	Circulating cell-free nucleosomes as biomarker for kidney transplant rejection: a pilot study. *Clinical Epigenetics*, **2021**, 13, 32	7.7	0
16	Improved Normothermic Machine Perfusion After Short Oxygenated Hypothermic Machine Perfusion of Ischemically Injured Porcine Kidneys. *Transplantation Direct*, **2021**, 7, e653	2.3	0
15	Immune Subsets From Ficoll Density Gradient Separation in Kidney Transplant Recipients.. *Transplantation Direct*, **2022**, 8, e1319	2.3	0
14	A Population Pharmacokinetic Model of Whole-Blood and Intracellular Tacrolimus in Kidney Transplant Recipients.. *European Journal of Drug Metabolism and Pharmacokinetics*, **2022**, 1	2.7	0
13	"Bioengineered lungs" Best science paper in JHLT 2014-2015. *Journal of Heart and Lung Transplantation*, **2016**, 35, 544-6	5.8	
12	Response: Commentary: Belatacept Does Not Inhibit Follicular T Cell-Dependent B-Cell Differentiation in Kidney Transplantation. *Frontiers in Immunology*, **2018**, 9, 466	8.4	
11	The Authors Reply: Mesenchymal Stem Cells and Immunosuppressive Drug Interactions. *Transplantation*, **2009**, 87, 1900-1901	1.8	
10	Targeting the IL-15 pathway to prevent rejection after organ transplantation. *Transplantation Reviews*, **2006**, 20, 28-33	3.3	
9	THE SMALL-MOLECULE BCL6-INHIBITOR 79-6 SUPPRESSES FOLLICULAR T HELPER CELL DIFFERENTIATION AND PLASMA BLAST FORMATION. *Transplantation*, **2020**, 104, S144-S144	1.8	
8	IMMUNOSUPPRESSION AFFECTS CIRCULATING FOLLICULAR REGULATORY T CELLS IN KIDNEY TRANSPLANT RECIPIENTS. *Transplantation*, **2020**, 104, S130-S130	1.8	
7	Monocytic Cells Phagocytose Therapeutic Mesenchymal Stem Cells, which Induces Polarization, Relocation and Immune Regulation. *Transplantation*, **2018**, 102, S206	1.8	
6	Efficacy of Rabbit Anti-Thymocyte Globulin Therapy for Severe Acute Rejection in Kidney Transplant Patients using Calcineurin Inhibitor and Mycophenolate Mofetil based Immunosuppressive Therapy. *Transplantation*, **2018**, 102, S80	1.8	

5	Renal Intra-Arterial Delivery of MSC to Ischemic Porcine Kidneys. *Transplantation*, **2018**, 102, S719	1.8
4	Renal Allograft Transcription Analysis Reveals Similar Signature of Acute T Cell Mediated Rejection in Patients Treated with Tacrolimus or Belatacept. *Transplantation*, **2018**, 102, S142	1.8
3	Identification of Predictive Markers for the Generation of Well-Differentiated Human Induced Pluripotent Stem Cell-Derived Kidney Organoids. *Stem Cells and Development*, **2021**, 30, 1103-1114	4.4
2	Natural Antibodies and Alloreactive T Cells Long after Kidney Transplantation. *Journal of Transplantation*, **2021**, 2021, 7005080	2.3
1	A comparison of two different analytical methods for donor-derived cell-free DNA quantification. *Clinical Biochemistry*, **2021**, 96, 82-84	3.5