Hye Jin Chung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8270217/publications.pdf

Version: 2024-02-01

44 papers

545 citations

758635 12 h-index 713013 21 g-index

44 all docs

44 docs citations

44 times ranked 857 citing authors

#	Article	IF	CITATIONS
1	Effect of Hydroxycinnamic Acid Amides, Coumaroyl Tyramine and Coumaroyl Tryptamine on Biotic Stress Response in Arabidopsis. Journal of Plant Biology, 2022, 65, 145-155.	0.9	4
2	Pharmacokinetic Evaluation of a Novel Donepezil-Loaded Dissolving Microneedle Patch in Rats. Pharmaceutics, 2022, 14, 5.	2.0	7
3	Serum 24,25-dihydroxyvitamin D level in general Korean population and its relationship with other vitamin D biomarkers. PLoS ONE, 2021, 16, e0246541.	1.1	12
4	Acutely increased \hat{l}^2 -hydroxybutyrate plays a role in the prefrontal cortex to escape stressful conditions during the acute stress response. Biochemical and Biophysical Research Communications, 2021, 554, 19-24.	1.0	5
5	Comparative analysis of the association between various serum vitamin D biomarkers and sarcopenia. Journal of Clinical Laboratory Analysis, 2021, 35, e23946.	0.9	9
6	Ingestion of Bis(2-ethylhexyl) phthalate (DEHP) during adolescence causes depressive-like behaviors through hypoactive glutamatergic signaling in the medial prefrontal cortex. Environmental Pollution, 2021, 289, 117978.	3.7	13
7	Combined Water Extracts from Oxidation-Treated Leaves and Branches of Hovenia dulcis Has Anti-Hangover and Liver Protective Effects in Binge Alcohol Intake of Male Mice. Nutrients, 2021, 13, 4404.	1.7	4
8	Effect of Rumex Acetosa Extract, a Herbal Drug, on the Absorption of Fexofenadine. Pharmaceutics, 2020, 12, 547.	2.0	8
9	Design and Synthesis of Anti-Cancer Chimera Molecules Based on Marine Natural Products. Marine Drugs, 2019, 17, 500.	2.2	10
10	Anatomical characterization and LC-MS profiling of Adenophora roots from Korea. Revista Brasileira De Farmacognosia, 2019, 29, 695-701.	0.6	4
11	Discovery of LDD‑1075 as a potent FLT3 inhibitor. Oncology Letters, 2019, 17, 4735-4741.	0.8	1
12	Glutamine has antidepressive effects through increments of glutamate and glutamine levels and glutamatergic activity in the medial prefrontal cortex. Neuropharmacology, 2018, 143, 143-152.	2.0	57
13	Effect of paclitaxel content in the DHP107 oral formulation on oral bioavailability and antitumor activity. Journal of Drug Delivery Science and Technology, 2018, 48, 183-192.	1.4	11
14	A Simple and Sensitive Liquid Chromatography with Tandem Mass Spectrometric Method for the Simultaneous Determination of Anthraquinone Glycosides and Their Aglycones in Rat Plasma: Application to a Pharmacokinetic Study of Rumex acetosa Extract. Pharmaceutics, 2018, 10, 100.	2.0	11
15	Absorption mechanism of DHP107, an oral paclitaxel formulation that forms a hydrated lipidic sponge phase. Acta Pharmacologica Sinica, 2017, 38, 133-145.	2.8	20
16	Ascorbic acid concentrations in aqueous humor after systemic vitamin C supplementation in patients with cataract: pilot study. BMC Ophthalmology, 2017, 17, 121.	0.6	11
17	Orally Available Collagen Tripeptide: Enzymatic Stability, Intestinal Permeability, and Absorption of Gly-Pro-Hyp and Pro-Hyp. Journal of Agricultural and Food Chemistry, 2016, 64, 7127-7133.	2.4	74
18	Increasing vitamin d deficiency in children from 1995 to 2011. Turkish Journal of Pediatrics, 2016, 58, 616.	0.3	2

#	Article	IF	CITATIONS
19	Glutamine protects against cisplatin-induced nephrotoxicity by decreasing cisplatin accumulation. Journal of Pharmacological Sciences, 2015, 127, 117-126.	1.1	45
20	Effects of KRC-108 on the Aurora A activity and growth of colorectal cancer cells. Biochemical and Biophysical Research Communications, 2015, 461, 605-611.	1.0	3
21	Discovery of quinolinone derivatives as potent FLT3 inhibitors. Biochemical and Biophysical Research Communications, 2014, 445, 561-565.	1.0	10
22	Human Placental Lactogen Induces CYP2E1 Expression via PI 3-Kinase Pathway in Female Human Hepatocytes. Drug Metabolism and Disposition, 2014, 42, 492-499.	1.7	18
23	Discovery of olmesartan hexetil: A new potential prodrug of olmesartan. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 1347-1350.	1.0	4
24	Antinociceptive curcuminoid, KMS4034, effects on inflammatory and neuropathic pain likely via modulating TRPV1 in mice. British Journal of Anaesthesia, 2013, 111, 667-672.	1.5	37
25	A simple isocratic HPLC method for the simultaneous determination of bioactive components of Scutellariae Radix extract. Natural Product Research, 2012, 26, 1957-1962.	1.0	21
26	Design, synthesis, bioconversion, and pharmacokinetics evaluation of new ester prodrugs of olmesartan. European Journal of Medicinal Chemistry, 2011, 46, 3564-3569.	2.6	5
27	Isoform-specific regulation of cytochrome P450 expression and activity by estradiol in female rats. Biochemical Pharmacology, 2011, 81, 777-782.	2.0	20
28	Synthesis and biological evaluation of 4-piperidinecarboxylate and 4-piperidinecyanide derivatives for T-type calcium channel blockers. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 5910-5915.	1.0	9
29	KST5468, a new T-type calcium channel antagonist, has an antinociceptive effect on inflammatory and neuropathic pain models. Pharmacology Biochemistry and Behavior, 2010, 97, 198-204.	1.3	16
30	Pharmacokinetic interaction between liquiritigenin (LQ) and DDB: Increased glucuronidation of LQ in the liver possibly due to increased hepatic blood flow rate by DDB. European Journal of Pharmaceutical Sciences, 2010, 39, 181-189.	1.9	8
31	Temperature and dose effects on the pathogenicity and reproduction of two Korean isolates of Heterorhabditis bacteriophora (Nematoda: Heterorhabditidae). Journal of Asia-Pacific Entomology, 2010, 13, 277-282.	0.4	5
32	Synthesis and biological evaluation of 1,4-diazepane derivatives as T-type calcium channel blockers. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 2705-2708.	1.0	19
33	Novel amides and esters prodrugs of olmesartan: Synthesis, bioconversion, and pharmacokinetic evaluation. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 5895-5899.	1.0	14
34	Pharmacokinetics of ipriflavone and its two metabolites, M1 and M5, after the intravenous and oral administration of ipriflavone to rat model of diabetes mellitus induced by streptozotocin. European Journal of Pharmaceutical Sciences, 2009, 38, 465-471.	1.9	12
35	Ipriflavone pharmacokinetics in mutant Nagase analbuminemic rats. Biopharmaceutics and Drug Disposition, 2009, 30, 294-304.	1.1	2
36	Negligible Effect of Ginkgo Biloba Extract on the Pharmacokinetics of Cilostazol. Biomolecules and Therapeutics, 2009, 17, 311-317.	1,1	2

#	Article	IF	CITATIONS
37	Effects of E. Coli lipopolysaccharide on the pharmacokinetics of ipriflavone and its metabolites, M1 and M5, after intravenous and oral administration of ipriflavone to rats: Decreased metabolism of ipriflavone due to decreased expression of hepatic CYP1A2 and 2C11. Journal of Pharmaceutical Sciences, 2008, 97, 5024-5036.	1.6	6
38	Effects of water deprivation for 72h on the pharmacokinetics of ipriflavone in rats. Research in Veterinary Science, 2008, 85, 149-155.	0.9	4
39	Pharmacokinetics of L-FMAUS, a new antiviral agent, after intravenous and oral administration to rats: contribution of gastrointestinal first-pass effect to low bioavailability. Biopharmaceutics and Drug Disposition, 2007, 28, 187-197.	1.1	1
40	Effects of water deprivation on the pharmacokinetics of theophylline and one of its metabolites, 1,3â€dimethyluric acid, after intravenous and oral administration of aminophylline to rats. Biopharmaceutics and Drug Disposition, 2007, 28, 445-454.	1.1	5
41	Pharmacokinetics of DA-6034, an agent for inflammatory bowel disease, in rats and dogs: Contribution of intestinal first-pass effect to low bioavailability in rats. European Journal of Pharmaceutical Sciences, 2006, 27, 363-374.	1.9	11
42	Pharmacokinetic changes of ipriflavone in rats with acute renal failure induced by Uranyl Nitrate. Biopharmaceutics and Drug Disposition, 2006, 27, 345-351.	1.1	2
43	Dose-dependent pharmacokinetics of KR-31378, a new neuroprotective agent for ischaemia-reperfusion damage in dogs. Biopharmaceutics and Drug Disposition, 2004, 25, 143-148.	1.1	2
44	Determination of 1-(3-fluoro-4-hydroxy-5-mercaptomethyltetrahydrofuran-2-yl)-5-methyl-1H-pyrimidine-2,4-dione in rat plasma and urine by high-performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 803, 367-370.	1.2	1