

Warren E Piers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8271831/publications.pdf>

Version: 2024-02-01

112
papers

12,269
citations

31902

53
h-index

24915

109
g-index

143
all docs

143
docs citations

143
times ranked

5240
citing authors

#	ARTICLE	IF	CITATIONS
1	Promoting photocatalytic CO ₂ reduction through facile electronic modification of N-annulated perylene diimide rhenium bipyridine dyads. <i>Chemical Science</i> , 2022, 13, 1049-1059.	3.7	10
2	Carbene Character in a Series of Neutral PC _{carbene} P Cobalt(I) Complexes: Radical Carbenes versus Nucleophilic Carbenes. <i>Organometallics</i> , 2022, 41, 235-245.	1.1	2
3	Spontaneous Ammonia Activation Through Coordination-Induced Bond Weakening in Molybdenum Complexes of a Dianionic Pentadentate Ligand Platform**. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	11
4	A monoanionic pentadentate ligand platform for scandium-π-nitrogen multiple bonds. <i>Chemical Communications</i> , 2021, 57, 8640-8643.	2.2	7
5	Activation of ammonia and hydrazine by electron rich Fe(ⁱⁱ) complexes supported by a dianionic pentadentate ligand platform through a common terminal Fe(ⁱⁱⁱ) amido intermediate. <i>Chemical Science</i> , 2021, 12, 2231-2241.	3.7	21
6	Lowering Electrocatalytic CO ₂ Reduction Overpotential Using N-Annulated Perylene Diimide Rhenium Bipyridine Dyads with Variable Tether Length. <i>Journal of the American Chemical Society</i> , 2021, 143, 16849-16864.	6.6	15
7	Aqueous CO ₂ Reduction by a Re(bipyridine)-polypyrrole Film Deposited on Colloid-Imprinted Carbon. <i>ACS Catalysis</i> , 2021, 11, 1096-1105.	5.5	10
8	Twenty-five years of bis-pentafluorophenyl borane: a versatile reagent for catalyst and materials synthesis. <i>Chemical Communications</i> , 2020, 56, 841-853.	2.2	65
9	Tandem deoxygenative hydrosilation of carbon dioxide with a cationic scandium hydridoborate and B(C ₆ F ₅) ₃ . <i>Dalton Transactions</i> , 2020, 49, 95-101.	1.6	14
10	H/D exchange under mild conditions in arenes and unactivated alkanes with C ₆ D ₆ and D ₂ O using rigid, electron-rich iridium PCP pincer complexes. <i>Chemical Science</i> , 2020, 11, 10705-10717.	3.7	20
11	Synthesis, Characterization, and Reactivity of Neutral Octahedral Alkyl-Cobalt(III) Complexes Bearing a Dianionic Pentadentate Ligand. <i>Organometallics</i> , 2020, 39, 2269-2277.	1.1	5
12	Hydrolysis of scandium alkyl derivatives supported by a pentadentate diborate ligand: Interconversion of hydroxo and oxo complexes. <i>Polyhedron</i> , 2020, 179, 114410.	1.0	7
13	Boron-π-nitrogen substituted dihydroindeno[1,2- <i>b</i>]fluorene derivatives as acceptors in organic solar cells. <i>Chemical Communications</i> , 2019, 55, 11095-11098.	2.2	26
14	Electrocatalytic CO ₂ Reduction at Lower Overpotentials Using Iron(III) Tetra(<i>meso</i> -thienyl)porphyrins. <i>ACS Applied Energy Materials</i> , 2019, 2, 4022-4026.	2.5	28
15	Grafting of a Molecular Rhenium CO ₂ Reduction Catalyst onto Colloid-Imprinted Carbon. <i>ACS Applied Energy Materials</i> , 2019, 2, 2414-2418.	2.5	24
16	Ligand-centered electrochemical processes enable CO ₂ reduction with a nickel bis(triazapentadienyl) complex. <i>Sustainable Energy and Fuels</i> , 2019, 3, 1172-1181.	2.5	7
17	Synthesis and Structures of Stable Pt ^{II} and Pt ^{IV} Alkylidenes: Evidence for π-Bonding and Relativistic Stabilization. <i>Chemistry - A European Journal</i> , 2019, 25, 4305-4308.	1.7	6
18	Oxygen Atom Transfer to Cationic PCPNi(II) Complexes Using Amine-N-Oxides. <i>Inorganic Chemistry</i> , 2018, 57, 495-506.	1.9	17

#	ARTICLE	IF	CITATIONS
19	Divergent reactivity of nucleophilic 1-bora-7a-azaindene anions. Dalton Transactions, 2018, 47, 734-741.	1.6	4
20	Redox-state dependent activation of silanes and ammonia with reverse polarity (PC ₂ carbeneP)Ni complexes: electrophilic vs. nucleophilic carbenes. Dalton Transactions, 2018, 47, 16789-16797.	1.6	27
21	Oxygen-Oxygen Bond Cleavage and Formation in Co(II)-Mediated Stoichiometric O ₂ Reduction via the Potential Intermediacy of a Co(IV) Oxy Radical. Journal of the American Chemical Society, 2018, 140, 16094-16105.	6.6	50
22	Tuning iridium (I) PC ₂ carbeneP frameworks for facile cooperative N ₂ O reduction. Polyhedron, 2018, 155, 281-290.	1.0	18
23	Scandium alkyl and hydride complexes supported by a pentadentate diborate ligand: reactions with CO ₂ and N ₂ O. Dalton Transactions, 2018, 47, 13680-13688.	1.6	23
24	Divergent Reactivity of CO ₂ , CO, and Related Substrates at the Nickel Carbon Double Bond of (PC ₂ carbeneP)Ni(II) Pincer Complexes. Organometallics, 2018, 37, 3394-3398.	1.1	24
25	Zirconocene-Based Methods for the Preparation of BN-Indenes: Application to the Synthesis of 1,5-Dibora-4a,8a-diaza-1,2,3,5,6,7-hexaaryl-4,8-dimethyl-indacenes. Organometallics, 2017, 36, 2541-2551.	1.1	24
26	Cationic PCP iridaepoxide and carbene complexes for facile water elimination and activation processes. Dalton Transactions, 2017, 46, 4346-4354.	1.6	21
27	Reactions of Neutral Cobalt(II) Complexes of a Dianionic Tetrapodal Pentadentate Ligand: Cobalt(III) Amides from Imido Radicals. Inorganic Chemistry, 2017, 56, 4157-4168.	1.9	24
28	Ligand Attachment Chemistry in the Preparation of PC ₃ P and PC ₂ P Complexes of Rhodium. Organometallics, 2016, 35, 1279-1286.	1.1	42
29	Cationic mono and dicarbonyl pincer complexes of rhodium and iridium to assess the donor properties of PC ₂ carbeneP ligands. Dalton Transactions, 2016, 45, 12669-12679.	1.6	35
30	Facile hydrogen atom transfer to iron(III) imido radical complexes supported by a dianionic pentadentate ligand. Chemical Science, 2016, 7, 5939-5944.	3.7	47
31	Systematic dismantling of a carefully designed PC ₂ carbeneP pincer ligand via C-C bond activations at an iridium centre. Canadian Journal of Chemistry, 2016, 94, 293-296.	0.6	17
32	Activation of Si-H bonds across the nickel carbene bond in electron rich nickel PC ₂ carbeneP pincer complexes. Chemical Communications, 2016, 52, 1361-1364.	2.2	57
33	Efficient synthetic methods for the installation of boron-nitrogen bonds in conjugated organic molecules. Dalton Transactions, 2016, 45, 5920-5924.	1.6	159
34	Mechanistic studies on the addition of hydrogen to iridaepoxide complexes with subsequent elimination of water. Chemical Science, 2016, 7, 921-931.	3.7	35
35	Ligand Cooperation in the Formal Hydrogenation of N ₂ O Using a PC ₂ P Iridium Pincer Complex. Journal of the American Chemical Society, 2015, 137, 2187-2190.	6.6	95
36	Hydrogen activation with perfluorinated organoboranes: 1,2,3-tris(pentafluorophenyl)-4,5,6,7-tetrafluoro-1-boraindene. Chemical Communications, 2014, 50, 1295-1298.	2.2	59

#	ARTICLE	IF	CITATIONS
37	Bronsted acid-catalyzed skeletal rearrangements in polycyclic conjugated boracycles: a thermal route to a ladder diborole. <i>Chemical Science</i> , 2014, 5, 3189-3196.	3.7	30
38	Direct observation of a borane-silane complex involved in frustrated Lewis-pair-mediated hydrosilylations. <i>Nature Chemistry</i> , 2014, 6, 983-988.	6.6	337
39	Selective Hydrosilation of CO ₂ to a Bis(silylacetal) Using an Anilido Bipyridyl-Ligated Organoscandium Catalyst. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 789-792.	7.2	106
40	Reversible Interconversion Between a Monomeric Iridium Hydroxo and a Dinuclear Iridium μ_4 -Oxo Complex. <i>Journal of the American Chemical Society</i> , 2014, 136, 3256-3263.	6.6	56
41	Bis(η^5 -Pentamethylcyclopentadienyl) Complexes of Scandium. <i>Inorganic Syntheses</i> , 2014, , 42-47.	0.3	0
42	Bis(η^5 -Pentamethylcyclopentadienyl) Complexes of Scandium. <i>Inorganic Syntheses</i> , 2014, , 42-46.	0.3	0
43	BN-Dibenzo[<i>a</i>], [<i>o</i>]picenes: Analogues of an Unknown Polycyclic Aromatic Hydrocarbon. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 9966-9969.	7.2	83
44	Activation of Water, Ammonia, and Other Small Molecules by PC ₂ carbene ₂ P Nickel Pincer Complexes. <i>Journal of the American Chemical Society</i> , 2013, 135, 11776-11779.	6.6	216
45	A thermally robust ruthenium phosphonium alkylidene catalyst - the effect of more bulky <i>N</i> -heterocyclic carbene ligands on catalyst performance in olefin metathesis reactions. <i>Canadian Journal of Chemistry</i> , 2013, 91, 935-942.	0.6	14
46	Acetonitrile Coupling at an Electron-Rich Iridium Center Supported by a PCP Pincer Ligand. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3826-3830.	1.0	36
47	Arene C-H bond activation across Pt(η^2)-OH bonds: catalyzed vs. uncatalyzed pathways. <i>Chemical Science</i> , 2013, 4, 770-775.	3.7	15
48	Decamethylscandocinium-hydrido-(perfluorophenyl)borate: fixation and tandem tris(perfluorophenyl)borane catalysed deoxygenative hydrosilation of carbon dioxide. <i>Chemical Science</i> , 2013, 4, 2152.	3.7	132
49	Reaction of pentaarylboroles with carbon monoxide: an isolable organoboron carbonyl complex. <i>Chemical Science</i> , 2012, 3, 1814.	3.7	137
50	η^2 -Elimination-Immune PC ₂ carbene ₂ P Iridium Complexes via Double C-H Activation: Ligand-Metal Cooperation in Hydrogen Activation. <i>Organometallics</i> , 2012, 31, 2949-2952.	1.1	108
51	Reactivity of Scandium η^2 -Diketiminato Alkyl Complexes with Carbon Dioxide. <i>Organometallics</i> , 2012, 31, 810-818.	1.1	58
52	Carbon Monoxide Activation via O-Bound CO Using Decamethylscandocinium-Hydridoborate Ion Pairs. <i>Journal of the American Chemical Society</i> , 2012, 134, 10843-10851.	6.6	90
53	Isomeric Dipyrinato and Dipyrromethanato Boranes. <i>Organometallics</i> , 2011, 30, 1067-1072.	1.1	23
54	Future Trends in Organometallic Chemistry: Organometallic Approaches to Water Splitting. <i>Organometallics</i> , 2011, 30, 13-16.	1.1	57

#	ARTICLE	IF	CITATIONS
55	Mechanistic Aspects of Bond Activation with Perfluoroarylboranes. <i>Inorganic Chemistry</i> , 2011, 50, 12252-12262.	1.9	304
56	Highly Active and Diastereoselective η^5 - and η^6 -Cp*Yttrium Complexes for Intramolecular Hydroamination. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 1384-1390.	2.1	20
57	Tandem Frustrated Lewis Pair/Tris(pentafluorophenyl)borane-Catalyzed Deoxygenative Hydrosilylation of Carbon Dioxide. <i>Journal of the American Chemical Society</i> , 2010, 132, 10660-10661.	6.6	482
58	Kinetic and Thermodynamic Analysis of Processes Relevant to Initiation of Olefin Metathesis by Ruthenium Phosphonium Alkylidene Catalysts. <i>Journal of the American Chemical Society</i> , 2010, 132, 2784-2794.	6.6	51
59	Perfluoropentaphenylborole. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 2955-2958.	7.2	150
60	Perfluoroaryl-Substituted Boron Dipyrinato Complexes. <i>Organometallics</i> , 2009, 28, 4845-4851.	1.1	39
61	Nucleophilic Degradation of a η^2 -Diketiminato Ancillary by a Transient Scandium Hydride Intermediate. <i>Organometallics</i> , 2009, 28, 6228-6233.	1.1	50
62	B-N as a C-C substitute in aromatic systems. <i>Canadian Journal of Chemistry</i> , 2009, 87, 8-29.	0.6	516
63	Accelerated Ligand Metalation in a η^2 -Diketiminato Scandium Dimethyl Complex Activated with Bis(pentafluorophenyl)borane. <i>Organometallics</i> , 2007, 26, 4464-4470.	1.1	38
64	10a-Aza-10b-borapyrenes: Heterocyclic Analogues of Pyrene with Internalized BN Moieties. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4940-4943.	7.2	260
65	Bifunctional Perfluoroaryl Boranes: Synthesis and Coordination Chemistry with Neutral Lewis Base Donors. <i>Organometallics</i> , 2006, 25, 349-357.	1.1	86
66	η^2 -Diketiminato Scandium Chemistry: Attempted Deprotonation of Cationic Amido Complexes. <i>Organometallics</i> , 2006, 25, 3289-3292.	1.1	45
67	Triphenylene Analogues with B ₂ N ₂ C ₂ Cores: Synthesis, Structure, Redox Behavior, and Photophysical Properties. <i>Journal of the American Chemical Society</i> , 2006, 128, 10885-10896.	6.6	165
68	Borinium, Borenium, and Boronium Ions: Synthesis, Reactivity, and Applications. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 5016-5036.	7.2	341
69	Synthesis, Structure, and Ion Pair Dynamics of η^2 -Diketiminato-Supported Organoscandium Contact Ion Pairs. <i>Organometallics</i> , 2005, 24, 1173-1183.	1.1	92
70	Rapidly Initiating Ruthenium Olefin-Metathesis Catalysts. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 6161-6165.	7.2	191
71	Reaction of Bis(pentafluorophenyl)borane with Methylidyne Complexes: Synthesis and Characterization of a Cationic Tungsten(VI) Borylalkylidyne Hydride. <i>Organometallics</i> , 2004, 23, 314-316.	1.1	16
72	Scandium-Catalyzed Intramolecular Hydroamination. Development of a Highly Active Cationic Catalyst. <i>Organometallics</i> , 2004, 23, 2234-2237.	1.1	165

#	ARTICLE	IF	CITATIONS
73	A new family of monocyclopentadienyl organoscandium bis-alkyls supported by a bulky trialkylphosphine oxide ancillary. <i>Canadian Journal of Chemistry</i> , 2004, 82, 162-165.	0.6	48
74	2,2'-Diborabiphenyl: A Lewis Acid Analogue of 2,2'-Bipyridine. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 1252-1255.	7.2	117
75	A New Chelating Anilido-Imine Donor Related to η^2 -Diketiminato Ligands for Stabilization of Organoyttrium Cations. <i>Organometallics</i> , 2003, 22, 1577-1579.	1.1	148
76	Synthesis and thermal reactivity of organoscandium and yttrium complexes of sterically less bulky salicylaldiminato ligands. Electronic supplementary information (ESI) available: Further experimental details. See http://www.rsc.org/suppdata/dt/b3/b303097k/ . <i>Dalton Transactions</i> , 2003, , 2615.	1.6	31
77	Cationic Scandium Methyl Complexes Supported by a η^2 -Diketiminato (Nacnac) Ligand Framework. <i>Journal of the American Chemical Society</i> , 2002, 124, 2132-2133.	6.6	206
78	Reactions of a Borataalkene Ligand at Tantalocene Centers: σ Isonitrile Insertion into the $\text{B}\text{--}\text{C}$ Bond of the $[\text{CH}_2\text{B}(\text{C}_6\text{F}_5)_2]$ Ligand via the σ -Bonding Mode. <i>Organometallics</i> , 2002, 21, 2422-2425.	1.1	29
79	Organometallic Complexes of Scandium and Yttrium Supported by a Bulky Salicylaldimine Ligand. <i>Organometallics</i> , 2002, 21, 4226-4240.	1.1	131
80	Synthesis and Chemistry of Zwitterionic Tantalocene-3-boratacyclopentenes: σ Olefin-like Reactivity of a Borataalkene Ligand. <i>Journal of the American Chemical Society</i> , 2002, 124, 5411-5418.	6.6	60
81	Organo-scandium and -yttrium complexes supported by a salicylaldiminato ligand. <i>Dalton Transactions RSC</i> , 2002, , 293-294.	2.3	54
82	Non-cyclopentadienyl ancillaries in organogroup 3 metal chemistry: a fine balance in ligand design. <i>Coordination Chemistry Reviews</i> , 2002, 233-234, 131-155.	9.5	405
83	Dialkylscandium Complexes Supported by η^2 -Diketiminato Ligands: σ Synthesis, Characterization, and Thermal Stability of a New Family of Organoscandium Complexes. <i>Organometallics</i> , 2001, 20, 2533-2544.	1.1	201
84	Reactions of Bis(pentafluorophenyl)borane with $\text{Cp}_2\text{Ta}(\text{CH}_2)\text{CH}_3$: σ Generation and Trapping of Tantalocene Borataalkene Complexes. <i>Organometallics</i> , 2001, 20, 3927-3937.	1.1	58
85	$\text{B}(\text{C}_6\text{F}_5)_3$ -Catalyzed Hydrosilylation of Imines via Silyliminium Intermediates. <i>Organic Letters</i> , 2000, 2, 3921-3923.	2.4	337
86	Synthesis and Reactivity of Tantalocene Zwitterions Stabilized by Ground-State η^2 -Agostic Interactions via Reaction of $\text{B}(\text{C}_6\text{F}_5)_3$ with $\text{Cp}^*\text{Ta}(\text{CH}_2)(\text{CH}_3)$ ($\text{Cp}^* = \text{C}_5\text{H}_5, \text{C}_5\text{H}_4\text{Me}$). <i>Organometallics</i> , 2000, 19, 2243-2245.	1.1	27
87	Studies on the Mechanism of $\text{B}(\text{C}_6\text{F}_5)_3$ -Catalyzed Hydrosilylation of Carbonyl Functions. <i>Journal of Organic Chemistry</i> , 2000, 65, 3090-3098.	1.7	657
88	New Fluorinated 9-Borafluorene Lewis Acids. <i>Journal of the American Chemical Society</i> , 2000, 122, 12911-12912.	6.6	142
89	Mechanistic Studies on Selectivity in the $\text{B}(\text{C}_6\text{F}_5)_3$ -Catalyzed Allylstannation of Aldehydes: σ Is Hypercoordination at Boron Responsible?. <i>Organic Letters</i> , 2000, 2, 695-698.	2.4	77
90	Reactions of Bis(pentafluorophenyl)borane with Titanocene Dialkyls: σ Synthesis and Structure of $\text{Cp}_2\text{Ti}[\eta^2\text{-H}_2\text{B}(\text{C}_6\text{F}_5)_2]$. <i>Organometallics</i> , 2000, 19, 2040-2042.	1.1	20

#	ARTICLE	IF	CITATIONS
91	Title is missing!. Topics in Catalysis, 1999, 7, 133-143.	1.3	36
92	Activation of [Cp ₂ ZrMe ₂] with New Perfluoroaryl Diboranes: Solution Chemistry and Ethylene Polymerization Behavior in the Presence of MeAl(BHT) ₂ . Angewandte Chemie - International Edition, 1999, 38, 3695-3698.	7.2	94
93	Zwitterionic Metallocenes Derived from racand meso-Ethylenebisindenyl Zirconocene Olefin Complexes and Pentafluorophenyl-Substituted Boranes. Organometallics, 1999, 18, 3904-3912.	1.1	39
94	Synthesis of Dialkylscandium Complexes Supported by η^2 -Diketiminato Ligands and Activation with Tris(pentafluorophenyl)borane. Organometallics, 1999, 18, 2947-2949.	1.1	161
95	Reactions of Bis(pentafluorophenyl)borane with Cp ₂ Ta(CH ₂)CH ₃ . Organometallics, 1999, 18, 1575-1577.	1.1	45
96	Zwitterionic Metallocenes. Chemistry - A European Journal, 1998, 4, 13-18.	1.7	112
97	Hydroboration of vinyl silanes with bis-(pentafluorophenyl)borane: Ground state η^2 -silicon effects. Tetrahedron, 1998, 54, 15469-15488.	1.0	71
98	Mechanistic Aspects of the Reactions of Bis(pentafluorophenyl)borane with the Dialkyl Zirconocenes Cp ₂ ZrR ₂ (R = CH ₃ , CH ₂ SiMe ₃ , and CH ₂ C ₆ H ₅). Organometallics, 1998, 17, 2459-2469.	1.1	97
99	Synthesis, Properties, and Hydroboration Activity of the Highly Electrophilic Borane Bis(pentafluorophenyl)borane, HB(C ₆ F ₅) ₂ . Organometallics, 1998, 17, 5492-5503.	1.1	498
100	Synthesis and Solution and Solid-State Structures of Tris(pentafluorophenyl)borane Adducts of PhC(O)X (X = H, Me, OEt, NPr ₂). Organometallics, 1998, 17, 1369-1377.	1.1	171
101	Acetone and Acetophenone Adducts of the Zwitterionic Zirconocene Cp* [η^5 -C ₅ Me ₄ CH ₂ B(C ₆ F ₅) ₃]ZrC ₆ H ₅ . Organometallics, 1997, 16, 2509-2513.	1.1	22
102	Intramolecular Ion ⁺ Ion Interactions in Zwitterionic Metallocene Olefin Polymerization Catalysts Derived from η^6 -Tucked-In η^6 -Catalyst Precursors and the Highly Electrophilic Boranes XB(C ₆ F ₅) ₂ (X = H, Tj ETQq _{0.00} rgBT ₁₀ Overlock	0.0	0
103	Pentafluorophenylboranes: from obscurity to applications. Chemical Society Reviews, 1997, 26, 345.	18.7	608
104	Tris(pentafluorophenyl)boron-Catalyzed Hydrosilation of Aromatic Aldehydes, Ketones, and Esters. Journal of the American Chemical Society, 1996, 118, 9440-9441.	6.6	696
105	Reactions of Bis(pentafluorophenyl)borane with Phosphine Olefin Complexes of Zirconocene. Organometallics, 1996, 15, 4110-4112.	1.1	44
106	Bis(pentafluorophenyl)boran: Synthese, Eigenschaften und Hydroborierungsschemie eines sehr elektrophilen Borans. Angewandte Chemie, 1995, 107, 895-897.	1.6	157
107	Konkurrierende Reaktionswege bei der Reaktion von Bis(pentafluorophenyl)boran mit Bis(η^5 -cyclopentadienyl)dimethylzirconium: Methan η^6 -Eliminierung oder Methyl η^6 -Hydrid η^6 -Austausch und ein Beispiel f η^4 r f η^4 nffach koordinierten Kohlenstoff. Angewandte Chemie, 1995, 107, 1337-1340.	1.6	36
108	Bis(pentafluorophenyl)borane: Synthesis, Properties, and Hydroboration Chemistry of a Highly Electrophilic Borane Reagent. Angewandte Chemie International Edition in English, 1995, 34, 809-811.	4.4	378

#	ARTICLE	IF	CITATIONS
109	Competing Pathways in the Reaction of Bis(pentafluorophenyl)borane with Bis(1-5-cyclopentadienyl)dimethylzirconium: Methane Elimination versus Methyl-Hydride Exchange and an Example of Pentacoordinate Carbon. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 1230-1233.	4.4	101
110	One-Component Group 4 Homogeneous Ziegler-Natta Olefin Polymerization Catalysts: Hydroboration of Zirconium Bisalkyls with Pendant 2-Propenyl Groups Using [(C6F5)2BH]2. <i>Organometallics</i> , 1995, 14, 4617-4624.	1.1	89
111	Coping With Extreme Lewis Acidity: Strategies for the Synthesis of Stable, Mononuclear Organometallic Derivatives of Scandium. <i>Synlett</i> , 1990, 1990, 74-84.	1.0	249
112	Spontaneous Ammonia Activation Through Coordination Induced Bond Weakening in Molybdenum Complexes of a Dianionic Pentadentate Ligand Platform. <i>Angewandte Chemie</i> , 0, , .	1.6	0