

W Jack Rejeski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8273419/publications.pdf>

Version: 2024-02-01

167
papers

15,531
citations

34105

52
h-index

17592

121
g-index

173
all docs

173
docs citations

173
times ranked

15473
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Physical Activity and Public Health in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1435-1445. | 0.4 | 1,830 |
| 2 | Not What, but How One Feels: The Measurement of Affect during Exercise. <i>Journal of Sport and Exercise Psychology</i> , 1989, 11, 304-317. | 1.2 | 1,084 |
| 3 | Effect of Structured Physical Activity on Prevention of Major Mobility Disability in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 2387. | 7.4 | 1,072 |
| 4 | Exercise and dietary weight loss in overweight and obese older adults with knee osteoarthritis: The arthritis, diet, and activity promotion trial. <i>Arthritis and Rheumatism</i> , 2004, 50, 1501-1510. | 6.7 | 932 |
| 5 | Promoting physical activity for older adults The challenges for changing behavior. <i>American Journal of Preventive Medicine</i> , 2003, 25, 172-183. | 3.0 | 315 |
| 6 | Lifestyle Change and Mobility in Obese Adults with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2012, 366, 1209-1217. | 27.0 | 257 |
| 7 | Physical Exercise and the Prevention of Disability in Activities of Daily Living in Older Persons With Osteoarthritis. <i>Archives of Internal Medicine</i> , 2001, 161, 2309. | 3.8 | 251 |
| 8 | Home-Based Walking Exercise Intervention in Peripheral Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 57. | 7.4 | 241 |
| 9 | Perceived Exertion: An Active or Passive Process?. <i>Journal of Sport and Exercise Psychology</i> , 1985, 7, 371-378. | 1.0 | 226 |
| 10 | Assessing performance-related disability in patients with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 1995, 3, 157-167. | 1.3 | 225 |
| 11 | Physical Activity, Functional Limitations, and Disability in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1264-1272. | 2.6 | 225 |
| 12 | Using network science to evaluate exercise-associated brain changes in older adults. <i>Frontiers in Aging Neuroscience</i> , 2010, 2, 23. | 3.4 | 223 |
| 13 | The Lifestyle Interventions and Independence for Elders Study: Design and Methods. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 1226-1237. | 3.6 | 212 |
| 14 | Physical Activity and Health-related Quality of Life. <i>Exercise and Sport Sciences Reviews</i> , 1996, 24, 71-74. | 3.0 | 201 |
| 15 | Correlates of satisfaction with body function and body appearance in middle- and older aged adults: The activity counseling trial (ACT). <i>Psychology and Health</i> , 2000, 15, 239-254. | 2.2 | 182 |
| 16 | Impact of Intensive Lifestyle Intervention on Depression and Health-Related Quality of Life in Type 2 Diabetes: The Look AHEAD Trial. <i>Diabetes Care</i> , 2014, 37, 1544-1553. | 8.6 | 178 |
| 17 | Treating disability in knee osteoarthritis with exercise therapy: A central role for self-efficacy and pain. <i>Arthritis and Rheumatism</i> , 1998, 11, 94-101. | 6.7 | 173 |
| 18 | Obese, older adults with knee osteoarthritis: Weight loss, exercise, and quality of life.. <i>Health Psychology</i> , 2002, 21, 419-426. | 1.6 | 169 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Older adults with chronic disease: Benefits of group-mediated counseling in the promotion of physically active lifestyles.. Health Psychology, 2003, 22, 414-423. | 1.6 | 168 |
| 20 | Assessing Daily Physical Activity in Older Adults: Unraveling the Complexity of Monitors, Measures, and Methods. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1039-1048. | 3.6 | 166 |
| 21 | Compliance to exercise therapy in older participants with knee osteoarthritis: implications for treating disability. Medicine and Science in Sports and Exercise, 1997, 29, 977-985. | 0.4 | 156 |
| 22 | Effect of a Home-Based Exercise Intervention of Wearable Technology and Telephone Coaching on Walking Performance in Peripheral Artery Disease. JAMA - Journal of the American Medical Association, 2018, 319, 1665. | 7.4 | 151 |
| 23 | Molecular Transducers of Physical Activity Consortium (MoTrPAC): Mapping the Dynamic Responses to Exercise. Cell, 2020, 181, 1464-1474. | 28.9 | 147 |
| 24 | Exercise, self-efficacy, and mobility performance in overweight and obese older adults with knee osteoarthritis. Arthritis and Rheumatism, 2005, 53, 659-665. | 6.7 | 144 |
| 25 | A Randomized, Controlled Trial Comparing Long-term and Short-term Exercise in Patients With Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003, 23, 60-68. | 0.5 | 135 |
| 26 | Health-Related Quality of Life in Older Adults at Risk for Disability. American Journal of Preventive Medicine, 2007, 33, 214-218. | 3.0 | 132 |
| 27 | Translating Weight Loss and Physical Activity Programs Into the Community to Preserve Mobility in Older, Obese Adults in Poor Cardiovascular Health. Archives of Internal Medicine, 2011, 171, 880-6. | 3.8 | 130 |
| 28 | The lifestyle interventions and independence for elders (LIFE) pilot study: Design and methods. Contemporary Clinical Trials, 2005, 26, 141-154. | 1.8 | 129 |
| 29 | A Group-Mediated Cognitive-Behavioral intervention for Increasing Adherence to Physical Activity in Older Adults. Journal of Applied Biobehavioral Research, 2000, 5, 47-65. | 2.0 | 123 |
| 30 | Modifiers of change in physical functioning in older adults with knee pain: the Observational Arthritis Study in Seniors (OASIS). Arthritis and Rheumatism, 2001, 45, 331-339. | 6.7 | 99 |
| 31 | Designing clinical trials for assessing the effects of cognitive training and physical activity interventions on cognitive outcomes: The Seniors Health and Activity Research Program Pilot (SHARP-P) Study, a randomized controlled trial. BMC Geriatrics, 2011, 11, 27. | 2.7 | 99 |
| 32 | Dose of physical activity, physical functioning and disability risk in mobility-limited older adults: Results from the LIFE study randomized trial. PLoS ONE, 2017, 12, e0182155. | 2.5 | 96 |
| 33 | Muscle Strength and BMI as Predictors of Major Mobility Disability in the Lifestyle Interventions and Independence for Elders Pilot (LIFE-P). Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 1376-1383. | 3.6 | 94 |
| 34 | Correlates of Health-Related Quality of Life in Overweight and Obese Adults with Type 2 Diabetes. Obesity, 2006, 14, 870-883. | 3.0 | 90 |
| 35 | Lower Extremity Strength and Power Are Associated With 400-Meter Walk Time in Older Adults: The InCHIANTI Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 1186-1193. | 3.6 | 90 |
| 36 | Obese, older adults with knee osteoarthritis: Weight loss, exercise, and quality of life.. Health Psychology, 2002, 21, 419-426. | 1.6 | 86 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The Lifestyle Interventions and Independence for Elders Pilot (LIFE-P): 2-Year Follow-up. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 462-467. | 3.6 | 84 |
| 38 | Measuring disability in older adults: The International Classification System of Functioning, Disability and Health (ICF) framework. <i>Geriatrics and Gerontology International</i> , 2008, 8, 48-54. | 1.5 | 78 |
| 39 | Self-Presentational Concerns in Older Adults: Implications for Health and Well-Being. <i>Basic and Applied Social Psychology</i> , 2000, 22, 169-179. | 2.1 | 77 |
| 40 | Activity Adherence and Physical Function in Older Adults with Functional Limitations. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1997-2004. | 0.4 | 75 |
| 41 | The Arthritis, Diet and Activity Promotion Trial (ADAPT): design, rationale, and baseline results. <i>Contemporary Clinical Trials</i> , 2003, 24, 462-480. | 1.9 | 72 |
| 42 | Home-Based Walking Exercise in Peripheral Artery Disease: 12-Month Follow-up of the Goals Randomized Trial. <i>Journal of the American Heart Association</i> , 2014, 3, e000711. | 3.7 | 72 |
| 43 | Rehabilitation Therapy in Older Acute Heart Failure Patients (REHAB-HF) trial: Design and rationale. <i>American Heart Journal</i> , 2017, 185, 130-139. | 2.7 | 71 |
| 44 | Relationship Between Physical Functioning and Physical Activity in the Lifestyle Interventions and Independence for Elders Pilot. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1918-1924. | 2.6 | 64 |
| 45 | The unique and transient impact of acute exercise on pain perception in older, overweight, or obese adults with knee osteoarthritis. <i>Annals of Behavioral Medicine</i> , 2002, 24, 201-210. | 2.9 | 63 |
| 46 | Independent and Combined Effects of Physical Activity and Weight Loss on Inflammatory Biomarkers in Overweight and Obese Older Adults. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1089-1094. | 2.6 | 62 |
| 47 | Fat Mass Loss Predicts Gain in Physical Function With Intentional Weight Loss in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 80-86. | 3.6 | 62 |
| 48 | Effects of baseline responses, in-task feelings, and duration of activity on exercise-induced feeling states in women. <i>Health Psychology</i> , 1995, 14, 350-359. | 1.6 | 61 |
| 49 | A Home-based Maintenance Exercise Program After Center-based Cardiac Rehabilitation: Effects on Blood Lipids, Body Composition, and Functional Capacity. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2000, 20, 50-56. | 0.5 | 61 |
| 50 | Physical Activity in Prefrail Older Adults: Confidence and Satisfaction Related to Physical Function. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2008, 63, P19-P26. | 3.9 | 56 |
| 51 | Effect of an 18-month physical activity and weight loss intervention on body composition in overweight and obese older adults. <i>Obesity</i> , 2014, 22, 325-331. | 3.0 | 55 |
| 52 | Mediators of Increased Physical Activity and Change in Subjective Well-being: Results from the Activity Counseling Trial (ACT). <i>Journal of Health Psychology</i> , 2001, 6, 159-168. | 2.3 | 52 |
| 53 | Intensive Weight Loss Intervention in Older Individuals: Results from the Action for Health in Diabetes Type 2 Diabetes Mellitus Trial. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 912-922. | 2.6 | 52 |
| 54 | Objective Assessment of Activity in Older Adults at Risk for Mobility Disability. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1020-1026. | 0.4 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Older adults in cardiac rehabilitation: a new strategy for enhancing physical function. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1705-1713. | 0.4 | 50 |
| 56 | Weight Loss and Self-Regulatory Eating Efficacy in Older Adults: The Cooperative Lifestyle Intervention Program. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011, 66B, 279-286. | 3.9 | 50 |
| 57 | The prevention challengeAn overview of this supplement. <i>American Journal of Preventive Medicine</i> , 2003, 25, 107-109. | 3.0 | 49 |
| 58 | Effect of Exercise Type During Intentional Weight Loss on Body Composition in Older Adults with Obesity. <i>Obesity</i> , 2017, 25, 1823-1829. | 3.0 | 49 |
| 59 | Group-mediated activity counseling and traditional exercise therapy programs: Effects on health-related quality of life among older adults in cardiac rehabilitation. <i>Annals of Behavioral Medicine</i> , 2004, 28, 52-61. | 2.9 | 47 |
| 60 | Impact of Intensive Lifestyle Intervention on Disability-Free Life Expectancy: The Look AHEAD Study. <i>Diabetes Care</i> , 2018, 41, 1040-1048. | 8.6 | 47 |
| 61 | Ageing and Physical Disability: On Integrating Group and Individual Counseling with the Promotion of Physical Activity. <i>Exercise and Sport Sciences Reviews</i> , 2002, 30, 166-170. | 3.0 | 45 |
| 62 | Strength Training in Older Adults: An Empowering Intervention. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 106-111. | 0.4 | 45 |
| 63 | <p>Models and theories of health behavior and clinical interventions in aging: a contemporary, integrative approach</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1007-1019. | 2.9 | 45 |
| 64 | Analysis and Interpretation of Accelerometry Data in Older Adults: The LIFE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 521-528. | 3.6 | 44 |
| 65 | Community Weight Loss to Combat Obesity and Disability in At-Risk Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, glw252. | 3.6 | 44 |
| 66 | Ageing and Physical Function in Type 2 Diabetes: 8 Years of an Intensive Lifestyle Intervention. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 345-353. | 3.6 | 43 |
| 67 | A lifestyle activity intervention in patients with chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2010, 104, 829-839. | 2.9 | 42 |
| 68 | Promoting physical activity for elders with compromised function: the Lifestyle Interventions and Independence for Elders (LIFE) Study physical activity intervention. <i>Clinical Interventions in Aging</i> , 2013, 8, 1119. | 2.9 | 42 |
| 69 | Functional Health: Innovations in Research on Physical Activity with Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 93-99. | 0.4 | 41 |
| 70 | A long-term intensive lifestyle intervention and physical function: The look <sc>AHEAD</sc> Movement and Memory Study. <i>Obesity</i> , 2015, 23, 77-84. | 3.0 | 41 |
| 71 | Effect of Exercise Modality During Weight Loss on Bone Health in Older Adults With Obesity and Cardiovascular Disease or Metabolic Syndrome: A Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 2140-2149. | 2.8 | 41 |
| 72 | Physical activity counseling in primary care and patient well-being: Do patients benefit?. <i>Annals of Behavioral Medicine</i> , 2005, 30, 146-154. | 2.9 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Development and Validation of a Video-Animated Tool for Assessing Mobility. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 664-671. | 3.6 | 39 |
| 74 | Physical Activity Increases Gains in and Prevents Loss of Physical Function: Results From the Lifestyle Interventions and Independence for Elders Pilot Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 426-432. | 3.6 | 39 |
| 75 | Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults With Type 2 Diabetes: The Look AHEAD Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1552-1559. | 3.6 | 39 |
| 76 | The Contribution of Daily Experiences and Acute Exercise to Fluctuations in Daily Feeling States Among Older, Obese Adults with Knee Osteoarthritis. <i>Journal of Behavioral Medicine</i> , 2004, 27, 101-121. | 2.1 | 38 |
| 77 | Social Cognitive Constructs and the Promotion of Physical Activity in Patients With Peripheral Artery Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008, 28, 65-72. | 2.1 | 38 |
| 78 | Mindfulness: Reconnecting the Body and Mind in Geriatric Medicine and Gerontology. <i>Gerontologist</i> , 2008, 48, 135-141. | 3.9 | 37 |
| 79 | Partially Ordered Mixed Hidden Markov Model for the Disablement Process of Older Adults. <i>Journal of the American Statistical Association</i> , 2013, 108, 370-384. | 3.1 | 37 |
| 80 | Baseline Balance and Functional Decline in Older Adults with Knee Pain: The Observational Arthritis Study in Seniors. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 331-339. | 2.6 | 36 |
| 81 | Gait Speed and Mobility Disability: Revisiting Meaningful Levels in Diverse Clinical Populations. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 954-961. | 2.6 | 36 |
| 82 | Perceived importance and satisfaction with physical function in patients with knee osteoarthritis. <i>Annals of Behavioral Medicine</i> , 1998, 20, 141-148. | 2.9 | 34 |
| 83 | Self-monitoring of spontaneous physical activity and sedentary behavior to prevent weight regain in older adults. <i>Obesity</i> , 2014, 22, 1406-1412. | 3.0 | 33 |
| 84 | Power of food moderates food craving, perceived control, and brain networks following a short-term post-absorptive state in older adults. <i>Appetite</i> , 2012, 58, 806-813. | 3.7 | 32 |
| 85 | Biomarkers of leaky gut are related to inflammation and reduced physical function in older adults with cardiometabolic disease and mobility limitations. <i>GeroScience</i> , 2019, 41, 923-933. | 4.6 | 32 |
| 86 | Change in health-related quality of life and social cognitive outcomes in obese, older adults in a randomized controlled weight loss trial: Does physical activity behavior matter?. <i>Journal of Behavioral Medicine</i> , 2018, 41, 299-308. | 2.1 | 30 |
| 87 | Social Cognitive Changes Following Weight Loss and Physical Activity Interventions in Obese, Older Adults in Poor Cardiovascular Health. <i>Annals of Behavioral Medicine</i> , 2012, 44, 353-364. | 2.9 | 29 |
| 88 | Dynamic fMRI networks predict success in a behavioral weight loss program among older adults. <i>NeuroImage</i> , 2018, 173, 421-433. | 4.2 | 29 |
| 89 | Obesity Influences Transitional States of Disability in Older Adults With Knee Pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 2102-2107. | 0.9 | 28 |
| 90 | A Cost Analysis of a Physical Activity Intervention for Older Adults. <i>Journal of Physical Activity and Health</i> , 2009, 6, 767-774. | 2.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Perceived difficulty, importance, and satisfaction with physical function in COPD patients. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 18. | 2.4 | 27 |
| 92 | The Group Oriented Arterial Leg Study (GOALS) to improve walking performance in patients with peripheral arterial disease. <i>Contemporary Clinical Trials</i> , 2012, 33, 1311-1320. | 1.8 | 27 |
| 93 | Predictors of Change in Physical Function in Older Adults in Response to Long-Term, Structured Physical Activity: The LIFE Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 11-24.e3. | 0.9 | 27 |
| 94 | The Cooperative Lifestyle Intervention Program-II (CLIP-II): Design and methods. <i>Contemporary Clinical Trials</i> , 2013, 36, 382-393. | 1.8 | 26 |
| 95 | A Modified Exercise-induced Feeling Inventory for Chronic Training and Baseline Profiles of Participants in the Activity Counseling Trial. <i>Journal of Health Psychology</i> , 1999, 4, 97-108. | 2.3 | 25 |
| 96 | A group-mediated, home-based physical activity intervention for patients with peripheral artery disease: effects on social and psychological function. <i>Journal of Translational Medicine</i> , 2014, 12, 29. | 4.4 | 25 |
| 97 | Weight Status and Differences in Mobility Performance, Pain Symptoms, and Physical Activity in Older, Knee Osteoarthritis Patients. <i>Arthritis</i> , 2014, 2014, 1-7. | 2.0 | 24 |
| 98 | The Virtual Short Physical Performance Battery. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 1233-1241. | 3.6 | 24 |
| 99 | Weight Change 2 Years After Termination of the Intensive Lifestyle Intervention in the Look AHEAD Study. <i>Obesity</i> , 2020, 28, 893-901. | 3.0 | 24 |
| 100 | Should Physical Activity Programs Be Tailored When Older Adults Have Compromised Function?. <i>Journal of Aging and Physical Activity</i> , 2009, 17, 294-306. | 1.0 | 23 |
| 101 | Using Video Animation to Assess Mobility in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 217-227. | 3.6 | 23 |
| 102 | Self-reported Mobility in Older Patients Predicts Early Postoperative Outcomes after Elective Noncardiac Surgery. <i>Anesthesiology</i> , 2016, 124, 815-825. | 2.5 | 23 |
| 103 | A Mobile Health Intervention to Reduce Pain and Improve Health (MORPH) in Older Adults With Obesity: Protocol for the MORPH Trial. <i>JMIR Research Protocols</i> , 2018, 7, e128. | 1.0 | 23 |
| 104 | A Marginal Model for Analyzing Discrete Outcomes From Longitudinal Surveys With Outcomes Subject to Multiple-Cause Nonresponse. <i>Journal of the American Statistical Association</i> , 2001, 96, 844-857. | 3.1 | 22 |
| 105 | Group-mediated Physical Activity Promotion and Mobility in Sedentary Patients with Knee Osteoarthritis: Results from the IMPACT-Pilot Trial. <i>Journal of Rheumatology</i> , 2014, 41, 2068-2077. | 2.0 | 22 |
| 106 | The MAT-sf: Identifying Risk for Major Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 641-646. | 3.6 | 22 |
| 107 | Improving maintenance of physical activity in older, knee osteoarthritis patients trial-pilot (IMPACT-P): Design and methods. <i>Contemporary Clinical Trials</i> , 2012, 33, 976-982. | 1.8 | 21 |
| 108 | Differing patterns of stress and craving across the day in moderate-heavy alcohol consumers during their typical drinking routine and an imposed period of alcohol abstinence. <i>PLoS ONE</i> , 2018, 13, e0195063. | 2.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Social Participation Modifies the Effect of a Structured Physical Activity Program on Major Mobility Disability Among Older Adults: Results From the LIFE Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018, 73, 1501-1513. | 3.9 | 20 |
| 110 | State craving, food availability, and reactivity to preferred snack foods. <i>Appetite</i> , 2010, 54, 77-83. | 3.7 | 19 |
| 111 | Meal replacement: calming the hot-state brain network of appetite. <i>Frontiers in Psychology</i> , 2014, 5, 249. | 2.1 | 19 |
| 112 | A group-mediated physical activity intervention in older knee osteoarthritis patients: effects on social cognitive outcomes. <i>Journal of Behavioral Medicine</i> , 2017, 40, 530-537. | 2.1 | 19 |
| 113 | Long-Term Effects of Randomization to a Weight Loss Intervention in Older Adults: A Pilot Study. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2019, 38, 83-99. | 1.0 | 19 |
| 114 | A Mobile Health Behavior Intervention to Reduce Pain and Improve Health in Older Adults With Obesity and Chronic Pain: The MORPH Pilot Trial. <i>Frontiers in Digital Health</i> , 2020, 2, . | 2.8 | 19 |
| 115 | Effect of Structured, Moderate Exercise on Kidney Function Decline in Sedentary Older Adults. <i>JAMA Internal Medicine</i> , 2022, 182, 650. | 5.1 | 19 |
| 116 | Coping with brief periods of food restriction: mindfulness matters. <i>Frontiers in Aging Neuroscience</i> , 2012, 4, 13. | 3.4 | 18 |
| 117 | Assessing Walking Activity in Older Adults: Development and Validation of a Novel Computer-Animated Assessment Tool. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 1555-1561. | 3.6 | 18 |
| 118 | Drive for consumption, craving, and connectivity in the visual cortex during the imagery of desired food. <i>Frontiers in Aging Neuroscience</i> , 2013, 5, 77. | 3.4 | 17 |
| 119 | The MAT-sf: Clinical Relevance and Validity. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 1567-1574. | 3.6 | 16 |
| 120 | Relationships Between Profiles of Physical Activity and Major Mobility Disability in the LIFE Study. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1476-1483. | 2.6 | 16 |
| 121 | Predictors of adherence to physical activity in the Lifestyle Interventions and Independence for Elders pilot study (LIFE-P). <i>Clinical Interventions in Aging</i> , 2007, 2, 485-94. | 2.9 | 16 |
| 122 | Strength Training in Older Adults: Does Desire Determine Confidence?. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2005, 60, P335-P337. | 3.9 | 15 |
| 123 | Interruption of Physical Activity Because of Illness in the Lifestyle Interventions and Independence for Elders Pilot Trial. <i>Journal of Aging and Physical Activity</i> , 2010, 18, 61-74. | 1.0 | 15 |
| 124 | Global integration of the hot-state brain network of appetite predicts short term weight loss in older adult. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 70. | 3.4 | 15 |
| 125 | Self-Reported Physical Function As a Predictor of Hospitalization in the Lifestyle Interventions and Independence for Elders Study. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1927-1933. | 2.6 | 14 |
| 126 | Intervening on exercise and daylong movement for weight loss maintenance in older adults: A randomized, clinical trial. <i>Obesity</i> , 2022, 30, 85-95. | 3.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The embodied and relational nature of the mind: implications for clinical interventions in aging individuals and populations. <i>Clinical Interventions in Aging</i> , 2013, 8, 657. | 2.9 | 13 |
| 128 | Exercise's effect on mobility disability in older adults with and without obesity: The LIFE study randomized clinical trial. <i>Obesity</i> , 2017, 25, 1199-1205. | 3.0 | 13 |
| 129 | Effect of Weight Change Following Intentional Weight Loss on Bone Health in Older Adults with Obesity. <i>Obesity</i> , 2019, 27, 1839-1845. | 3.0 | 13 |
| 130 | The Tribulations of Trials: Lessons Learnt Recruiting 777 Older Adults Into REtirement in ACTion (REACT), a Trial of a Community, Group-Based Active Aging Intervention Targeting Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 2387-2395. | 3.6 | 13 |
| 131 | The Reconditioning Exercise and Chronic Obstructive Pulmonary Disease Trial II (REACT II): Rationale and study design for a clinical trial of physical activity among individuals with chronic obstructive pulmonary disease. <i>Contemporary Clinical Trials</i> , 2006, 27, 135-146. | 1.8 | 12 |
| 132 | Older Adults' Desire for Physical Competence. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 100-105. | 0.4 | 12 |
| 133 | A Comparison of Self-report Indices of Major Mobility Disability to Failure on the 400-m Walk Test: The LIFE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 513-518. | 3.6 | 12 |
| 134 | Mindfulness-Based Movement: A Polyvagal Perspective. <i>Integrative Cancer Therapies</i> , 2018, 17, 5-15. | 2.0 | 12 |
| 135 | Loneliness Relates to Functional Mobility in Older Adults with Type 2 Diabetes: The Look AHEAD Study. <i>Journal of Aging Research</i> , 2020, 2020, 1-8. | 0.9 | 12 |
| 136 | Elevated IL-6 and CRP Levels Are Associated With Incident Self-Reported Major Mobility Disability: A Pooled Analysis of Older Adults With Slow Gait Speed. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 2293-2299. | 3.6 | 11 |
| 137 | Validity and applicability of a video-based animated tool to assess mobility in elderly Latin American populations. <i>Geriatrics and Gerontology International</i> , 2014, 14, 864-873. | 1.5 | 10 |
| 138 | Evaluating Accelerometry Thresholds for Detecting Changes in Levels of Moderate Physical Activity and Resulting Major Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 660-667. | 3.6 | 10 |
| 139 | Association Between Change in Accelerometer-Measured and Self-Reported Physical Activity and Cardiovascular Disease in the Look AHEAD Trial. <i>Diabetes Care</i> , 2022, 45, 742-749. | 8.6 | 10 |
| 140 | Dynamic Functional Magnetic Resonance Imaging Connectivity Tensor Decomposition: A New Approach to Analyze and Interpret Dynamic Brain Connectivity. <i>Brain Connectivity</i> , 2019, 9, 95-112. | 1.7 | 9 |
| 141 | A Case for Promoting Movement Medicine: Preventing Disability in the LIFE Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1821-1827. | 3.6 | 8 |
| 142 | Association of Sex or Race With the Effect of Weight Loss on Physical Function. <i>JAMA Network Open</i> , 2020, 3, e2014631. | 5.9 | 8 |
| 143 | Functional Brain Networks: Unique Patterns with Hedonic Appetite and Confidence to Resist Eating in Older Adults with Obesity. <i>Obesity</i> , 2020, 28, 2379-2388. | 3.0 | 8 |
| 144 | Trajectories in muscular strength and physical function among men with and without prostate cancer in the health aging and body composition study. <i>PLoS ONE</i> , 2020, 15, e0228773. | 2.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Cardiac vagal dysfunction moderates patterns of craving across the day in moderate to heavy consumers of alcohol. <i>PLoS ONE</i> , 2018, 13, e0200424. | 2.5 | 7 |
| 146 | Dietary Weight Loss, Exercise, and Inflammation in Older Adults with Overweight or Obesity and Cardiometabolic Disease. <i>Obesity</i> , 2019, 27, 1805-1811. | 3.0 | 7 |
| 147 | Baseline gray and white matter volume predict successful weight loss in the elderly. <i>Obesity</i> , 2016, 24, 2475-2480. | 3.0 | 6 |
| 148 | Self- vs proxy-reported mobility using the mobility assessment tool-short form in elderly preoperative patients. <i>European Review of Aging and Physical Activity</i> , 2018, 15, 5. | 2.9 | 6 |
| 149 | Promoting Active Aging: Lessons Learned in an Implementation Pilot in Primary Care. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 373-380. | 2.6 | 6 |
| 150 | Intervening on physical activity and sedentary behavior in older adults. <i>Experimental Gerontology</i> , 2022, 157, 111634. | 2.8 | 6 |
| 151 | Building on Lessons Learned in a Mobile Intervention to Reduce Pain and Improve Health (MORPH): Protocol for the MORPH-II Trial. <i>JMIR Research Protocols</i> , 2021, 10, e29013. | 1.0 | 5 |
| 152 | Changes in mood and health-related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. <i>Obesity</i> , 2021, 29, 1294-1308. | 3.0 | 5 |
| 153 | Effects of a Motor Imagery Task on Functional Brain Network Community Structure in Older Adults: Data from the Brain Networks and Mobility Function (B-NET) Study. <i>Brain Sciences</i> , 2021, 11, 118. | 2.3 | 5 |
| 154 | Evaluation of the late life disability instrument in the lifestyle interventions and independence for elders pilot (LIFE-P) study. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 115. | 2.4 | 3 |
| 155 | Cognitive Function as a Predictor of Major Mobility Disability in Older Adults: Results From the LIFE Study. <i>Innovation in Aging</i> , 2019, 3, igz010. | 0.1 | 3 |
| 156 | Psychometric properties of a computerized adaptive test for assessing mobility in older adults using novel video-animation technology. <i>Quality of Life Research</i> , 2013, 22, 1907-1915. | 3.1 | 2 |
| 157 | Symptom prevalence differences of depression as measured by BDI and PHQ scales in the Look AHEAD study. <i>Obesity Science and Practice</i> , 2020, 6, 28-38. | 1.9 | 2 |
| 158 | Six-month changes in ghrelin and glucagon-like peptide-1 with weight loss are unrelated to long-term weight regain in obese older adults. <i>International Journal of Obesity</i> , 2021, 45, 888-894. | 3.4 | 2 |
| 159 | Sustained physical activity in peripheral artery disease: Associations with disease severity, functional performance, health-related quality of life, and subsequent serious adverse events in the LIFE randomized clinical trial. <i>Vascular Medicine</i> , 2021, 26, 497-506. | 1.5 | 2 |
| 160 | Longitudinal relationship of baseline functional brain networks with intentional weight loss in older adults. <i>Obesity</i> , 2022, 30, 902-910. | 3.0 | 2 |
| 161 | Estimating heterogeneity of physical function treatment response to caloric restriction among older adults with obesity. <i>PLoS ONE</i> , 2022, 17, e0267779. | 2.5 | 2 |
| 162 | Plasma nitrite response in older women to a physical function test. <i>Aging Clinical and Experimental Research</i> , 2010, 22, 383-386. | 2.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Plasma nitrite response in older women to a physical function test. <i>Aging Clinical and Experimental Research</i> , 2010, 22, 383-6. | 2.9 | 1 |
| 164 | The Collaborative Lifestyle Intervention Program in Knee Osteoarthritis Patients (CLIP-OA) trial: Design and methods. <i>Contemporary Clinical Trials</i> , 2022, 115, 106730. | 1.8 | 1 |
| 165 | Self-reported mobility as a preoperative risk assessment tool in older surgical patients compared to the American College of Surgeons National Surgical Quality Improvement Program. <i>Perioperative Medicine (London, England)</i> , 2018, 7, 12. | 1.5 | 0 |
| 166 | Rapid report on using data to make standardized decisions about enrollment during the COVID-19 pandemic: perspectives from the MoTrPAC study. <i>Annals of Epidemiology</i> , 2021, 62, 19-21. | 1.9 | 0 |
| 167 | Response to "The problems hiding in the self-report basis in a weight loss maintenance trial". <i>Obesity</i> , 2022, 30, 798-798. | 3.0 | 0 |