
W Jack Rejeski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8273419/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intervening on physical activity and sedentary behavior in older adults. Experimental Gerontology, 2022, 157, 111634.	1.2	6
2	Association Between Change in Accelerometer-Measured and Self-Reported Physical Activity and Cardiovascular Disease in the Look AHEAD Trial. Diabetes Care, 2022, 45, 742-749.	4.3	10
3	Longitudinal relationship of baseline functional brain networks with intentional weight loss in older adults. Obesity, 2022, 30, 902-910.	1.5	2
4	Response to "The problems hiding in the selfâ€report basis in a weight loss maintenance trial― Obesity, 2022, 30, 798-798.	1.5	0
5	The Collaborative Lifestyle Intervention Program in Knee Osteoarthritis Patients (CLIP-OA) trial: Design and methods. Contemporary Clinical Trials, 2022, 115, 106730.	0.8	1
6	Intervening on exercise and daylong movement for weight loss maintenance in older adults: A randomized, clinical trial. Obesity, 2022, 30, 85-95.	1.5	14
7	Effect of Structured, Moderate Exercise on Kidney Function Decline in Sedentary Older Adults. JAMA Internal Medicine, 2022, 182, 650.	2.6	19
8	Estimating heterogeneity of physical function treatment response to caloric restriction among older adults with obesity. PLoS ONE, 2022, 17, e0267779.	1.1	2
9	Promoting Active Aging: Lessons Learned in an Implementation Pilot in Primary Care. Journal of the American Geriatrics Society, 2021, 69, 373-380.	1.3	6
10	Six-month changes in ghrelin and glucagon-like peptide-1 with weight loss are unrelated to long-term weight regain in obese older adults. International Journal of Obesity, 2021, 45, 888-894.	1.6	2
11	Sustained physical activity in peripheral artery disease: Associations with disease severity, functional performance, health-related quality of life, and subsequent serious adverse events in the LITE randomized clinical trial. Vascular Medicine, 2021, 26, 497-506.	0.8	2
12	Elevated IL-6 and CRP Levels Are Associated With Incident Self-Reported Major Mobility Disability: A Pooled Analysis of Older Adults With Slow Gait Speed. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 2293-2299.	1.7	11
13	Building on Lessons Learned in a Mobile Intervention to Reduce Pain and Improve Health (MORPH): Protocol for the MORPH-II Trial. JMIR Research Protocols, 2021, 10, e29013.	0.5	5
14	Changes in mood and healthâ€related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. Obesity, 2021, 29, 1294-1308.	1.5	5
15	Rapid report on using data to make standardized decisions about enrollment during the COVID-19 pandemic: perspectives from the MoTrPAC study. Annals of Epidemiology, 2021, 62, 19-21.	0.9	0
16	Effects of a Motor Imagery Task on Functional Brain Network Community Structure in Older Adults: Data from the Brain Networks and Mobility Function (B-NET) Study. Brain Sciences, 2021, 11, 118.	1.1	5
17	Symptom prevalence differences of depression as measured by BDI and PHQ scales in the Look AHEAD study. Obesity Science and Practice, 2020, 6, 28-38.	1.0	2
18	Loneliness Relates to Functional Mobility in Older Adults with Type 2 Diabetes: The Look AHEAD Study. Journal of Aging Research, 2020, 2020, 1-8.	0.4	12

#	Article	IF	CITATIONS
19	Association of Sex or Race With the Effect of Weight Loss on Physical Function. JAMA Network Open, 2020, 3, e2014631.	2.8	8
20	Functional Brain Networks: Unique Patterns with Hedonic Appetite and Confidence to Resist Eating in Older Adults with Obesity. Obesity, 2020, 28, 2379-2388.	1.5	8
21	The Tribulations of Trials: Lessons Learnt Recruiting 777 Older Adults Into REtirement in ACTion (REACT), a Trial of a Community, Group-Based Active Aging Intervention Targeting Mobility Disability. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2387-2395.	1.7	13
22	Relationships Between Profiles of Physical Activity and Major Mobility Disability in the LIFE Study. Journal of the American Geriatrics Society, 2020, 68, 1476-1483.	1.3	16
23	Molecular Transducers of Physical Activity Consortium (MoTrPAC): Mapping the Dynamic Responses to Exercise. Cell, 2020, 181, 1464-1474.	13.5	147
24	Trajectories in muscular strength and physical function among men with and without prostate cancer in the health aging and body composition study. PLoS ONE, 2020, 15, e0228773.	1.1	8
25	Weight Change 2 Years After Termination of the Intensive Lifestyle Intervention in the Look AHEAD Study. Obesity, 2020, 28, 893-901.	1.5	24
26	A Mobile Health Behavior Intervention to Reduce Pain and Improve Health in Older Adults With Obesity and Chronic Pain: The MORPH Pilot Trial. Frontiers in Digital Health, 2020, 2, .	1.5	19
27	Biomarkers of leaky gut are related to inflammation and reduced physical function in older adults with cardiometabolic disease and mobility limitations. GeroScience, 2019, 41, 923-933.	2.1	32
28	Dietary Weight Loss, Exercise, and Inflammation in Older Adults with Overweight or Obesity and Cardiometabolic Disease. Obesity, 2019, 27, 1805-1811.	1.5	7
29	Effect of Weight Change Following Intentional Weight Loss on Bone Health in Older Adults with Obesity, 2019, 27, 1839-1845.	1.5	13
30	<p>Models and theories of health behavior and clinical interventions in aging: a contemporary, integrative approach</p> . Clinical Interventions in Aging, 2019, Volume 14, 1007-1019.	1.3	45
31	Long-Term Effects of Randomization to a Weight Loss Intervention in Older Adults: A Pilot Study. Journal of Nutrition in Gerontology and Geriatrics, 2019, 38, 83-99.	0.4	19
32	A Case for Promoting Movement Medicine: Preventing Disability in the LIFE Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1821-1827.	1.7	8
33	Dynamic Functional Magnetic Resonance Imaging Connectivity Tensor Decomposition: A New Approach to Analyze and Interpret Dynamic Brain Connectivity. Brain Connectivity, 2019, 9, 95-112.	0.8	9
34	Cognitive Function as a Predictor of Major Mobility Disability in Older Adults: Results From the LIFE Study. Innovation in Aging, 2019, 3, igz010.	0.0	3
35	Dynamic fMRI networks predict success in a behavioral weight loss program among older adults. NeuroImage, 2018, 173, 421-433.	2.1	29
36	Effect of a Home-Based Exercise Intervention of Wearable Technology and Telephone Coaching on Walking Performance in Peripheral Artery Disease. JAMA - Journal of the American Medical Association, 2018, 319, 1665.	3.8	151

#	Article	IF	CITATIONS
37	Gait Speed and Mobility Disability: Revisiting Meaningful Levels in Diverse Clinical Populations. Journal of the American Geriatrics Society, 2018, 66, 954-961.	1.3	36
38	Self- vs proxy-reported mobility using the mobility assessment tool-short form in elderly preoperative patients. European Review of Aging and Physical Activity, 2018, 15, 5.	1.3	6
39	Impact of Intensive Lifestyle Intervention on Disability-Free Life Expectancy: The Look AHEAD Study. Diabetes Care, 2018, 41, 1040-1048.	4.3	47
40	A Comparison of Self-report Indices of Major Mobility Disability to Failure on the 400-m Walk Test: The LIFE Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 513-518.	1.7	12
41	Social Participation Modifies the Effect of a Structured Physical Activity Program on Major Mobility Disability Among Older Adults: Results From the LIFE Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2018, 73, 1501-1513.	2.4	20
42	Mindfulness-Based Movement: A Polyvagal Perspective. Integrative Cancer Therapies, 2018, 17, 5-15.	0.8	12
43	Evaluating Accelerometry Thresholds for Detecting Changes in Levels of Moderate Physical Activity and Resulting Major Mobility Disability. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 660-667.	1.7	10
44	Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults With Type 2 Diabetes: The Look AHEAD Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1552-1559.	1.7	39
45	Change in health-related quality of life and social cognitive outcomes in obese, older adults in a randomized controlled weight loss trial: Does physical activity behavior matter?. Journal of Behavioral Medicine, 2018, 41, 299-308.	1.1	30
46	Selfâ€Reported Physical Function As a Predictor of Hospitalization in the Lifestyle Interventions and Independence for Elders Study. Journal of the American Geriatrics Society, 2018, 66, 1927-1933.	1.3	14
47	Differing patterns of stress and craving across the day in moderate-heavy alcohol consumers during their typical drinking routine and an imposed period of alcohol abstinence. PLoS ONE, 2018, 13, e0195063.	1.1	21
48	Self-reported mobility as a preoperative risk assessment tool in older surgical patients compared to the American College of Surgeons National Surgical Quality Improvement Program. Perioperative Medicine (London, England), 2018, 7, 12.	0.6	0
49	Cardiac vagal dysfunction moderates patterns of craving across the day in moderate to heavy consumers of alcohol. PLoS ONE, 2018, 13, e0200424.	1.1	7
50	Effect of Exercise Modality During Weight Loss on Bone Health in Older Adults With Obesity and Cardiovascular Disease or Metabolic Syndrome: A Randomized Controlled Trial. Journal of Bone and Mineral Research, 2018, 33, 2140-2149.	3.1	41
51	A Mobile Health Intervention to Reduce Pain and Improve Health (MORPH) in Older Adults With Obesity: Protocol for the MORPH Trial. JMIR Research Protocols, 2018, 7, e128.	0.5	23
52	Community Weight Loss to Combat Obesity and Disability in At-Risk Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw252.	1.7	44
53	A group-mediated physical activity intervention in older knee osteoarthritis patients: effects on social cognitive outcomes. Journal of Behavioral Medicine, 2017, 40, 530-537.	1.1	19
54	Rehabilitation Therapy in Older Acute Heart Failure Patients (REHAB-HF) trial: Design and rationale. American Heart Journal, 2017, 185, 130-139.	1.2	71

#	Article	IF	CITATIONS
55	Effect of Exercise Type During Intentional Weight Loss on Body Composition in Older Adults with Obesity. Obesity, 2017, 25, 1823-1829.	1.5	49
56	Exercise's effect on mobility disability in older adults with and without obesity: The LIFE study randomized clinical trial. Obesity, 2017, 25, 1199-1205.	1.5	13
57	Predictors of Change in Physical Function in Older Adults in Response to Long-Term, Structured Physical Activity: The LIFE Study. Archives of Physical Medicine and Rehabilitation, 2017, 98, 11-24.e3.	0.5	27
58	Dose of physical activity, physical functioning and disability risk in mobility-limited older adults: Results from the LIFE study randomized trial. PLoS ONE, 2017, 12, e0182155.	1.1	96
59	Self-reported Mobility in Older Patients Predicts Early Postoperative Outcomes after Elective Noncardiac Surgery. Anesthesiology, 2016, 124, 815-825.	1.3	23
60	Baseline gray―and whiteâ€matter volume predict successful weight loss in the elderly. Obesity, 2016, 24, 2475-2480.	1.5	6
61	Assessing Daily Physical Activity in Older Adults: Unraveling the Complexity of Monitors, Measures, and Methods. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1039-1048.	1.7	166
62	Analysis and Interpretation of Accelerometry Data in Older Adults: The LIFE Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 521-528.	1.7	44
63	Clobal integration of the hot-state brain network of appetite predicts short term weight loss in older adult. Frontiers in Aging Neuroscience, 2015, 7, 70.	1.7	15
64	Assessing Walking Activity in Older Adults: Development and Validation of a Novel Computer-Animated Assessment Tool. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 1555-1561.	1.7	18
65	The MAT-sf: Identifying Risk for Major Mobility Disability. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 641-646.	1.7	22
66	The Virtual Short Physical Performance Battery. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 1233-1241.	1.7	24
67	A longâ€ŧerm intensive lifestyle intervention and physical function: The look <scp>AHEAD</scp> Movement and Memory Study. Obesity, 2015, 23, 77-84.	1.5	41
68	Aging and Physical Function in Type 2 Diabetes: 8 Years of an Intensive Lifestyle Intervention. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 345-353.	1.7	43
69	Meal replacement: calming the hot-state brain network of appetite. Frontiers in Psychology, 2014, 5, 249.	1.1	19
70	Validity and applicability of a video-based animated tool to assess mobility in elderly Latin American populations. Geriatrics and Gerontology International, 2014, 14, 864-873.	0.7	10
71	Self-monitoring of spontaneous physical activity and sedentary behavior to prevent weight regain in older adults. Obesity, 2014, 22, 1406-1412.	1.5	33
72	Effect of Structured Physical Activity on Prevention of Major Mobility Disability in Older Adults. JAMA - Journal of the American Medical Association, 2014, 311, 2387.	3.8	1,072

#	Article	IF	CITATIONS
73	Homeâ€Based Walking Exercise in Peripheral Artery Disease: 12â€Month Followâ€up of the Goals Randomized Trial. Journal of the American Heart Association, 2014, 3, e000711.	1.6	72
74	Weight Status and Differences in Mobility Performance, Pain Symptoms, and Physical Activity in Older, Knee Osteoarthritis Patients. Arthritis, 2014, 2014, 1-7.	2.0	24
75	Effect of an 18-month physical activity and weight loss intervention on body composition in overweight and obese older adults. Obesity, 2014, 22, 325-331.	1.5	55
76	A group-mediated, home-based physical activity intervention for patients with peripheral artery disease: effects on social and psychological function. Journal of Translational Medicine, 2014, 12, 29.	1.8	25
77	Impact of Intensive Lifestyle Intervention on Depression and Health-Related Quality of Life in Type 2 Diabetes: The Look AHEAD Trial. Diabetes Care, 2014, 37, 1544-1553.	4.3	178
78	Group-mediated Physical Activity Promotion and Mobility in Sedentary Patients with Knee Osteoarthritis: Results from the IMPACT-Pilot Trial. Journal of Rheumatology, 2014, 41, 2068-2077.	1.0	22
79	Psychometric properties of a computerized adaptive test for assessing mobility in older adults using novel video-animation technology. Quality of Life Research, 2013, 22, 1907-1915.	1.5	2
80	Home-Based Walking Exercise Intervention in Peripheral Artery Disease. JAMA - Journal of the American Medical Association, 2013, 310, 57.	3.8	241
81	The Cooperative Lifestyle Intervention Program-II (CLIP-II): Design and methods. Contemporary Clinical Trials, 2013, 36, 382-393.	0.8	26
82	Independent and Combined Effects of Physical Activity and Weight Loss on Inflammatory Biomarkers in Overweight and Obese Older Adults. Journal of the American Geriatrics Society, 2013, 61, 1089-1094.	1.3	62
83	Intensive Weight Loss Intervention in Older Individuals: Results from the Action for Health in Diabetes Type 2 Diabetes Mellitus Trial. Journal of the American Geriatrics Society, 2013, 61, 912-922.	1.3	52
84	Partially Ordered Mixed Hidden Markov Model for the Disablement Process of Older Adults. Journal of the American Statistical Association, 2013, 108, 370-384.	1.8	37
85	Physical Activity Increases Gains in and Prevents Loss of Physical Function: Results From the Lifestyle Interventions and Independence for Elders Pilot Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 426-432.	1.7	39
86	Fat Mass Loss Predicts Gain in Physical Function With Intentional Weight Loss in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 80-86.	1.7	62
87	The MAT-sf: Clinical Relevance and Validity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1567-1574.	1.7	16
88	The embodied and relational nature of the mind: implications for clinical interventions in aging individuals and populations. Clinical Interventions in Aging, 2013, 8, 657.	1.3	13
89	Promoting physical activity for elders with compromised function: the Lifestyle Interventions and Independence for Elders (LIFE) Study physical activity intervention. Clinical Interventions in Aging, 2013, 8, 1119.	1.3	42
90	Drive for consumption, craving, and connectivity in the visual cortex during the imagery of desired food. Frontiers in Aging Neuroscience, 2013, 5, 77.	1.7	17

#	Article	IF	CITATIONS
91	Improving maintenance of physical activity in older, knee osteoarthritis patients trial-pilot (IMPACT-P): Design and methods. Contemporary Clinical Trials, 2012, 33, 976-982.	0.8	21
92	The Group Oriented Arterial Leg Study (GOALS) to improve walking performance in patients with peripheral arterial disease. Contemporary Clinical Trials, 2012, 33, 1311-1320.	0.8	27
93	Lifestyle Change and Mobility in Obese Adults with Type 2 Diabetes. New England Journal of Medicine, 2012, 366, 1209-1217.	13.9	257
94	Power of food moderates food craving, perceived control, and brain networks following a short-term post-absorptive state in older adults. Appetite, 2012, 58, 806-813.	1.8	32
95	Social Cognitive Changes Following Weight Loss and Physical Activity Interventions in Obese, Older Adults in Poor Cardiovascular Health. Annals of Behavioral Medicine, 2012, 44, 353-364.	1.7	29
96	Coping with brief periods of food restriction: mindfulness matters. Frontiers in Aging Neuroscience, 2012, 4, 13.	1.7	18
97	Weight Loss and Self-Regulatory Eating Efficacy in Older Adults: The Cooperative Lifestyle Intervention Program. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2011, 66B, 279-286.	2.4	50
98	Muscle Strength and BMI as Predictors of Major Mobility Disability in the Lifestyle Interventions and Independence for Elders Pilot (LIFE-P). Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 1376-1383.	1.7	94
99	Designing clinical trials for assessing the effects of cognitive training and physical activity interventions on cognitive outcomes: The Seniors Health and Activity Research Program Pilot (SHARP-P) Study, a randomized controlled trial. BMC Geriatrics, 2011, 11, 27.	1.1	99
100	Using Video Animation to Assess Mobility in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 217-227.	1.7	23
101	The Lifestyle Interventions and Independence for Elders Study: Design and Methods. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 1226-1237.	1.7	212
102	Translating Weight Loss and Physical Activity Programs Into the Community to Preserve Mobility in Older, Obese Adults in Poor Cardiovascular Health. Archives of Internal Medicine, 2011, 171, 880-6.	4.3	130
103	Interruption of Physical Activity Because of Illness in the Lifestyle Interventions and Independence for Elders Pilot Trial. Journal of Aging and Physical Activity, 2010, 18, 61-74.	0.5	15
104	Relationship Between Physical Functioning and Physical Activity in the Lifestyle Interventions and Independence for Elders Pilot. Journal of the American Geriatrics Society, 2010, 58, 1918-1924.	1.3	64
105	Using network science to evaluate exercise-associated brain changes in older adults. Frontiers in Aging Neuroscience, 2010, 2, 23.	1.7	223
106	Development and Validation of a Video-Animated Tool for Assessing Mobility. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 664-671.	1.7	39
107	Evaluation of the late life disability instrument in the lifestyle interventions and independence for elders pilot (LIFE-P) study. Health and Quality of Life Outcomes, 2010, 8, 115.	1.0	3
108	A lifestyle activity intervention in patients with chronic obstructive pulmonary disease. Respiratory Medicine, 2010, 104, 829-839.	1.3	42

#	Article	IF	CITATIONS
109	State craving, food availability, and reactivity to preferred snack foods. Appetite, 2010, 54, 77-83.	1.8	19
110	Plasma nitrite response in older women to a physical function test. Aging Clinical and Experimental Research, 2010, 22, 383-386.	1.4	1
111	Plasma nitrite response in older women to a physical function test. Aging Clinical and Experimental Research, 2010, 22, 383-6.	1.4	1
112	The Lifestyle Interventions and Independence for Elders Pilot (LIFE-P): 2-Year Follow-up. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2009, 64A, 462-467.	1.7	84
113	Should Physical Activity Programs Be Tailored When Older Adults Have Compromised Function?. Journal of Aging and Physical Activity, 2009, 17, 294-306.	0.5	23
114	A Cost Analysis of a Physical Activity Intervention for Older Adults. Journal of Physical Activity and Health, 2009, 6, 767-774.	1.0	28
115	Measuring disability in older adults: The International Classification System of Functioning, Disability and Health (ICF) framework. Geriatrics and Gerontology International, 2008, 8, 48-54.	0.7	78
116	Obesity Influences Transitional States of Disability in Older Adults With Knee Pain. Archives of Physical Medicine and Rehabilitation, 2008, 89, 2102-2107.	0.5	28
117	Mindfulness: Reconnecting the Body and Mind in Geriatric Medicine and Gerontology. Gerontologist, The, 2008, 48, 135-141.	2.3	37
118	Physical Activity in Prefrail Older Adults: Confidence and Satisfaction Related to Physical Function. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2008, 63, P19-P26.	2.4	56
119	Social Cognitive Constructs and the Promotion of Physical Activity in Patients With Peripheral Artery Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2008, 28, 65-72.	1.2	38
120	Physical Activity and Public Health in Older Adults. Medicine and Science in Sports and Exercise, 2007, 39, 1435-1445.	0.2	1,830
121	Objective Assessment of Activity in Older Adults at Risk for Mobility Disability. Medicine and Science in Sports and Exercise, 2007, 39, 1020-1026.	0.2	51
122	Activity Adherence and Physical Function in Older Adults with Functional Limitations. Medicine and Science in Sports and Exercise, 2007, 39, 1997-2004.	0.2	75
123	Health-Related Quality of Life in Older Adults at Risk for Disability. American Journal of Preventive Medicine, 2007, 33, 214-218.	1.6	132
124	Predictors of adherence to physical activity in the Lifestyle Interventions and Independence for Elders pilot study (LIFE-P). Clinical Interventions in Aging, 2007, 2, 485-94.	1.3	16
125	The Reconditioning Exercise and Chronic Obstructive Pulmonary Disease Trial II (REACT II): Rationale and study design for a clinical trial of physical activity among individuals with chronic obstructive pulmonary disease. Contemporary Clinical Trials, 2006, 27, 135-146.	0.8	12
126	Older Adults' Desire for Physical Competence. Medicine and Science in Sports and Exercise, 2006, 38, 100-105.	0.2	12

#	Article	IF	CITATIONS
127	Strength Training in Older Adults: An Empowering Intervention. Medicine and Science in Sports and Exercise, 2006, 38, 106-111.	0.2	45
128	Functional Health: Innovations in Research on Physical Activity with Older Adults. Medicine and Science in Sports and Exercise, 2006, 38, 93-99.	0.2	41
129	Correlates of Healthâ€Related Quality of Life in Overweight and Obese Adults with Type 2 Diabetes. Obesity, 2006, 14, 870-883.	1.5	90
130	Lower Extremity Strength and Power Are Associated With 400-Meter Walk Time in Older Adults: The InCHIANTI Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 1186-1193.	1.7	90
131	Physical activity counseling in primary care and patient well-being: Do patients benefit?. Annals of Behavioral Medicine, 2005, 30, 146-154.	1.7	40
132	Exercise, self-efficacy, and mobility performance in overweight and obese older adults with knee osteoarthritis. Arthritis and Rheumatism, 2005, 53, 659-665.	6.7	144
133	Strength Training in Older Adults: Does Desire Determine Confidence?. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2005, 60, P335-P337.	2.4	15
134	The lifestyle interventions and independence for elders (LIFE) pilot study: Design and methods. Contemporary Clinical Trials, 2005, 26, 141-154.	0.8	129
135	The Contribution of Daily Experiences and Acute Exercise to Fluctuations in Daily Feeling States Among Older, Obese Adults with Knee Osteoarthritis. Journal of Behavioral Medicine, 2004, 27, 101-121.	1.1	38
136	Exercise and dietary weight loss in overweight and obese older adults with knee osteoarthritis: The arthritis, diet, and activity promotion trial. Arthritis and Rheumatism, 2004, 50, 1501-1510.	6.7	932
137	Group-mediated activity counseling and traditional exercise therapy programs: Effects on health-related quality of life among older adults in cardiac rehabilitation. Annals of Behavioral Medicine, 2004, 28, 52-61.	1.7	47
138	Perceived difficulty, importance, and satisfaction with physical function in COPD patients. Health and Quality of Life Outcomes, 2004, 2, 18.	1.0	27
139	The Arthritis, Diet and Activity Promotion Trial (ADAPT): design, rationale, and baseline results. Contemporary Clinical Trials, 2003, 24, 462-480.	2.0	72
140	Baseline Balance and Functional Decline in Older Adults with Knee Pain: The Observational Arthritis Study in Seniors. Journal of the American Geriatrics Society, 2003, 51, 331-339.	1.3	36
141	The prevention challengeAn overview of this supplement. American Journal of Preventive Medicine, 2003, 25, 107-109.	1.6	49
142	Promoting physical activity for older adultsThe challenges for changing behavior. American Journal of Preventive Medicine, 2003, 25, 172-183.	1.6	315
143	A Randomized, Controlled Trial Comparing Long-term and Short-term Exercise in Patients With Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003, 23, 60-68.	0.5	135
144	Older adults with chronic disease: Benefits of group-mediated counseling in the promotion of physically active lifestyles Health Psychology, 2003, 22, 414-423.	1.3	168

#	Article	IF	CITATIONS
145	Older adults in cardiac rehabilitation: a new strategy for enhancing physical function. Medicine and Science in Sports and Exercise, 2002, 34, 1705-1713.	0.2	50
146	Aging and Physical Disability: On Integrating Group and Individual Counseling with the Promotion of Physical Activity. Exercise and Sport Sciences Reviews, 2002, 30, 166-170.	1.6	45
147	Obese, older adults with knee osteoarthritis: Weight loss, exercise, and quality of life Health Psychology, 2002, 21, 419-426.	1.3	169
148	The unique and transient impact of acute exercise on pain perception in older, overweight, or obese adults with knee osteoarthritis. Annals of Behavioral Medicine, 2002, 24, 201-210.	1.7	63
149	Obese, older adults with knee osteoarthritis: weight loss, exercise, and quality of life. Health Psychology, 2002, 21, 419-26.	1.3	86
150	A Marginal Model for Analyzing Discrete Outcomes From Longitudinal Surveys With Outcomes Subject to Multiple-Cause Nonresponse. Journal of the American Statistical Association, 2001, 96, 844-857.	1.8	22
151	Modifiers of change in physical functioning in older adults with knee pain: the Observational Arthritis Study in Seniors (OASIS). Arthritis and Rheumatism, 2001, 45, 331-339.	6.7	99
152	Physical Exercise and the Prevention of Disability in Activities of Daily Living in Older Persons With Osteoarthritis. Archives of Internal Medicine, 2001, 161, 2309.	4.3	251
153	Mediators of Increased Physical Activity and Change in Subjective Well-being: Results from the Activity Counseling Trial (ACT). Journal of Health Psychology, 2001, 6, 159-168.	1.3	52
154	Physical Activity, Functional Limitations, and Disability in Older Adults. Journal of the American Geriatrics Society, 2000, 48, 1264-1272.	1.3	225
155	A Group-Mediated Cognitive-Behavioral intervention for Increasing Adherence to Physical Activity in Older Adults. Journal of Applied Biobehavioral Research, 2000, 5, 47-65.	2.0	123
156	Self-Presentational Concerns in Older Adults: Implications for Health and Well-Being. Basic and Applied Social Psychology, 2000, 22, 169-179.	1.2	77
157	Correlates of satisfaction with body function and body appearance in middle- and older aged adults: The activity counseling trial (ACT). Psychology and Health, 2000, 15, 239-254.	1.2	182
158	A Home-based Maintenance Exercise Program After Center-based Cardiac Rehabilitation: Effects on Blood Lipids, Body Composition, and Functional Capacity. Journal of Cardiopulmonary Rehabilitation and Prevention, 2000, 20, 50-56.	0.5	61
159	A Modified Exercise-induced Feeling Inventory for Chronic Training and Baseline Profiles of Participants in the Activity Counseling Trial. Journal of Health Psychology, 1999, 4, 97-108.	1.3	25
160	Perceived importance and satisfaction with physical function in patients with knee osteoarthritis. Annals of Behavioral Medicine, 1998, 20, 141-148.	1.7	34
161	Treating disability in knee osteoarthritis with exercise therapy: A central role for self-efficacy and pain. Arthritis and Rheumatism, 1998, 11, 94-101.	6.7	173
162	Compliance to exercise therapy in older participants with knee osteoarthritis: implications for treating disability. Medicine and Science in Sports and Exercise, 1997, 29, 977-985.	0.2	156

#	Article	IF	CITATIONS
163	Physical Activity and Health-related Quality of Life. Exercise and Sport Sciences Reviews, 1996, 24, 71???108.	1.6	201
164	Effects of baseline responses, in-task feelings, and duration of activity on exercise-induced feeling states in women Health Psychology, 1995, 14, 350-359.	1.3	61
165	Assessing performance-related disability in patients with knee osteoarthritis. Osteoarthritis and Cartilage, 1995, 3, 157-167.	0.6	225
166	Not What, but How One Feels: The Measurement of Affect during Exercise. Journal of Sport and Exercise Psychology, 1989, 11, 304-317.	0.7	1,084
167	Perceived Exertion: An Active or Passive Process?. Journal of Sport and Exercise Psychology, 1985, 7, 371-378.	1.0	226