

Antonio Tonete Bafi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8274575/antonio-tonete-bafi-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25
papers

507
citations

12
h-index

22
g-index

28
ext. papers

654
ext. citations

3.3
avg, IF

3.27
L-index

#	Paper	IF	Citations
25	International study on microcirculatory shock occurrence in acutely ill patients. <i>Critical Care Medicine</i> , 2015 , 43, 48-56	1.4	95
24	Positive fluid balance as a prognostic factor for mortality and acute kidney injury in severe sepsis and septic shock. <i>Journal of Critical Care</i> , 2015 , 30, 97-101	4	86
23	Duration of hemodynamic effects of crystalloids in patients with circulatory shock after initial resuscitation. <i>Annals of Intensive Care</i> , 2014 , 4, 25	8.9	52
22	Predictive value of pulse pressure variation for fluid responsiveness in septic patients using lung-protective ventilation strategies. <i>British Journal of Anaesthesia</i> , 2013 , 110, 402-8	5.4	44
21	Inflammasome gene profile is modulated in septic patients, with a greater magnitude in non-survivors. <i>Clinical and Experimental Immunology</i> , 2017 , 189, 232-240	6.2	35
20	Lipid metabolism impairment in patients with sepsis secondary to hospital acquired pneumonia, a proteomic analysis. <i>Clinical Proteomics</i> , 2019 , 16, 29	5	27
19	Comparison between respiratory changes in the inferior vena cava diameter and pulse pressure variation to predict fluid responsiveness in postoperative patients. <i>Journal of Critical Care</i> , 2016 , 34, 46-9	4	27
18	Mortality predictors in renal transplant recipients with severe sepsis and septic shock. <i>PLoS ONE</i> , 2014 , 9, e111610	3.7	21
17	Mildly elevated lactate levels are associated with microcirculatory flow abnormalities and increased mortality: a microSOAP post hoc analysis. <i>Critical Care</i> , 2017 , 21, 255	10.8	20
16	Sepsis in Solid-Organ Transplant Patients. <i>Shock</i> , 2017 , 47, 12-16	3.4	17
15	Predictive Accuracy of the Quick Sepsis-related Organ Failure Assessment Score in Brazil. A Prospective Multicenter Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 789-798	10.2	17
14	Effect of Increasing Blood Pressure With Noradrenaline on the Microcirculation of Patients With Septic Shock and Previous Arterial Hypertension. <i>Critical Care Medicine</i> , 2019 , 47, 1033-1040	1.4	15
13	Nurse to bed ratio and nutrition support in critically ill patients. <i>American Journal of Critical Care</i> , 2013 , 22, e71-8	1.7	10
12	Clinical Features of Kidney Transplant Recipients Admitted to the Intensive Care Unit. <i>Progress in Transplantation</i> , 2018 , 28, 56-62	1.1	7
11	Serum concentrations of vitamin D and organ dysfunction in patients with severe sepsis and septic shock. <i>Revista Brasileira De Terapia Intensiva</i> , 2015 , 27, 376-82	1.2	7
10	Microcirculation improvement after short-term infusion of vasopressin in septic shock is dependent on noradrenaline. <i>Clinics</i> , 2017 , 72, 750-757	2.3	7
9	The diagnostic yield and complications of open lung biopsies in kidney transplant patients with pulmonary disease. <i>Journal of Thoracic Disease</i> , 2017 , 9, 166-175	2.6	4

8	Diabetes mellitus and impaired glucose tolerance are underdiagnosed in intensive care units. <i>Revista Brasileira De Terapia Intensiva</i> , 2012 , 24, 347-51	1.2	4
7	Epidemiology and outcome of high-surgical-risk patients admitted to an intensive care unit in Brazil. <i>Revista Brasileira De Terapia Intensiva</i> , 2020 , 32, 17-27	1.2	4
6	Short-term effects of passive mobilization on the sublingual microcirculation and on the systemic circulation in patients with septic shock. <i>Annals of Intensive Care</i> , 2017 , 7, 95	8.9	3
5	Incidence and risk factors for urinary retention in critically ill patients. <i>Nursing in Critical Care</i> , 2019 , 24, 355-361	2.7	3
4	Customization and external validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU) in Brazilian critically ill patients. <i>Journal of Critical Care</i> , 2020 , 59, 94-100	4	1
3	Is venous blood drawn from femoral access adequate to estimate the central venous oxygen saturation and arterial lactate levels in critically ill patients?. <i>Revista Brasileira De Terapia Intensiva</i> , 2015 , 27, 340-6	1.2	1
2	Factors associated with hospital mortality in renal transplant patients admitted to the intensive care unit with acute respiratory failure. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2017 , 39, 433-440	1.5	
1	Effects of the positive end-expiratory pressure increase on sublingual microcirculation in patients with acute respiratory distress syndrome. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2017 , 67, 278-283 ^{0.2}		